

#498

PIONEER VENUS 1

OGBD HOURLY AVERAGES

78-051A-05B

OGBD 15-MINUTE AVG. DETECTOR CNT. RATE

78-051A-05D

---

## Table of Contents

1. Introduction
2. Errata/Change Log
3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM
4. Catalog Materials
  - a. Associated Documents
  - b. Core Catalog Materials

---

## **1. INTRODUCTION:**

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

## 2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

*When printing, special settings may be required to make the text box appear on the printed output.*

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM:

<http://nssdc.gsfc.nasa.gov/nmc/>

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

- a. Associated Documents      To find associated documents you will need to know the document ID number and then click here.  
<http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/>

- b. Core Catalog Materials

PIONEER VENUS 1

OGBD HOURLY AVERAGES

78-051A-05B SOGA-00005

This data set has been restored. There were originally two 9-track, 1600 BPI tapes written in ASCII. There is one restored tape. The DR tape is a 3480 cartridge and the DS tape is 9-track, 6250 BPI. The original tapes were created on a 11/780 computer and the restored tapes were created on an IBM 9021 computer. The DR and DS numbers along with the corresponding D numbers are as follows:

DR#	DS#	D#	FILES	TIME SPAN
-----	-----	-----	-----	-----
DR006131	DS006131	D063222	1 - 18	05/22/78 - 12/30/87
		D079333	19 - 21	01/01/88 - 12/31/88

REQ. AGENT  
GWM  
DHG

RAND NO.

ACQ. AGENT  
HKH

PIONEER VENUS 1  
OGBD HOURLY AVERAGES  
78-051A-05B

This data set consists of 2 VAX-Standard-Labelled tapes. The tapes are 9-track, 1600 bpi, ASCII. They were created on a VAX 11/780 computer.

The D and C numbers and time spans follow:

<u>D#</u>	<u>C#</u>	<u>FILES</u>	<u>TIME SPAN</u>
D-63222	C-24039	18	05/22/78 - 12/30/87
D-79333	C-27115	3	01/01/88 - 12/31/88

# Los Alamos

Los Alamos National Laboratory  
Los Alamos, New Mexico 87545


DATE: March 8, 1984  
IN REPLY REFER TO: ESS-9:84-137  
MAIL STOP: D436  
TELEPHONE: (505) 667-4944

World Data Center A  
NASA/GSFC  
Code 601  
ATTN: Don Sawyer  
Greenbelt, MD 20771

Dear Mr. Sawyer:

Enclosed is a magnetic tape containing hourly-averaged data acquired from the Pioneer Venus Orbiter Gamma-Burst Detector (OGBD). A description of the data format is given on the CDB tape documentation form. Also included is a full listing of the data recorded upon the tape, which is annotated to describe the data. If there are any questions regarding these data, please contact me directly. My telephone number is (505) 667-4944 (FTS 843-4944).

Sincerely,



Ray Wm. Klebesadel

RWK/saf

Enc. a/s

Cy: CRMO (2), MS A150  
ESS-9 File

*returned Monday  
26*

*TM  
& 5/27<sup>100</sup>*

*(KLE-b...)*



GUARDED (PHOTON)  
COUNT RATES

UNGUARDED

DATE	U.T. (Sec)	100-200 keV	S SPCT	100-200 keV	200-500 keV	S-1 MeV	1-2 MeV	TOTAL > 100 keV	TRIGGER REF
78/ 5/22	4443.530	45.8	48.2	30.8	13.3	2.8	1.3	226.2	46.3
78/ 5/22	19227.596	46.7	49.1	31.9	13.0	2.9	1.3	228.4	46.5
78/ 5/22	79696.398	64.1	68.5	49.6	13.6	3.4	1.9	255.2	64.0
78/ 5/22	79696.406	64.1	68.5	49.6	13.6	3.4	1.9	255.2	64.0
78/ 5/22	83920.431	64.1	68.6	49.8	13.6	3.4	1.9	255.1	63.9
78/ 5/23	1360.451	64.1	68.6	49.7	13.5	3.5	1.9	254.9	63.6
78/ 5/23	5584.473	64.1	68.6	49.6	13.7	3.4	1.9	255.1	63.6
78/ 5/23	9808.495	64.4	68.9	50.0	13.6	3.4	1.9	255.8	64.1
78/ 5/23	13648.505	64.3	68.8	49.9	13.6	3.4	1.9	255.9	65.4
78/ 5/23	17872.536	64.4	68.8	49.9	13.7	3.4	1.9	256.3	64.3
78/ 5/23	22992.560	64.7	69.2	50.2	13.6	3.4	1.9	257.5	64.8
78/ 5/23	26896.570	64.9	69.5	50.2	13.8	3.5	2.0	257.6	65.8
78/ 5/23	31120.591	64.6	69.1	50.1	13.7	3.4	1.9	257.1	64.1
78/ 5/23	35344.622	64.5	69.1	50.1	13.6	3.5	1.9	257.2	64.2
78/ 5/23	39184.631	64.6	69.2	50.2	13.7	3.4	1.9	257.1	65.4
78/ 5/23	43408.663	64.8	69.3	50.1	13.8	3.5	1.9	257.2	66.5
78/ 5/23	47632.674	64.8	69.3	50.3	13.7	3.5	1.9	257.1	64.8
78/ 5/23	51472.693	64.9	69.4	50.2	13.7	3.4	2.0	257.6	64.3
78/ 5/23	55696.718	64.8	69.4	50.3	13.7	3.4	1.9	257.2	65.1
78/ 5/23	64976.765	64.9	69.5	50.3	13.8	3.4	1.9	256.7	65.7
78/ 5/23	69200.786	64.9	69.4	50.3	13.8	3.4	1.9	256.8	64.4
78/ 5/23	73040.805	64.7	69.2	50.3	13.6	3.4	1.9	256.6	63.4
78/ 5/23	77328.827	64.9	69.4	50.3	13.7	3.5	1.9	256.5	65.3
78/ 5/23	81488.847	64.3	68.7	49.7	13.7	3.5	1.9	254.1	65.0
78/ 5/23	85584.862	64.2	68.6	49.5	13.7	3.5	1.9	253.3	64.2
78/ 5/24	3280.893	64.0	68.5	49.5	13.6	3.4	1.9	252.6	64.5
78/ 5/24	7376.914	63.9	68.3	49.4	13.6	3.4	1.9	252.9	63.6
78/ 5/24	11472.935	63.8	68.2	49.3	13.5	3.4	1.9	251.6	64.1
78/ 5/24	15568.955	63.8	68.2	49.4	13.5	3.4	1.9	251.8	63.7
78/ 5/24	19664.967	63.6	68.0	49.1	13.6	3.4	1.9	251.3	63.3
78/ 5/24	23760.989	63.8	68.2	49.2	13.6	3.5	1.9	251.5	63.7
78/ 5/24	27793.019	63.8	68.3	49.3	13.7	3.5	1.9	252.1	63.8
78/ 5/24	31889.039	64.0	68.6	49.7	13.6	3.4	1.9	252.7	63.5
78/ 5/24	35985.060	64.1	68.6	49.6	13.7	3.4	1.9	252.6	64.4
78/ 5/24	40145.071	64.0	68.4	49.3	13.8	3.4	1.9	252.2	63.9
78/ 5/24	44177.092	64.0	68.6	49.7	13.6	3.4	1.9	253.0	64.0
78/ 5/24	48273.116	64.3	68.8	49.8	13.7	3.4	1.9	253.5	64.3
78/ 5/24	52369.137	63.8	68.3	49.5	13.5	3.4	1.9	252.3	63.9
78/ 5/24	56529.158	64.5	69.0	49.9	13.7	3.5	1.9	253.4	64.6
78/ 5/24	60625.182	64.3	68.7	49.6	13.7	3.5	1.9	252.4	64.5
78/ 5/24	64721.203	64.2	68.7	49.7	13.7	3.4	1.9	252.9	64.6
78/ 5/24	68817.226	64.2	68.7	49.7	13.7	3.5	1.9	253.1	64.5
78/ 5/24	72913.246	64.6	69.2	50.0	13.7	3.5	1.9	253.6	64.8
78/ 5/24	77009.267	64.5	69.0	50.0	13.6	3.5	1.9	253.3	64.8
78/ 5/24	80913.287	64.5	69.0	49.9	13.7	3.5	1.9	253.4	64.2
78/ 5/25	1297.318	64.5	69.0	49.8	13.8	3.5	1.9	253.3	64.6
78/ 5/25	5393.338	64.5	68.9	49.9	13.7	3.5	1.9	252.9	64.5
78/ 5/25	9489.358	64.5	68.9	49.9	13.7	3.4	1.9	253.2	64.4
78/ 5/25	13585.380	64.8	69.3	50.1	13.9	3.5	1.9	254.4	65.2
78/ 5/25	17745.401	64.6	69.1	50.1	13.6	3.5	1.9	254.0	64.5
78/ 5/25	21841.415	64.8	69.3	50.2	13.7	3.4	1.9	254.4	64.6
78/ 5/25	27473.448	64.7	69.2	50.1	13.7	3.4	2.0	253.7	64.6
78/ 5/25	31569.470	65.0	69.5	50.3	13.9	3.5	1.9	254.9	65.5
78/ 5/25	35665.491	64.8	69.2	50.0	13.8	3.5	1.9	253.6	64.8
78/ 5/25	39761.512	64.9	69.4	50.2	13.8	3.4	1.9	254.4	64.7
78/ 5/25	43857.533	65.0	69.5	50.2	13.9	3.5	1.9	254.7	65.5
78/ 5/25	47953.553	65.0	69.5	50.3	13.8	3.4	2.0	254.8	64.8
78/ 5/25	52049.578	64.6	69.2	50.1	13.8	3.5	1.9	253.9	64.6
78/ 5/25	56657.596	64.9	69.5	50.3	13.8	3.5	1.9	254.4	64.7
78/ 5/25	60753.616	64.7	69.1	50.1	13.7	3.4	1.9	253.7	64.5
78/ 5/25	76949.692	64.9	69.4	50.3	13.7	3.5	2.0	254.6	65.7
78/ 5/25	80709.719	64.9	69.4	50.1	13.9	3.5	1.9	254.8	60.5
78/ 5/25	85141.735	65.1	69.6	50.3	13.9	3.4	1.9	255.4	65.3
78/ 5/26	5491.772	65.2	69.8	50.5	13.8	3.5	2.0	256.0	64.9

D-79333  
1/1/88-12/31/88

FILE 1	RECORD	1	2048 BYTES								
0099	88/ 1/ 1	83231.859	477.0	200.6	73.1	79.8	30.6	17.1	1413.2	934.4	13-APR-88
0099	88/ 1/ 3	22307.016	455.5	200.8	67.4	83.4	32.2	17.9	1417.2	1253.3	13-APR-88
0099	88/ 1/ 4	21665.761	460.7	207.7	70.2	82.4	31.5	17.5	1411.4	1195.5	13-APR-88
0099	88/ 1/ 6	53810.950	150.0	161.2	116.7	32.5	8.0	3.5	348.0	156.0	18-APR-88
0099	88/ 1/ 8	57050.972	156.3	161.5	116.8	32.4	8.7	3.6	340.3	156.0	18-APR-88
0099	88/ 1/ 8	61490.995	150.5	161.6	117.0	32.5	8.8	3.0	348.0	155.4	18-APR-88
0099	88/ 1/ 9	10125.949	155.7	158.9	113.5	32.8	8.9	3.7	339.7	154.7	18-APR-88
0099	88/ 1/ 9	15117.982	154.1	159.2	114.7	32.4	8.6	3.5	342.2	154.0	18-APR-88
0099	88/ 1/ 9	18958.008	154.1	159.1	114.8	32.1	8.7	3.5	342.5	154.5	18-APR-88
0099	88/ 1/ 9	22798.029	153.8	158.8	114.5	32.2	8.6	3.5	341.8	153.7	18-APR-88
0099	88/ 1/ 9	26638.053	153.4	158.5	114.0	32.2	8.6	3.5	340.7	153.3	18-APR-88
0099	88/ 1/ 9	30478.077	153.4	158.5	114.2	32.1	8.6	3.5	340.7	154.3	18-APR-88
0099	88/ 1/ 9	34318.100	152.8	157.8	113.9	31.8	8.6	3.5	340.1	152.8	18-APR-88
0099	88/ 1/ 9	38158.123	153.4	158.4	114.3	32.1	8.5	3.5	340.6	152.8	18-APR-88
0099	88/ 1/ 9	41998.146	152.5	157.5	113.8	31.6	8.5	3.5	339.4	151.9	18-APR-88
0099	88/ 1/ 9	45838.169	153.2	157.2	113.4	31.6	8.7	3.5	338.4	151.5	18-APR-88
0099	88/ 1/ 9	50350.190	152.0	157.0	113.4	31.7	8.5	3.4	337.0	152.6	18-APR-88
0099	88/ 1/ 9	54950.223	152.0	157.5	113.7	31.8	8.5	3.5	339.4	153.0	18-APR-88
0099	88/ 1/ 9	58790.245	152.8	157.8	113.8	31.9	8.6	3.5	339.5	152.3	18-APR-88
0099	88/ 1/ 9	68441.805	152.9	157.3	113.4	31.9	8.5	3.5	338.9	152.4	18-APR-88

FILE 1	RECORD	174	2048 BYTES								
0099	88/12/30	40525.158	146.9	151.8	102.0	34.2	10.7	4.9	323.4	147.4	28-FEB-89
0099	88/12/30	43981.178	147.6	152.5	102.4	34.1	10.8	4.9	324.0	145.5	28-FEB-89
0099	88/12/30	48013.202	146.4	151.0	101.5	33.9	10.6	4.8	321.0	146.1	28-FEB-89
0099	88/12/30	52525.229	145.1	149.7	100.1	34.0	10.7	4.8	317.5	145.7	28-FEB-89
0099	88/12/30	56557.252	145.0	149.4	100.1	33.9	10.6	4.8	316.7	127.1	28-FEB-89
0099	88/12/30	61037.283	206.3	183.7	97.5	52.8	25.7	7.8	624.4	514.6	28-FEB-89
0099	88/12/30	65465.308	325.5	232.1	94.0	64.5	25.5	46.3	1497.9	2121.7	28-FEB-89
0099	88/12/31	21229.554	166.8	247.5	149.3	47.7	35.9	14.6	2011.9	848.0	28-FEB-89
0099	88/12/31	27469.588	111.3	262.5	148.0	65.9	35.0	13.4	2463.8	774.7	28-FEB-89
0099	88/12/31	36877.642	589.0	299.5	130.2	118.4	32.2	12.5	1877.3	496.8	28-FEB-89
0099	88/12/31	42733.677	579.1	280.4	161.9	76.5	30.2	11.8	1667.0	570.8	28-FEB-89
0099	88/12/31	51949.731	491.8	268.1	147.0	83.1	26.8	10.5	1382.5	490.5	28-FEB-89
0099	88/12/31	55885.755	457.3	317.7	135.9	145.8	25.8	10.2	1274.8	455.0	28-FEB-89
0099	88/12/31	59917.778	425.7	283.1	123.8	125.1	24.5	9.7	1174.8	361.6	28-FEB-89
0099	88/12/31	64045.803	390.8	245.4	106.1	106.8	23.2	9.3	1069.0	368.6	28-FEB-89

PIONEER VENUS 1

OGBD 15-MINUTE AVG. DETECTOR CNT. RATE

78-051A-05D SOGA-00007

This data set consists of one VAX-Standard-labelled tape. The tape is 9-track, 1600 BPI, ASCII. The tape was produced on the Modcomp.

The D and C numbers and time span follows:

D#	C#	FILES	TIME SPAN
D-82876	C-28025	3	06/11/78 - 03/13/89

# Los Alamos

Los Alamos National Laboratory  
Los Alamos, New Mexico 87545

## memorandum

---

To: NSSDC Code 933  
ATTN: Paul Butterworth  
NASA/GSFC  
Greenbelt, MD 20771

Date: March 6, 1991

From: Ray Klebesadel, SST-9 

Mail Stop/Telephone: D436/7-5127

Symbol: SST 9:91-163

Subject: NSSDC DATA SUBMISSION

This magnetic tape contains updated data from the OGBD aboard the Pioneer Venus Orbiter. The data represent 15 minute averages of detector counting rates. They are written at 1600 bpi, in the same format as those data previously supplied from this instrument.

Enc. Magnetic tape

0-82876

6/11/78 - 3/13/89

\$REW IN  
\$ASS IN HT1  
\$NOP  
\$NOP  
\$NOP  
\$NOP  
\$NOP \*\*\*\*\* LIST OF LIZ \*\*\*\*\*

\$EXE TPLIST BS

INPUT PARAMETERS ARE: AS SR=1=1 1 1 2

TAPE NO.	1	FILE NO.	2
RECORD	1	LENGTH	2 48
0079 78/ 6/11	56112.0	900.0	261.8 69.4 54.0 14.4 3.7 2.00079 78/ 6/11 57012
1	500.0 26.6 69.0 53.6 14.6 3.7 2.00079 78/ 6/11 57912.0 500.0 261.0		
4.4	69.0 53.8 14.3 3.6 2.00079 78/ 6/11 58854.1 900.0 261.6 69.2 53.8 1		
179 78/ 6/11	60656.1	900.0	260.3 69.0 53.5 14.6 3.7 2.00079 78/ 6/11 61556.
1	900.0 260.4 68.5 53.5 14.3 3.6 1.50079 78/ 6/11 62457.1 900.0 260.6		
6	69.3 53.8 14.5 3.6 2.10079 78/ 6/11 63357.1 900.0 261.5 69.4 53.9 14		
79 78/ 6/11	65157.1	900.0	261.8 69.2 53.7 14.6 3.6 2.00079 78/ 6/11 66057.1
5	500.0 260.2 68.7 53.3 14.5 3.7 2.00079 78/ 6/11 66957.1 900.0 261.6		
9 78/ 6/11	69657.1	900.0	259.7 68.6 53.1 14.6 3.6 2.00079 78/ 6/11 70557.1
9	900.0 260.2 68.8 53.2 14.7 3.6 1.50079 78/ 6/11 71457.1 500.0 261.1		
78/ 6/11	74157.1	900.0	261.6 68.4 53.0 14.4 3.6 2.10079 78/ 6/11 75057.1
9.1	262.0 69.0 53.5 14.5 3.6 2.00079 78/ 6/11 75957.1 900.0 262.3 6		
3.8	2.00079 78/ 6/11 77757.1 900.0 262.8 69.6 54.0 14.6 3.8 2.100000		

\*\*\*\*\* JOB DONE.  
\$EXE TPLIST BS

INPUT PARAMETERS ARE: AS SR=7928-1 1 1 2

TAPE NO.	1	FILE NO.	2
RECORD	7928	LENGTH	2 48
0079 89/ 3/13	55868.5	900.0	349.8 154.7 109.0 37.8 9.6 3.4