


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: June 4, 2025

For the Period: 05/29/25 to 06/16/25 (25/149 – 25/167)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through


ISSUE DATE: 06/04/25 15:57



ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SUNDAY																									
JUNE 1, 2025																									
152-153																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31																									
INITIAL CONDITIONS		1200 RTLT 46h 6m 50s 0000 RTLT 46h 6m 54s																							
RTLT: 46h 6m 46s																									
CCSL: BASELINE																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.40/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		10 40 1905 63 [D] 2115 2305 63 [D] 0515 10																							
32 DSN COVERAGE		1150 34 [DA] 1655 1150 35 [DAR] 1655 40																							
S/C 32																									
INITIAL CONDITIONS		1200 RTLT 38h 36m 6s 0000 RTLT 38h 36m 6s																							
RTLT: 38h 36m 6s																									
CCSL: BASELINE																									
FDSL: 11AF																									
WNC:																									
SB: OFF																									
KB: LOW																									
PYR: .10/.30/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		JUN 01												JUN 02											


ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57



ISSUE DATE: 06/04/25 15:57




ISSUE DATE: 06/04/25 15:57




PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY JUNE 13, 2025 164-165		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 46h 8m 40s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF		1200 RTLT 46h 8m 44s 0000 RTLT 46h 8m 50s																									
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)																									
31 DSN COVERAGE		14 [D] 0825 0205 14 [D] 0550 2040 63 [T] 0255																									
32 DSN COVERAGE		1540 35 [DAR] 2020 1540 36 [DA] 2020																									
S/C 32 INITIAL CONDITIONS RTLT: 38h 36m 18s CCSL: BASELINE FDSL: 11AF TWNC: SB: OFF XB: LOW PYR: .10/.30/1.25 GYROS: OFF		1200 RTLT 38h 36m 20s 0000 RTLT 38h 36m 20s																									
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)																									
VGR COVERAGE		ON CALL																									
NOTES																											
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:		JUN 13																		JUN 14							

ISSUE DATE: 06/04/25 15:57



ISSUE DATE: 06/04/25 15:57



ISSUE DATE: 06/04/25 15:57

