

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 6, 2025

For the Period: 07/24/25 to 08/11/25 (25/205 – 25/223)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 08/06/25 13:46




PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
FRIDAY JULY 25, 2025 206-207																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 19m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF		1200 RTLT 46h 19m 42s 0000 RTLT 46h 19m 52s U/L 0215 - - - TLC (SHORT-FORM) - - -																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		0745 24 [DAR] 0745 25 [DA] 0745 26 [DA] 10 40 60 0010 14 [T] 10 40																							
32 DSN COVERAGE		1550 34 [oA] 1950 1550 36 [DAR] 1950 40 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 41m 0s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/1.25 GYROS: OFF		1200 RTLT 38h 41m 6s 0000 RTLT 38h 41m 10s																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		JUL 25												JUL 26											


ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46




ISSUE DATE: 08/06/25 13:46



ISSUE DATE: 08/06/25 13:46



ISSUE DATE: 08/06/25 13:46



PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
MONDAY AUGUST 11, 2025 223-224																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 25m 26s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF FDS MODE XB DATA RATE(MI)		1200 RTLT 46h 25m 38s 0000 RTLT 46h 25m 48s MAGCAL 0553 * TLC (SHORT-FORM) D/L CR-5T 160(32)																							
31 DSN COVERAGE		14 [D] 0920 0240 14 [D] 10 10 40 40 60 60																							
32 DSN COVERAGE		1330 43 [Ho1] 2140 40 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 44m 44s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/1.25 GYROS: OFF FDS MODE XB DATA RATE(MI)		1200 RTLT 38h 44m 52s 0000 RTLT 38h 44m 58s CR-5T 160(32)																							
VGR COVERAGE		ON CALL VGR																							
NOTES		[1] DSS-43 HPTXR DRV OFF <= 20:45																							
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		AUG 11												AUG 12											