


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 27, 2025

For the Period: 08/28/25 to 09/15/25 (25/240 – 25/258)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
THURSDAY AUGUST 28, 2025 240-241																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 31m 54s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF		1200 RTLT 46h 32m 6s 0000 RTLT 46h 32m 18s U/L 0555 - TLC (SHORT-FORM) - -																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		14 [D] 0700-0820 0255 14 [D] 0455 40 0500 43 [HT] 60																							
32 DSN COVERAGE		1050 43 [H1] 1940 40 40																							
S/C 32 INITIAL CONDITIONS RTLT: 38h 49m 26s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.30/1.25 GYROS: OFF		1200 RTLT 38h 49m 34s 0000 RTLT 38h 49m 44s 1624 ADET LIM UPD (07:13)																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL												VGR		ON CALL									
NOTES		[1] DSS-43 HPTXR DRV OFF <= 19:40																							
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		AUG 28												AUG 29											


PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
FRIDAY																									
AUGUST 29, 2025																									
241-242																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS		1200 RTLT 46h 32m 28s 0000 RTLT 46h 32m 40s																							
RTLT: 46h 32m 18s		0940 ADET LIM UPD RTC																							
CCSL: BASELINE		0957 UPD ADET LOSS LIM																							
FDSL: 11AF		0959 MRO ADET LOSS LOCATION																							
TWNC: ON																									
SB: OFF																									
KB: LOW		1051 MRO ADET LOSS LOCATION - REDUNDANT																							
PYR: .10/.40/1.25																									
GYROS: OFF																									
		TLC (SHORT-FORM)																							
		EL-40 0940 1052 CR-5T																							
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		10 43 [HT] 1150 1725 63 [D] 0045																							
32 DSN COVERAGE		1250 43 [o] 2050 43 [D] 0630																							
S/C 32 INITIAL CONDITIONS		1200 RTLT 38h 49m 54s 0000 RTLT 38h 50m 2s																							
RTLT: 38h 49m 44s																									
CCSL: BASELINE																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.30/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		AUG 29												AUG 30											

PDT:		0																								7	
SATURDAY																											
AUGUST 30, 2025																											
242-243																											
UTC:		7																								7	
S/C 31																											
INITIAL CONDITIONS																											
RTLT: 46h 32m 40s																											
CCSL: BASELINE																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
KB: LOW																											
PYR: .10/.40/1.25																											
GYROS: OFF																											
		TLC (SHORT-FORM)																								D/L - 0556	
FDS MODE		CR-5T																									
XB DATA RATE(MI)		160(32)																									
31 DSN COVERAGE		10																								0335 14 [D]	
		40																								40	
		1825 63 [D] 0040																									
		60																									
32 DSN COVERAGE																											
		43 [D] 1430																									
		40																								40	
S/C 32																											
INITIAL CONDITIONS																											
RTLT: 38h 50m 2s																											
CCSL: BASELINE		* 0714 ADET LIM UPD RTC																									
FDSL: 11AF		↓ 0731 UPD ADET LOSS LIM																									
TWNC: ON		↓ 0733 MRO ADET LOSS LOCATION																									
SB: OFF		↓ 0825 MRO ADET LOSS LOCATION - REDUNDANT																									
KB: LOW		↓ 0714 EL-40																									
PYR: .10/.30/1.25		↓ 0826 CR-5T																									
GYROS: OFF																											
FDS MODE		EL-40 CR-5T																									
XB DATA RATE(MI)		40(30) 160(32)																									
VGR COVERAGE		VGR ON CALL																									
NOTES																											
UTC:		7																								7	
UTC:		AUG 30																								AUG 31	


ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54



ISSUE DATE: 08/27/25 13:54



ISSUE DATE: 08/27/25 13:54



PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 7, 2025
250-251

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31
INITIAL CONDITIONS
RTLT: 46h 35m 50s
CCSL: BASELINE
FDSL: 11AF
TWNC: ON
SB: OFF
KB: LOW
PYR: .10/.40/1.25
GYROS: OFF

FDS MODE
XB DATA RATE(MI)

S/C 31
DSN COVERAGE

S/C 32
DSN COVERAGE

S/C 32
INITIAL CONDITIONS
RTLT: 38h 52m 34s
CCSL: BASELINE
FDSL: 11AF
TWNC: ON
SB: OFF
KB: LOW
PYR: .10/.30/1.25
GYROS: OFF

FDS MODE
XB DATA RATE(MI)


VGR COVERAGE

NOTES


UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: SEP 07 SEP 08


ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54




ISSUE DATE: 08/27/25 13:54



ISSUE DATE: 08/27/25 13:54



ISSUE DATE: 08/27/25 13:54



ISSUE DATE: 08/27/25 13:54

