


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: October 15, 2025

For the Period: 10/16/25 to 11/03/25 (25/289 – 25/307)




Posted at <https://voyager.jpl.nasa.gov/mission/status/>


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

ISSUE DATE: 10/10/25 13:53




ISSUE DATE: 10/10/25 13:53




PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
SATURDAY OCTOBER 18, 2025 291-292																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 46h 51m 20s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF FDS MODE XB DATA RATE(MI)		1200 RTLT 46h 51m 30s 0000 RTLT 46h 51m 40s TLC (SHORT-FORM) CR-5T 160(32)																										
31 DSN COVERAGE		40 1710 63 [D] 2130 10 40 60																										
32 DSN COVERAGE		0950 34 [oA] 1415 0950 35 [DAR] 1415 40 40 1200 RTLT 39h 7m 22s 0000 RTLT 39h 7m 34s CR-5T 160(32)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		OCT 18																		OCT 19								


ISSUE DATE: 10/10/25 13:53




ISSUE DATE: 10/10/25 13:53



ISSUE DATE: 10/10/25 13:53



ISSUE DATE: 10/10/25 13:53



The chart displays mission data for two Space Shuttle flights, S/C 31 and S/C 32, over a 48-hour period. The top section covers S/C 31, and the bottom section covers S/C 32. Each section includes a timeline with various parameters and coverage periods.

S/C 31 Mission Data:

- Initial Conditions:** S/C 31, RTLT: 46h 53m 2s, CCSL: BASELINE, FDSL: 11AF, TWNC: ON, SB: OFF, KB: LOW, PYR: .10/.40/1.25, GYROS: OFF.
- FDS Mode:** CR-5T, XB DATA RATE(MI): 160(32).
- 31 DSN Coverage:** Shows coverage periods with durations of 40, 60, and 10 minutes.
- 32 DSN Coverage:** Shows coverage periods with durations of 40, 60, and 10 minutes.
- Notes:** U/L 1840, TLC (SHORT-FORM).

S/C 32 Mission Data:


- Initial Conditions:** S/C 32, RTLT: 39h 9m 2s, CCSL: BASELINE, FDSL: 11AF, TWNC: ON, SB: OFF, KB: LOW, PYR: .14/.30/1.25, GYROS: OFF.
- FDS Mode:** CR-5T, XB DATA RATE(MI): 160(32).
- VGR Coverage:** ON CALL.
- Notes:** ON CALL.

The timeline is marked with UTC hours from 7 to 7. The chart includes various symbols and text indicating mission parameters, coverage periods, and data rates.


PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
FRIDAY																									
OCTOBER 24, 2025																									
297-298																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31		1200 RTLT 46h 53m 32s 0000 RTLT 46h 53m 42s																							
INITIAL CONDITIONS																									
RTLT: 46h 53m 22s																									
CCSL: BASELINE																									
FDSL: 11AF		----- TLC (SHORT-FORM) -----																							
FWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.40/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		40 10 40 60 1705 63 [D] 2105																							
32 DSN COVERAGE		40 40 1030 34 [oA] 1350 1030 35 [DAR] 1350																							
S/C 32		1200 RTLT 39h 9m 34s 0000 RTLT 39h 9m 46s																							
INITIAL CONDITIONS																									
RTLT: 39h 9m 24s																									
CCSL: BASELINE																									
FDSL: 11AF																									
FWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .14/.30/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		OCT 24												OCT 25											

PDT:		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
SATURDAY OCTOBER 25, 2025 298-299																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31 INITIAL CONDITIONS RTLT: 46h 53m 42s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .10/.40/1.25 GYROS: OFF FDS MODE XB DATA RATE(MI)		1200 RTLT 46h 53m 50s 0000 RTLT 46h 54m 0s TLC (SHORT-FORM) D/L 1902 CR-5T 160(32)																							
31 DSN COVERAGE		40 1630 63 [D] 2100 60 10 40																							
32 DSN COVERAGE		0950 35 [DAR] 1345 0950 36 [DA] 1345 40 0205 34 [DA] 0605 0205 35 [DAR] 0605 40																							
S/C 32 INITIAL CONDITIONS RTLT: 39h 9m 46s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .14/.30/1.25 GYROS: OFF FDS MODE XB DATA RATE(MI)		1200 RTLT 39h 9m 56s 0000 RTLT 39h 10m 8s CR-5T 160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		OCT 25												OCT 26											


ISSUE DATE: 10/10/25 13:53




ISSUE DATE: 10/10/25 13:53




ISSUE DATE: 10/10/25 13:53



ISSUE DATE: 10/10/25 13:53




ISSUE DATE: 10/10/25 13:53




PDT:		01																							
FRIDAY		OCTOBER 31, 2025																							
304-305		UTC:																							
		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
S/C 31		1200 RTLT 46h 55m 44s																							
INITIAL CONDITIONS		0000 RTLT 46h 55m 54s																							
RTLT: 46h 55m 36s																									
CCSL: BASELINE																									
FDSL: 11AF		TLC (SHORT-FORM) D/L 1848																							
FWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .10/.40/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
31 DSN COVERAGE		40 1625 63 [D] 2035 60 10 40																							
32 DSN COVERAGE		0925 34 [oA] 1325 0925 35 [DAR] 1325 40 0255-0655 35 [DA] 0255-0655 36 [DAR] 40																							
S/C 32		1200 RTLT 39h 12m 6s																							
INITIAL CONDITIONS		0000 RTLT 39h 12m 18s																							
RTLT: 39h 11m 56s																									
CCSL: BASELINE																									
FDSL: 11AF																									
FWNC: ON																									
SB: OFF																									
KB: LOW																									
PYR: .14/.30/1.25																									
GYROS: OFF																									
FDS MODE		CR-5T																							
XB DATA RATE(MI)		160(32)																							
VGR COVERAGE		ON CALL																							
NOTES																									
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																							
UTC:		OCT 31												NOV 01											

ISSUE DATE: 10/10/25 13:53



ISSUE DATE: 10/10/25 13:53



ISSUE DATE: 10/10/25 13:53

