DATA SET CATALOG # 26

Vanguard III Proton Processional magnetometer

59-007A-01A 1 tape

Table of Contents

1. Introduction

2. Errata/Change Log

3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM

4. Catalog Materials

    a. Associated Documents

    b. Core Catalog Materials

---

1. INTRODUCTION:

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

When printing, special settings may be required to make the text box appear on the printed output.

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM:

http://nssdc.gsfc.nasa.gov/nmc/

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

a. Associated Documents To find associated documents you will need to know the document ID number and then click here.
http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/

b. Core Catalog Materials

VANGUARD 3

SCALAR MAGNETIC FIELD

59-007A-01A

THIS DATA SET HAS BEEN RESTORED. ORIGINALLY THERE WAS ONE 7-TRACK 556 BPI TAPE WRITTEN IN BCD. THERE IS ONE RESTORED TAPE WRITTEN IN EBCDIC, WHICH WAS PACKED DURING THE RESTORATION PROCESS. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK 6250 BPI. THE ORIGINAL TAPE WAS CREATED ON AN IBM 7094 COMPUTER. THE DR AND DS NUMBER ALONG WITH THE CORRESPONDING D NUMBER AND THE TIME SPAN IS AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR002836	DS002836	D000075	1	09/18/59 - 12/11/59

DATA SET CATALOG

59-007A-01A

Vanguard 3
Proton Processional Magnetometer

This data set consists of a single magnetic tape (D-00075) in BCD. Most of the data contained on the tape are listed in "Vanguard III, project data summary" as Appendix D (p. 107 - 166). The magnetic tape does not contain the N and K(P) fields and has the station as a two digit code. The tape does, however, provide more significant digits than are generally listed. The tape also contains a set of values labeled "Field - Vanguard (or AFSWC coefficients)".

The data are documented in a Data Users' Note. No other documentation on the tape is available at the NSSDC. The tape consists of BCD card images recorded at 556 bpi on a 7 track tape. The data set consists of:

1) BCD list of part of the tapes
2) DUN describing the tape B0901
3) Appendix D of project data summary listing the partial tape contents.



DATA USERS' NOTE

NSSDC 67-28

VANGUARD 3 (1959 ETA 1)

PROTON PRECESSIONAL MAGNETOMETER

MAY 1967

NATIONAL SPACE SCIENCE DATA CENTER

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

DATA USERS' NOTE
NSSDC 67-26

VANGUARD 3 (1959 ETA 1)

PROTON PRECESSIONAL MAGNETOMETER

EXPERIMENTER

J. P. Heppner

MAY 1967

FOREWORD

This Data Users' Note is specifically designed to help potential data users decide if they can make use of the data obtained in the Vanguard 3 (1959 Eta 1) proton precessional magnetometer experiment. Once a data user decides that he requires the data, it will serve as the unifying element - the key - in the actual use of the data available at the National Space Science Data Center (NSSDC). To achieve these goals, the Note briefly describes the experiment, including the instrumentation and measurements, the telemetry, and the operational experience. All available details are then provided on the actual reduction techniques and format of recorded data. For those desiring more details, the name and address of the experimenter are provided to facilitate direct contact. As a further aid, detailed references (and bibliography) are also included. When available, NASA accession numbers* are given. The primary purpose of these references is to identify the sources containing complete information concerning the subject under discussion. Most of these references are physically available at NSSDC - those that are not are readily obtainable.

Inquiries concerning the availability of data should be directed to:

National Space Science Data Center
Goddard Space Flight Center
Greenbelt, Maryland 20771
Area Code 301 982-6695

*For example, N64-2243 is an accession number for an article reported in the *Scientific and Technical Aerospace Reports* (STAR), and A63-5921 refers to an entry in the *International Aerospace Abstracts* (IAA).

CONTENTS

	Page
BACKGROUND	1
EXPERIMENTER	1
EXPERIMENT	
Instrumentation and Measurements	1
Telemetry	2
Operational Experience	3
DATA	
Reduction Techniques	5
Timespan of Data	6
Format of Available Data	6
REFERENCES	13
BIBLIOGRAPHY	15

LIST OF FIGURES

Figure		
1	Vanguard 3 Experiments	1
2	Typical Response Curve for Vanguard 3 Amplifier	3
3	Format of Final Tape	7
4	Sample of Data Printout	10
5	Distribution of Vanguard Data with Altitude	11
6	Distribution of Vanguard Data with Dip Angle	11

VANGUARD 3 (1959 ETA 1)
PROTON PRECESSIONAL MAGNETOMETER

BACKGROUND

The proton precessional magnetometer was one of three experiments aboard Vanguard 3. (See Figure 1.) The magnetometer was designed to make absolute measurements of the geomagnetic field above the ionosphere in order to deduce whether the electric currents giving rise to the main phase of magnetic storms were located in the ionosphere or at greater altitudes. Secondary objectives included the study of the equatorial electrojet and the mapping of the main field.

Vanguard 3 was launched on September 18, 1959, into an orbit with an inclination of 33.5 deg and an initial height range from 510 to 3753 km above the earth's surface. The initial period of Vanguard 3 was approximately 130 min.[1]

FIGURE 1
VANGUARD 3 EXPERIMENTS

No.	Experiment	Investigator(s)	Affiliation
01	Proton Precessional Magnetometer	J. P. Heppner	GSFC*
02	X-Ray Experiment	H. Friedman	NRL**
03	Micrometeorite	H. F. LaGow L. Secretan	GSFC* GSFC*

*Goddard Space Flight Center
**Naval Research Laboratory

EXPERIMENTER

J. P. Heppner - Goddard Space Flight Center

EXPERIMENT

Instrumentation and Measurements

The proton precessional magnetometer was designed to measure total scalar intensity of the magnetic field independent of satellite orientation by

measuring the proton precession frequency

$$f = 4257.6 \times F,$$

where F is the field intensity in gauss and the constant 4257.6 comes from the gyromagnetic ratio of the proton.

To obtain a precession signal of sufficient amplitude for measuring this frequency accurately, the proton sample is first polarized by passing a strong current through a coil surrounding the sample. When this current is cut off, a small but significant fraction of the protons are in phase in their precession and thus induce a detectable voltage at frequency f in the surrounding coil. Maximum amplitude of the precession signal is obtained by orienting the polarizing coil perpendicular to the magnetic field. However, the frequency of the induced signal is not a function of the orientation angle, and a non-perpendicular orientation will cause only a reduction in amplitude. If θ is the angle between the coil axis and the magnetic field vector, then the amplitude varies as $\sin^2 \theta$. The signal amplitude decays exponentially with a time constant that is a function of the proton sample.[2]

The instrument consisted of a sensing head, a high-gain, wide-bandpass amplifier, an 80-mw, 108.03 Mc/s telemetry transmitter, and a command receiver. The magnetometer sensing head was a 600-turn, 6-mh, 4-in. solenoid, wound on a 1-in. diameter cylinder filled with normal hexane. The polarization current was 6 amperes.[3,4] A typical amplifier response curve is shown in Figure 2.[5]

Telemetry

During operation, a command signal from the ground was received by a tuned receiver in the satellite. A relay closure at the output of the receiver then actuated a multivibrator programming circuit in the magnetometer. The programming circuit then performed the following functions:

1. Turned on the 108.03-Mc transmitter and the magnetometer amplifier

2. Connected the sensing-head coil to a 12-volt battery pack for about 2 sec, causing phase coherence of the protons in the sample by the resulting polarizing field

3. Switched the coil to the amplifier following polarization

FIGURE 2
TYPICAL RESPONSE CURVE FOR VANGUARD 3 AMPLIFIER



4. Switched off the 108.03-Mc transmitter and magnetometer amplifier after about 4 sec. The signal transmitted to the tracking stations was amplitude-modulated by the magnetometer signal.[3]

The Vanguard 3 tracking stations simultaneously recorded on magnetic tape the unfiltered modulation from the 108.03-Mc signal, a standard 100-kc signal, and the coded universal time. The precession signals of about 2-sec duration for each ground command ranged in frequency from about 300 to 2000 cps. The tape-recorded signals were subsequently digitized and recorded graphically and on magnetic tape.[5]

Operational Experience

The total number of observations considered suitable for analysis was 279[illegible]. The data were collected from September 18 to December 11, 1959, a period of 85 days. Perigee remained on the nightside throughout this interval although it oscillated twice past all latitudes up to the 33.5-deg limit.[3]

A qualitative survey of the magnetic activity during the period of satellite measurement, based on the observatory reports, is listed as follows:

September 18-27. Several moderate to severe disturbances spaced irregularly throughout the interval reported at less than five observatories at once. Most of the activity began about 1157 hr on September 20 when a sudden commencement (sc) was reported at five observatories with a storm ending at 2100 hr on September 22.

B. September 27-October 1. No reported disturbance.

C. October 1-8. A series of moderate to moderately severe disturbances, each of about a day's duration, only one weak sc being reported by one station.

D. October 8-17. No reported disturbance.

E. October 17-19. A moderate disturbance reported at six observatories, no clear sc.

F. October 19-29. Two short moderately severe disturbances reported at only two observatories.

G. October 29-November 7. A moderately severe disturbance beginning with a sc reported by 11 observatories at about 2348 hr on October 29. This disturbance continued at some stations through most of this interval or was followed by newly reported disturbances having no recognizable sc's.

H. November 7-21. Quiet except for a short disturbance November 14 reported at only three observatories.

I. November 21-27. One or more short disturbances reported by five observatories and ending by November 24.

J. November 27-29. A short moderately severe to severe storm with a sc reported at 17 observatories about 2351 hr on November 27 and ending by 0200 hr on November 29 at most stations.

K. November 29-December 5. Moderate to severe disturbances throughout most of the interval first reported on November 30 and ending at almost all stations by December 4.

L. December 5-11. A moderately severe to severe storm having a sc reported at 16 observatories at about 0659 hr on December 5 and ending at almost all stations on December 6. No disturbance was reported after December 7.

Analysis of the data clearly established that the principal source of D_{st} (ring current) variations was at altitudes greater than the Vanguard 3 apogee and not at ionospheric levels. However, the distribution of data with local time and altitude prevented conclusions from being drawn about the location of the sources of the DS or SD and S_q magnetic variations, including the equatorial electrojet.[3] One feature of the magnetometer data, not anticipated prior to the flight, was the detection of audio-frequency whistler signals.[6]

DATA

Reduction Techniques

A total of 2445 analog tapes was reduced to one BCD tape. The reduction techniques included a determination of frequency and time information. Due to the possibility of human error and error produced by electronic malfunction, the tapes were verified as much as practicable. The data given special attention were those which appeared more anomalous than others and those which deviated greatly from neighboring points.

Two further methods were used to check the data. A reference field was generated directly from the measured total field data. By using this reference field it was possible to further investigate those few data with residual of 50γ. Another method of checking was to compute the gradients in Δ F with time for a given satellite pass. Cases involving larger changes of gradient were further checked.[3,5]

The accuracy of the data which appear on the tape is limited by the following minor effects:

1. Residual magnetism in the satellite package. On the basis of preflight tests, this is thought to have been no more than 1 gamma.

2. Shifts in frequency due to the angular motions of the satellite. Evidence indicates that the satellite was spin stabilized at 3 rps at injection. Within hours a precession began to develop as the angular momentum transferred to the larger moment of inertia about an axis perpendicular to the longitudinal axis. After 24 hr, the cone of precession was about 45 deg; by the second day a rotation with a 12-sec period was obtained. The effect of this type of rotation has been investigated by Bloom,[7] and discussed by Heppner, Stolarik, and Meredith.[8]

3. Estimated presence of noise in the signal. The noise was estimated by the differences in readings of the magnetic field as determined

by two or more recordings at separate receivers of the same magnetometer transmission. The statistics of the differences between the pairs of observations give a roughly Gaussian distribution with a standard deviation of 3γ. Since these signals may have been averaged over slightly different intervals during which the geomagnetic field gradients might normally lead to these differences, similar statistics were derived from Δ F field differences. Here, however, the standard deviation came to 4γ. This was due to the inclusion of 11 values where the differences lay in the 14- to 18-gamma range because of suspected time errors.

4. Difficulty in assessing absolute time errors. The time averages were taken over different intervals depending on the counter "preset" and the trigger level. In general the precision of a time measurement is better than 0.03 sec. However, through either human error or faulty electronics, there are numerous instances where the coded time is incorrect by 1, 2, 10, or more sec. Since the accuracy of the time of an observation is as important as the magnetic field measurement in making a useful interpretation of that measurement, the reduction of the coded-time data was done with as much care as the frequency determination. When seeking physical interpretations for magnetic field measurements that seem anomalous, it is possible that the apparent anomaly is due to some undetected error in the recorded time of the observation.[5]

Timespan of Data

The BCD magnetic tape on hand at NSSDC covers the period of September 18 to December 11, 1959.

Format of Available Data

The data record description of the final BCD data tape is given in Figure 4. The tape has a density of 556 bpi and is written as follows:

Format (I2, I3, 4I2, F4.2, I1, I2, F2.1, F6.1, F6.3, F7.3, F6.2, 3F5.1, 22X)

A typical printout is shown in Figure 5.

The areas covered by Vanguard 3 data are mainly concentrated over approximately 3 percent of the earth's surface near the receiving stations. Very few successful signal transmissions were recorded at ranges in excess of 4000 km, and the majority of good data are within a 3000-km range. The distribution

FIGURE 3
FORMAT OF FINAL TAPE

Word No.	Quantity	Format Number	Units	Remarks
1	Station No.	I2		The Minitrack station code name
2	Analog Tape No.	I3		Tape number as designated by each station. Generally each satellite pass is recorded on a separate tape. In the few instances where more than one pass is on a given tape, it is given a consecutive number following a slash (/).
3	Month	I2		Time (UT) of the middle of the signal to the nearest 0.1 second
4	Day	I2		
5	Hour	I2		
6	Minute	I2		
7	Second	F4.2		
8	L	I1		A qualitative figure attached to each observation as follows: 0 - best data 5 - duplicate data recorded simultaneously at another receiving station. These data are considered less reliable than corresponding L-O data. Duplicate data can be identified by listing time which is nearly always in agreement to a fraction of a second. 6 - duplicate frequency determinations of the same signal, with the more reliable signal having a smaller L number 7 - data that are considered sufficiently dubious to be rejected from analysis. The data could not be verified by a later frequency determination, the exact time was ambiguous, or there were other anomalous characteristics of the

FIGURE 3 (Continued)
FORMAT OF FINAL TAPE

Word No.	Quantity	Format Number	Units	Remarks
8 (continued from previous page)	L			signal, as explained by the footnote, that cast doubt on the reliability of the measurement.
9	Footnote	I2		N - Notes as follows: 0 - no comment 1 - whistlers recorded during magnetometer readout, but not crossing magnetometer signal during measurement 2 - magnetometer signal quality poor 3 - irregular signal rise time 4 - possible errors due to erratic coded time. Time listed is based on reasonable assumptions and is very likely to be correct. 5 - magnetometer signal "pinched" 6 - 100-kc frequency standard poor. Data may have been determined by use of tracking filter. 7 - a combination of above comments or other peculiarities of such a nature that a detailed comment is available only in the original data logs 8 - whistler crossing of magnetometer signal during interval of measurement. If whistler strength was sufficient to affect apparent frequency, data were deleted.
10	Sigma	F2.1	gamma	Standard deviation of observations in gammas
11	Field	F6.1	gamma	Average scalar magnetic field in gammas (one gamma = 10^{-5} gauss = 10^{-9} webers/meter^2)

FIGURE 3 (Continued)
FORMAT OF FINAL TAPE

Word No.	Quantity	Format Number	Units	Remarks
12	Latitude	F6.3	deg	Position of the satellite in geodetic co-
13	Longitude	F7.3	deg	ordinates (east longitude and north lati-
14	Altitude	F6.2	km	tude in positive degrees, height above
15	Field-Finch	F5.1	gamma	the spheroid in kilometers)—based on the time given. Differences in absolute
16	Field-AFSWC	F5.1	gamma	scalar field between measured value and that computed using the Finch and Leaton
17	Field-Vanguard	F5.1	gamma	or AFSWC coefficients, respectively. A minus sign means that the computed field was greater than the measured field.
		22X		This is necessary to skip the 18 blank and the 4 zero characters that occur at the end of each logical record.

of data with altitude is given in Figure 6. As was expected from considerations of signal strength, there is a preponderance of data near perigee with a slow tailing off up to apogee.[5]

The distribution of data with respect to dip angle is given in Figure 7. This dip distribution was computed for each datum by using the Finch and Leaton coefficients.[9] Although the geographic latitude was small (±33.5 deg), the geomagnetic latitude limits reached 45 deg.[5]

FIGURE 4
SAMPLE OF DATA PRINTOUT

(See Figure 3 for Key to Column Headings)

10001	918	7352055	2365486	30210	-119041	57045	-4426	726	187		0000
10001	918	7353450	2366742	29958	-118046	57332	-4402	720	167		0000
6007	91310074510		1168416	-11777	-77629125970		-1791	-931	147		0000
6007	91810081731505		2164324	-12717	-76189129948		-1805	-919	215		0005
7168	91810081742		1164290	-12720	-76184129962		-1826	-940	195		0000
6007	91810082747		1163049	-13009	-75736131213		-1827	-934	216		0000
7168	91810083804		1161739	-13311	-75266132534		-1857	-955	210		0000
6007	91810083823908		1161725	-13317	-75257132558		-1842	-940	225		0000
8002	91814535334		1 92394	-33440	-76379313430		-910	-830	77		0000
8002	9181455 6		2 94297	-33360	-73784319411		-918	-804	122		0000
8002	91814554239600		1 92597	-33276	-72159323062		-968	-838	100		0000
8002	91814554239		1 92622	-33276	-72159323062		-943	-814	124		0000
8002	9181456 110		1 91837	-33231	-71447324639		-1021	-885	57		0000
7170	9181456 135500		5 91962	-33230	-71437324660		-887	-751	191		0000
8002	9181457 852		1 89511	-33028	-68908330136		-917	-764	195		0000
8002	91814578032		1 88259	-32873	-67357333395		-749	-591	380		0000
8002	91814584083		1 86445	-32653	-65506337180		-935	-775	214		0000
6010	91819481062		1 77440	-11825	-79935355765		-1119	-731	-472		0000
6010	91819493691		1 78842	-9496	-77813350945		-1153	-719	-416		0000
6010	9181950 116500		1 79305	-9060	-77216349497		-1162	-717	-400		0000
5288	9181950 131		1 79295	-9057	-77213349488		-1175	-730	-413		0000
6010	91819502064		1 79704	-8708	-76737348305		-1166	-711	-383		0000
5288	91819502078500		2 79658	-8706	-76733348296		-1215	-760	-432		0000
6010	91819504855		2 80278	-8196	-76042346552		-1210	-742	-399		0000
6010	9181951 781		1 80757	-7850	-75574345310		-1170	-693	-339		0000
5288	9181951 820500		2 80754	-7843	-75565345284		-1183	-705	-351		0000
5288	91819512662		1 81186	-7505	-75110344073		-1196	-710	-345		0000
6010	91819514625		1 83365	-5989	-73088338429		-1216	-695	-278		0000
5288	91819524829500		1 83339	-5988	-73087338426		-1243	-721	-305		0000
5288	9181953 113		1 83679	-5747	-72767337498		-1282	-755	-330		0000
6010	9181953 125500		1 83713	-5745	-72764337489		-1252	-725	-300		0000
5288	91819542160		1 86264	-4221	-70756331432		-1283	-724	-242		0000
9002	9182000 841600		3101317	2660	-61769300619		-1583	-911	-98		0000
9002	9182000 900600		1101315	2672	-61753300560		-1597	-945	-131		0000
9002	9182000 904		101309	2673	-61752300556		-1605	-953	-140		0000
9002	918200003231600		1102544	3151	-61122298232		-1643	-989	-148		0000
9002	918200003253		102591	3156	-61116298210		-1609	-954	-113		0000
9002	918200003267600		1102574	3159	-61112298195		-1633	-978	-137		0000
4186	91821034569 10		3247765	-20865	133251165104		-2312	3257	-106		0000
4186	918210345886607		4247744	-20869	133259165129		-2319	3249	-113		0000
4186	918210354986610		3247139	-21077	133664166334		-2282	3247	-59		0000
4186	91821035506		3247139	-21079	133667166345		-2275	3253	-53		0000
4186	9182106 149600		2237757	-23781	139272183150		-2132	2832	68		0000
4186	9182106 176 10		1237717	-23786	139284183186		-2151	2813	50		0000
5289	91822191734		1152183	14318	-78280240022		-1513	-392	-76		0000
5289	91822195026 8		1155885	15032	-77163235917		-1585	-442	-103		0000
9003	91822264187		2206969	23746	-61160182502		-2002	-594	162		0000
9003	91822265228 8		1208263	23954	-60697181126		-2019	-615	168		0000
4187	9182328 312		1189363	-32704	137845272728		-1573	2313	32		0000
11001	919 414567 8		5267738	29255	-79223144258		-1468	618	143		0000
11001	919 415437		5269222	29373	-78747143148		-1498	365	111		0000
10002	919 2492173 18		7224488	26728	-119714164387		-1870	487	3		0000
10002	919 2502909		1238275	27923	-116329155584		-2017	507	93		0000
11002	919 301 7316001		0363326	33350	-76391	82344	-1190	1089	290		0000
11002	919 301 744		2363352	33349	-76381	82333	-1185	1103	304		0000
4189	919 4185579600		1116776	-19845	134892374507		-1475	1061	-541		0000
4189	919 4185580 10		1116795	-19845	134892374507		-1458	1078	-524		0000
4189	919 4192695610		3116079	-19382	135699374176		-1495	1011	-554		0000
4189	919 4192711		2116100	-19379	135703374176		-1471	1035	-530		0000
4189	919 4203504 10		1114657	-18352	137448373211		-1474	987	-521		0000
4189	919 4203512600		1114691	-18351	137450373210		-1439	1003	-486		0000

FIGURE 5
Distribution of Vanguard Data with Altitude

Altitude Range (km)		No. of Data
(Perigee)	510-799	565
	800-1099	273
	1100-1399	352
	1400-1699	239
	1700-1999	256
	2000-2299	234
	2300-2599	182
	2600-2899	198
	2900-3199	163
	3200-3499	137
(Apogee)	3500-3753	198

FIGURE 6
Distribution of Vanguard Data with Dip Angle

Angle Range (degrees)	No. of Data
0-9	153
10-19	204
20-29	254
30-39	324
40-49	225
50-59	874
60-67	763

REFERENCES

1. Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "A Review of Instrumentation for the Magnetic-Field Satellite Experiment," Annals of the Internat. Geophys. Yr., London: Pergamon Press, Vol. VI, 323-328, 1958.

2. Block, F., W. W. Hansen, and M. Packard, "The Nuclear Induction Experiment," Phys. Rev., 70, 474-485, Oct. 1946.

3. Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "Vanguard 3 Magnetic-Field Observations," J. Geophys. Res., 67, 5055-5069, Dec. 1962.

4. Mansir, D., "Magnetometer at Work in Outer Space," Radio-Electronics, 31, 38-41, Apr. 1960.

5. Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "Measurements of the Geomagnetic Field by the Vanguard 3 Satellite," NASA TN D-1418, Oct. 1962.

6. Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "A Note on Whistlers Observed Above the Ionosphere," J. Geophys. Res., 66, 2677-2680, Sep. 1961.

7. Bloom, A. L., "Nuclear Free Precession in a Moving Vehicle," Varian Associates Tech. Memo., 1955.

8. Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "The Earth's Magnetic Field Above WSPG, New Mexico, from Rocket Measurements," J. Geophys. Res., 63, 277-288, Jun. 1958.

9. Finch, H. F., and B. R. Leaton, "The Earth's Main Magnetic Field — Epoch 1955.0," Monthly Not. Roy. Astron. Soc., Geophys. Suppl., 7, 314-317, Nov. 1957.

BIBLIOGRAPHY

Block, F., W. W. Hansen, and M. Packard, "The Nuclear Induction Experiment," Phys. Rev., 70, 474-485, Oct. 1946.

Bloom, A. L., "Nuclear Free Precession in a Moving Vehicle," Varian Associates Tech. Memo., 1955.

Cain, J. C., and S. Hendricks, "Comments on the Vanguard 3 Magnetic Field Data and Analysis," J. Geophys. Res., 69, 4187-4188, Oct. 1, 1964.

Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "A Note on Whistlers Observed Above the Ionosphere," J. Geophys. Res., 66, 2677-2680, Sep. 1961.

Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "Measurements of the Geomagnetic Field by the Vanguard 3 Satellite," NASA TN D-1418, Oct. 1962.

Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "Vanguard 3 Magnetic Field Observations," J. Geophys. Res., 67, 5055-5069, Dec. 1962.

Cain, J. C., I. R. Shapiro, J. D. Stolarik, and J. P. Heppner, "Whistler Signals Observed with the Vanguard 3 Satellite," Proc. Internat. Conf. on Cosmic Rays and the Earth Storm, Kyoto, Sep. 1961 (J. Phys. Soc. Japan 17, Suppl. AII, 1962).

Chapman, S., and J. Bartels, "Geomagnetism," Oxford: Clarendon Press, Vol. 2, 610, 1940.

Dessler, A. J., "Effect of Magnetic Anomaly on Particle Radiation Trapped in Geomagnetic Field," J. Geophys. Res., 64, 713-715, Jul. 1959.

Driscoll, R. L., and P. L. Bender, "Proton Gyromagnetic Ratio," Phys. Rev Letters, 1, 413-414, Dec. 1, 1958.

Finch, H. F., and B. R. Leaton, "The Earth's Main Magnetic Field — Epoch 1955.0," Monthly Not. Roy. Astron. Soc., Geophys. Suppl., 7, 314-317, Nov. 1957.

Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "A Review of Instrumentation for the Magnetic-Field Satellite Experiment," Annals of the Internat. Geophys. Yr., London: Pergamon Press, Vol. VI, 323-328, 1958.

Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "Project Vanguard Magnetic Field Instrumentation and Measurements," NASA TN D-486, Sep. 1960.

Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "Satellite Magnetic Field Mapping," NASA TN D-696, May 1961.

Heppner, J. P., J. D. Stolarik, and L. H. Meredith, "The Earth's Magnetic Field Above WSPG, New Mexico, from Rocket Measurements," J. Geophys. Res., 63, 277-288, Jun. 1958.

Heuring, F. T., "Comparison of Some Recently Defined Geomagnetic Field Models to the Vanguard 3 (1959η) Data," J. Geophys. Res., 70, 4968-4971, Oct. 1, 1965.

Heuring, F. T., "The Analytic Description of the Geomagnetic Field at Satellite Altitudes," J. Geophys. Res., 69, 4959-4968, Dec. 1, 1964.

Izsak, I. G., "A Determination of the Ellipticity of the Earth's Equator from the Motion of Two Satellites," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 56, 11-24, Jan. 30, 1961.

Jacchia, L. G., "The Atmospheric Drag of Artificial Satellites During the October 1960 and November 1960 Events," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 62, May 26, 1961.

Jensen, D. C., and W. A. Whitaker, "A Spherical Harmonic Analysis of the Geomagnetic Field," J. Geophys. Res., 65, 2500, Aug. 1960 (Abstract).

Kozai, Y., "Tesseral Harmonics of the Potential of the Earth as Derived from Satellite Motions," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 72, Aug. 9, 1961.

Kozai, Y., "The Motion of a Close Earth Satellite," Astronom. J., 64, 367-377, Nov. 1959.

Mansir, D., "Magnetometer at Work in Outer Space," Radio-Electronics, 31, 38-41, Apr. 1960.

Mechau, D. V., "Catalogue of Satellite Observations, No. C-14," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 44, 2-12, May 25, 1960.

Mechau, D. V., "Catalogue of Satellite Observations, No. C-19," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 55, 26-39, Dec. 19, 1960.

Moore, C. H., "SAO Position Determination 1," Smithsonian Inst. Astrophys. Observ., Jan. 27, 1960.

Shapiro, I. R., J. D. Stolarik, and J. P. Heppner, "Data Report on Whistlers Observed by Vanguard III (1959η1)," NASA TN D-2313, May 1964.

Vanguard III (1959 Eta) Project Data Summary, NASA-NSSDC, Jul. 1964.

Veis, G., "Catalog of Precisely Reduced Observations, No. P-1," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 82, Nov. 30, 1961.

Veis, G., and C. H. Moore, "SAO Differential Orbit Improvement Program," paper distributed internally at Smithsonian Astrophysical Observatory, Feb. 11, 1960.

Veis, G., and C. H. Moore, "Smithsonian Astrophysical Observatory Differential Orbit Improvement Program," Seminar Proc., Tracking Programs and Orbit Determination, Jet Propulsion Lab., 165-184, Feb. 1960.

Zadunaisky, P. E., and B. Miller, "Elements of the Orbit of the Satellite 1959 Eta (Vanguard III) During the First Year After Launching," Smithsonian Inst. Astrophys. Observ. Res. in Space Sci. Spec. Rept. No. 71, Jul. 24, 1961.

```
10001 918 7352055     2365486 30210-119041 57945-4426  726  187
10001 918 7353450     2366742 29953-118046 57332-4402  720  167
 6007 91810074510     1168416-11777 -77629125970-1791 -931  147
 6007 918100817315 08 2164324-12717 -76189129948-1805 -919  215
 7168 91810081742     1164290-12720 -76184129962-1826 -940  195
 6007 91810082747     1163049-13009 -75736131213-1827 -934  216
 7168 91810083804     1161733-13311 -75266132534-1857 -955  210
 6007 918100838235 08 1161725-13317 -75257132558-1842 -940  225
 8002 91814535334     1 97054-33440 -76379313430 -910 -830   77
 8002 9181455   6     2 94297-33360 -73784319411 -918 -804  122
 8002 918145542396 00 1 92597-33276 -72159323062 -968 -838  100
 8002 91814554239     1 92622-33276 -72159323062 -943 -814  124
 8002 9181456 110     1 91837-33231 -71447324639-1021 -885   57
 7170 9181456 135500  5 91962-33230 -71437324660 -887 -751  191
 8002 9181457 852     1 89511-33028 -68908330136 -917 -764  195
 8002 918145750 32    1 88259-32873 -67357333395 -749 -591  380
 8002 91814584083     1 86445-32655 -65506337180 -935 -775  214
 6010 91819481062     1 77440-11023 -79935355765-1119 -731 -472
 6010 91819493691     1 78842 -9496 -77813350945-1153 -719 -416
 6010 9181950 116500  1 79305 -9060 -77216349497-1162 -717 -400
 5288 9181950 131     1 79295 -9057 -77213349488-1175 -730 -413
 6010 91819502064     1 79704 -8708 -76737348305-1166 -711 -383
 5288 918195020785 00 2 79658 -8705 -76733348296-1215 -760 -432
 6010 91819504885     2 80278 -8196 -76042346532-1210 -742 -399
 6010 9181951 781     1 80757 -7850 -75574345310-1170 -693 -339
 5288 9181951 820500  2 80754 -7843 -75565345284-1183 -705 -351
 5288 91819512662     1 81186 -7505 -75110344073-1196 -710 -345
 6010 91819524825     1 83365 -5989 -73088338429-1216 -695 -278
 5288 918195248295 00 1 83339 -5988 -73087338426-1243 -721 -305
 5288 9181953 113     1 83679 -5747 -72767337498-1282 -755 -330
 6010 9181953 125500  1 83713 -5745 -72764337489-1252 -725 -300
 5288 91819542160     1 85264 -4221 -70756331432-1283 -724 -242
 9002 9182000 841600  3101317  2660 -61769300619-1563 -911  -98
 9002 9182000 900600  1101315  2672 -61753300560-1597 -945 -131
 9002 9182000 904      101309  2673 -61752300556-1605 -953 -140
 9002 918200032316 00 1102544  3151 -61122298232-1643 -989 -148
 9002 91820003253      102591  3156 -61116298210-1609 -954 -113
 9002 918200032676 00 1102574  3159 -61112298195-1633 -978 -137
 4186 918210345691 0  3247765-20865 133251165104-2312 3257 -106
 4186 918210345886 07 4247744-20869 133259165129-2319 3249 -113
 4186 918210354986 10 3247139-21077 133664166334-2282 3247  -59
 4186 91821035506     3247139-21079 133667166345-2275 3253  -53
 4186 9182106 149600  2237757-23781 139272183150-2132 2832   68
 4186 9182106 176 10  1237717-23786 139284183186-2151 2813   50
 5289 91822191734     1152183 14318 -78280240022-1513 -392  -76
 5289 918221950 26  8 1155885 15032 -77163235917-1585 -442 -103
 9003 91822264187     2206969 23746 -61160182502-2002 -594  162
 9003 918222652 28  8 1208263 23954 -60697181126-2019 -615  168
 4187 9182328 312     1189363-32704 137845272728-1573 2313   32
11001 919  414567  8 6267738 29236 -79223144258-1468  418  143
11001 919  415437    5269222 29373 -78747143148-1498  395  111
10002 919 2492173 18 7224488 26728-119714164387-1870  467    3
10002 919 2502909    1238375 27923-116329155584-2017  507   93
11002 919 301 7316001 0363326 33350 -76391 82344-1199 1089  290
11002 919 301 744    2363352 33349 -76381 82333-1185 1103  304
 4189 919 4185579500 1116778-19845 134892374507-1475 1061 -541
 4189 919 4185580 10 1116795-19845 134892374507-1458 1078 -524
 4189 919 4192695610 3116079-19382 135699374178-1495 1011 -554
 4189 919 4192711    2116100-19379 135703374176-1471 1035 -530
 4189 919 4203504 10 1114657-18352 137448373211-1474  967 -521
 4189 919 4203512600 1114691-18351 137450373210-1439 1003 -486
 4189 919 4212035600 2113775-17653 138600372379-1426  972 -472
```

59-007A-01A

BCD listing of tape

D-00075

26	187	0000
20	167	0000
31	147	0000
19	215	0000
40	195	0000
34	216	0000
55	210	0000
40	225	0000
30	77	0000
04	122	0000
38	100	0000
14	124	0000
85	57	0000
51	191	0000
64	195	0000
91	380	0000
75	214	0000
31	-472	0000
19	-416	0000
17	-400	0000
30	-413	0000
11	-383	0000
60	-432	0000
42	-399	0000
93	-339	0000
05	-351	0000
10	-345	0000
95	-278	0000
21	-305	0000
55	-330	0000
25	-300	0000
24	-242	0000
11	-98	0000
45	-131	0000
53	-140	0000
89	-148	0000
54	-113	0000
78	-137	0000
57	-106	0000
49	-113	0000
47	-59	0000
53	-53	0000
32	68	0000
13	50	0000
92	-76	0000
42	-103	0000
94	162	0000
15	168	0000
13	32	0000
18	143	0000
95	111	0000
67	3	0000
07	93	0000
89	290	0000
03	304	0000
61	-541	0000
78	-524	0000
11	-554	0000
35	-530	0000
67	-521	0000
03	-486	0000
72	-472	0000

```
 4189 919 4212041 10 1113763-17653 138602372378-1437  962 -482
 4189 919 4214481 17 3113200-17272 139219371867-1510  865 -557
10003 919 5085561    1321750 33417-118812 96273-3384  829  212
10003 919 5093975 15 5331733 33485-115761 91764-3462  862  215
 9004 919 5224857600  342792 19994 -61511 51472-3848 -327  224
 9004 919 5224906600 1342617 19979 -61481 51475-3903 -386  174
 9004 919 5224932 18 8342503 19970 -61465 51477-3955 -440  125
 9004 919 523 121600 4339498 19590 -60742 51577-4024 -606  172
 9004 919 523 125 11 5339498 19588 -60740 51577-4014 -597  182
 9004 919 523 142600 2339485 19583 -60729 51579-3985 -568  213
10004 919 727 505    1362039 29220-117281 58806-4168  655  220
10004 919 7274729    2362958 28973-116428 58231-4165  587  179
10004 919 7274482 10 1364807 28394-114522 57020-4035  486  197
 6011 919 9584810600 4172594-12512 -78393118698-2164-1322 -216
 6011 919 9584951  7 7172417-12554 -78328118867-2160-1316 -207
 6011 919 959 690600 5170323-13070 -77529120954-2029-1166  -21
 6011 919 959 796  710170262-13101 -77480121082-1957-1092   55
 6011 919100031 84    2159966-15501 -73643131381-2162-1207   54
 6011 919100110 55515 5155467-16561 -71879136246-2363-1372  -88
 7173 919100110 59 10 3155447-16562 -71877136251-2379-1388 -105
 7173 919100110 68600 3155483-16565 -71873136262-2333-1342  -58
 6011 919100128 12510 3153627-17032 -71080138474-2328-1323  -34
 7173 919100128 32    2153671-17037 -71071138499-2263-1258   32
 6011 919100158 21510 2150560-17824 -69712142317-2293-1270   25
 7173 919100158 57    2150568-17833 -69696142363-2249-1225   70
 7173 919100215 99500 1148759-18282 -68905144602-2326-1294    1
 6011 919100216 07    1148744-18284 -68901144612-2333-1301   -6
 6011 919100238 39516 6146599-18851 -67889147495-2327-1288    7
 7173 919100238 77    3146636-18860 -67872147544-2255-1215   80
 7173 919100349 72    1140310-20588 -64658156797-2246-1212   89
 7174 919122047 05    1129124-28468 -78813210596-1274-1145  114
 7174 9191221 354  1 2127929-28702 -78071212754-1354-1200   67
 7174 919122111 41    3127485-28811 -77718213782-1272-1106  164
 6013 919122317 60 17 2119473-30381 -72069230066-1363-1050  226
 6013 919122317 76600 1119481-30383 -72062230087-1346-1032  244
 6013 9191224  68 16 3117026-30838 -70152235525-1329 -986  288
 6013 9191224 808700 1116622-30913 -69823236457-1318 -972  303
 6013 919122417 16700 9116190-31003 -69420237597-1246 -895  380
 6013 919122513 437021 2113416-31522 -66930244604-1002 -636  647
 6013 919122545 98700 1111525-31793 -65496248606-1232 -866  429
 6014 919144520 75700 6 97134-33302 -74260310075 -866 -752  206
 7175 919144523 23500 1 96883-33296 -74163310307-1008 -893   65
 8005 919144523 34    1 96823-33296 -74158310318-1063 -947   10
 7175 919144548 70500 2 95694-33235 -73164312673-1087 -960    3
 8005 919144548 79    1 95693-33235 -73161312681-1084 -957    6
 6014 9191447 354500 1 92690-32999 -70256319429 -981 -827  149
 7175 9191447 416    1 92600-32999 -70248319449-1063 -909   68
 8005 9191447 433500 1 92624-32998 -70241319463-1032 -877   99
 8005 919144827 21    1 89465-32649 -67112326493-1051 -882  113
 7175 919144827 29500 1 89457-32648 -67109326500-1057 -887  108
 6015 919170827 31    3 79865-27792 -79581363170-1006 -919 -409
 8006 919171128 13    2 75638-25702 -74186369520-1000 -845 -279
 6015 919171128 27500 2 75622-25700 -74182369524-1014 -858 -293
 6015 919171146 68    1 75196-25474 -73649370037-1072 -911 -341
 8006 919171146 72500 1 75239-25473 -73648370038-1029 -867 -297
 8006 919171233 23500 4 75123-24893 -72315371223 -271  -95  486
 6015 919171233 42    1 74342-24890 -72310371227-1048 -872 -290
 6016 9191939  54  2 1 77091 -9744 -79792359393-1060 -647 -401
 6016 919194055 06710 1 79617 -7707 -77025353477 -582 -114  191
 6016 919194142 86 10   80142 -6941 -75869350737-1108 -619 -287
 4190 919205626 90     250691-23781 137432170187-2306 3053   62
 4190 919205652 38    1248497-24300 138600173571-2364 2867  -29
 4190 919205714 13    1246669-24731 139597176463-2332 2791  -36
 9006 919221735 27    1201754 24345 -61638191766-1817 -447  228
```

32	0000
57	0000
12	0000
15	0000
24	0000
74	0000
25	0000
72	0000
32	0000
13	0000
20	0000
79	0000
97	0000
16	0000
07	0000
21	0000
55	0000
54	0000
88	0000
05	0000
58	0000
34	0000
32	0000
25	0000
70	0000
1	0000
-6	0000
7	0000
80	0000
89	0000
14	0000
67	0000
64	0000
26	0000
44	0000
88	0000
03	0000
80	0000
47	0000
29	0000
06	0000
65	0000
10	0000
3	0000
6	0000
49	0000
68	0000
99	0000
13	0000
08	0000
09	0000
279	0000
93	0000
141	0000
297	0000
486	0000
290	0000
401	0000
191	0000
287	0000
62	0000
-29	0000
-36	0000
228	0000

```
 9006 91922174368      202763 24506 -61270190657-1817 -450  245
 4191 91923185209      195442-32930 138114264183-1674 2326   -9
11004 920  323997     3259397 29577 -79878153167-1371  475  192
11004 920  325390     5261777 29782 -79128151364-1320  535  239
 4192 920 1422132     1148812-31141 137204340071-1285 1782  -69
10006 920 2404403     2223209 27688-118868169803-1850  490   22
10006 920 2411619     1229548 28224-117265165572-1908  516   68
11005 920 252 903608 5354255 33288 -77208 88098-1281  990  230
11005 920 252 932 17  354245 33287 -77188 88070-1321  951  190
11005 920 2522293708 4355706 33225 -76234 86763-1198 1061  304
 4193 920 408  12     1117625-20249 132563374930-1327 1268 -443
10007 920 5003178     1320060 33487-117110 99125-3247  868  247
 9007 920 514 441  8 2340526 19263 -62079 51280-3833 -345  245
10008 920 7175434     2352840 29257-119353 62707-4368  295  -52
10008 920 7181199     3354504 28904-118138 61699-4313  302  -43
 6018 920 9494983 11 1177550-13181 -79250111537-2057-1244 -113
 6018 920 9503461 11 1171666-14512 -77138116779-2282-1402 -174
 7178 920 9525252501 3155774-18347 -70664133640-2495-1434 -105
 6018 920 9525292  8 1155714-18358 -70645133691-2514-1452 -123
 6018 920 9525327611 1155651-18369 -70624133747-2530-1468 -139
 6018 920 9532229     1152749-19121 -69270137398-2499 1413  -89
 7178 920 9532229500 2152769-19121 -69270137398-2479-1393  -68
 8007 92012151919540 5119143-31485 -68902229909-1521-1143  191
 8007 92012151920625 3119186-31485 -68902229910-1477-1099  235
 8019 92012151927530 4119133-31486 -68898229919-1526-1148  186
 7179 92012151939610 1119127-31487 -68893229935-1525-1147  187
 7179 92012151983     1119129-31491 -68873229991-1497-1118  216
 8007 92012153237610 3118464-31602 -68300231585-1425-1041  293
 8007 92012153265 20 1118418-31604 -68287231620-1454-1070  263
 7179 92012153409700 3118565-31617 -68221231603-1222 -838  496
 7180 92014385067     2 91691-32467 -67424317962-1007 -825  190
 6020 9201439 630700 9 84588-32382 -66834319336-7494-7310-6291
 6020 92014404663700 1 83121-31762 -63120327790-5256-5073-4024
 7181 92017001848700 3 84570-26235 -77099362603 5328 5458 5994
 6021 9201704 803743 3 72979-23300 -70508370449-1438-1233 -644
 6021 92017042665710 3 72927-23048 -69993370917-1182 -973 -380
 6022 92019314258722 4 78473 -6441 -76975357425-1544-1055 -763
 6022 92019315476712 3 78803 -6221 -76685356807-1473 -979 -681
 4194 92020472937     2260975-24499 137212162241-2516 3079  -22
 4194 92020475346 30 1258860-24985 138354165423-2468 2992   -7
11006 92022014821     2151762 17154 -77250251730-1704 -561 -310
11006 92022014869610 2151766 17164 -77234251672-1749 -607 -355
 9009 92022084206  2 2197947 25210 -61431199193-1983 -654  -21
 4195 92023084023     1207252-32853 135610248064-1699 2670   97
 4195 92023093047  3 1202849-33073 137869254163-1700 2465   43
11007 921  243805     3261302 30778 -76980153820-1385  455  122
11007 921  244660     4262602 30885 -76510152711-1394  449  113
10009 921 232 959     3222436 28651-117760174753-1873  468   -6
10009 921 2322469      225349 28885-116997172734-1883  494   28
11008 921 2425929     3343549 33262 -78711 95365-1366  886  178
11008 921 2431106 18 2344854 33207 -77904 94153-1369  877  161
 4197 921 400 744 10 1113874-17909 134957374871-1319 1150 -424
 4197 921 400 752600 1113863-17908 134959374872-1327 1141 -433
 4197 921 4013528     1111461-16542 137159374894-1386  986 -483
 4197 921 4013537610 1111485-16540 137161374894-1361 1012 -457
 9010 921 5052700  8 1335862 18286 -62233 51396-3962 -599  186
 9010 921 5054476  8 1331629 17695 -61176 51304-4175 -949  141
10011 921 7095350     2349609 27815-116613 62896-4135   99 -106
 6023 921 942 367 2214172936-15971 -76641112905-2618-1709 -393
 6024 92112034491705 4129609-30344 -75825201745-5126-4899-3441
 8010 92112051031     2126837-31273 -71751212959-1804-1451  -34
 6024 92112054229     2124644-31576 -70234217123-1845-1461  -57
 6026 92116523224 3010 76395-24228 -74083362998 -853 -673 -116
 6027 92119201965720 4 77950 -7467 -79961366204  279  733  951
```

0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000
0000

```
 6027 921192325150 20 3 79833 -4157 -75613358371-1454 -923 -614
 6027 921192325170 40 2 79846 -4157 -75613358370-1442 -911 -601
 4198 9212038 215      2274151-24567 135513150529-2846 3174 -203
 4198 921203917 54     1267163-26079 139208160399-2661 2896 -113
 9012 921215929 91 30  2192492 25739 -61942209006-1834 -540   17
 9012 921215941 54 36  4193853 25939 -61442207489-1718 -428  153
 4199 921225916 03 30   215784-32984 135108237328-1760 2817  126
 4199 921230014 01 38  1210280-33207 137790244539-1719 2603  103
10012 921235923 18  3  1124876 14227-116533283660-1191  -60 -597
10012 922      405 10  8128508 15032-115291279210-1184   -8 -505
11010 922  162116      2260239 31623 -74779156370-1236  575  234
11010 922  164296      2263195 31846 -73560153536-1321  490  161
 4200 922 1223481      1157336-30781 135471321880-1542 1773 -246
 4200 922 1233221      1153767-30275 137516326680-1568 1617 -291
10013 922 2231608  8  1218029 29279-117496182184-1926  364 -129
10013 922 2235080     1224414 29765-115767177595-1890  471   -5
11011 922 234 723  8  1334755 33137 -78895101133-1245  972  304
11011 922 2341845  8  2336025 33074 -78140 99925-1235  977  302
 4201 922 3505348610  1112219-16745 135228374314-1392 1034 -517
 4201 922 3505377      1112187-16741 135236374316-1415 1010 -540
10014 922 4423408  8  1301155 33461-118223112807-2766  963  378
10014 922 4431118     1308708 33382-115781108564-2655  948  368
10014 922 444 183  8  1318660 33184-112407102923-3035  756  249
 9013 922 4564093  8  2332407 17566 -62893 51884-4107 -846   21
 9013 922 4564991  8  1330382 17265 -62364 51763-4246-1043  -31
10015 922 7011856     1343796 27009-116208 65166-3072  862  756
10015 922 7013145700 15343665 26704-115365 64353-4062 -214 -276
 7188 922 9331653500 2176478-16922 -76930107263-2831-1923 -538
 6028 922 9331710  1  1176451-16939 -76902107327-2791-1881 -496
 6029 922141542 88  4  1109666-33213 -77878274209-1146-1086  -10
 6029 922141612 19     1107815-33118 -76631277486-1186-1096  -21
 6030 922164016047 02 4  73270-25698 -79030349783-9166-9044-8528
 6030 922164218 09     4  77803-24089 -75409356575-1142 -966 -421
 6030 9221644 190 20 1  75344-22661 -72452361525-1143 -931 -367
 7191 922164543257 00 4  68115-21213 -69662365615-6400-6160-5576
 6031 922191110 56 20 3  76567 -6098 -79768368513-1352 -872 -660
 6031 922191417307 20 3  80902 -2764 -75437361577 -739 -188  115
 9014 922192352 43     1100741  7951 -61461324923-1617 -931 -241
 9014 9221924 227      1101198  8138 -61205324104-1629 -942 -244
 4202 922202934 84     1282304-25835 136727146760-2871 3215 -107
 4202 922203015 34     1278260-26623 138779152015-2772 3039  -77
 9015 922215029 00     1188417 26473 -61866217225-1741 -482   28
 9015 922215038 87     5189529 26634 -61445215950-1622 -367  163
 4203 922225016 67 10  1222325-33187 135707229563-1820 2866  141
 4203 922225117 60 10  3215991-33358 138591237257-1827 2572   50
10016 922234929 46 10  1120018 14444-117909295814-1103  -14 -564
10016 922234944 32 10  7121224 14728-117472294298-1077   26 -509
11013 923    53264 10  6245938 31455 -77486170904-1398  363   12
 4204 923 1123378 10  1163594-30685 134198310848-1166 2321  177
 4204 923 114 665 10  2157097-29817 137558319221-1319 1937   -6
10017 923 2145546 10  2219728 30308-115505185212-1749  549   54
10017 923 2153952     1227548 30845-113253179333-1813  555   82
10017 923 2163443 38  1237445 31450-110407172132-1803  624  183
 4205 923 3425969 10  1108399-14255 137440374292-1238 1047 -390
10018 923 4335076     2294814 33379-117622118111-2771  315  239
10018 923 4343738     1303852 33204-114603112654-2688  761  213
 9016 923 4482955  8  2321135 15633 -61518 52061-4287-1377  135
10019 923 6521357     1333779 26959-117725 69712-3601  209  101
10019 923 6524252     1336014 26169-115866 67660-3501  155  120
 6032 923 924 415707 3184485-17119 -78495 99130-1665 -835  580
 7192 923 925 887     3176104-18979 -75193106236-2452-1433   60
 6032 923 9252276     1174415-19364 -74484107803-2567-1510  -14
 7192 923 925228 6500 1174423-19367 -74479107814-2547-1490    6
 7192 923 9261176     2168937-20686 -71978113438-2670-1489  -18
```

14	0000
01	0000
03	0000
13	0000
17	0000
53	0000
26	0000
03	0000
97	0000
05	0000
34	0000
61	0000
46	0000
91	0000
29	0000
-5	0000
04	0000
02	0000
17	0000
40	0000
78	0000
68	0000
49	0000
21	0000
31	0000
56	0000
76	0000
38	0000
96	0000
10	0000
21	0000
28	0000
21	0000
67	0000
76	0000
60	0000
15	0000
41	0000
44	0000
07	0000
77	0000
28	0000
63	0000
41	0000
50	0000
64	0000
09	0000
12	0000
77	0000
-6	0000
54	0000
82	0000
83	0000
90	0000
39	0000
13	0000
35	0000
01	0000
20	0000
80	0000
60	0000
14	0000
6	0000
18	0000

```
 6032 923 9261159510 3168887-20692 -71966113465-2695-1514  -43
 8016 923 9262469500 4167543-21024 -71316114952-2693-1485  -26
 6032 923 9262476500 3167542-21026 -71312114960-2687-1479  -20
 7192 923 9262515    1167580-21036 -71292115006-2607-1398   60
 7192 923 9264021    7165037-21424 -70521116783-2581-1343   99
 6032 923 9265341500 1164575-21760 -69844118351-2691-1429   -4
 7192 923 9265356    1164572-21763 -69837118369-2679-1417    9
 8017 9231146411 7   8 1136861-31799 -72665192815-1875-1512   76
 8017 9231147 725 10 1134855-32027 -71346196269-1803-1397  163
 8017 9231147284961 1 6133123-32199 -70276199077-1882-1448   92
 8017 9231147291 1   8 1133125-32204 -70245199159-1832-1397  142
 8017 9231147431 3   1132060-32312 -69540201010-1827-1376  150
 8018 9231403323253 6 2104539-32455 -72401279479-1231-1049   53
 7194 9231403323 6   1104485-32455 -72399279484-1283-1101
 8018 9231403512 5 30 2103359-32341 -71619281584-1312-1118  -20
 7194 9231408512 8500 2103315-32341 -71618281558-1355-1160  -63
 6034 9231634 284702 2 73121-22298 -73360355623-4740-4522-3967
 6034 9231635 891    1 75078-21338 -71519358941-1297-1059 -492
 6034 9231635253     1 74102-20693 -70326360963-1396-1146 -571
 6035 9231905216 0   8 1 80795 -1132 -74964363952-1696-1119 -817
 6035 9231908163 9 13 3 86401  2043 -70889355930-1000 -374   23
 6035 9231909216 8700 3 92892  3241 -69342352380 3354 3995 4432
 9017 9231914209 5600 1 99567  8795 -61974332378-1758-1066 -424
 9017 9231914210 4    1 99590  8797 -61971332371-1739-1047 -405
 4206 9232020496 5    1292107-26687 137084140778-2947 3304  -53
 4206 9232021253 7    1288256-27361 138952145359-2898 3087  -78
11015 9232137113 9500 6160399 22987 -71716256999-1446 -248  -51
 9018 9232137120 6    1160411 22998 -71692256919-1497 -299 -101
 9018 9232137234 3    1161379 23195 -71280255566-1591 -388 -184
 9018 9232141214 9    1183781 27102 -61969226145-1739 -513  -56
 9018 9232141316 2    1184751 27257 -61542224853-1725 -502  -26
 4207 9232241174 1   8 2229075-33335 136286221760-1840 2956  197
 4207 9232242149 5     222587-33438 139073229127-1862 2647   83
11016 9232357313 2    1238920 31797 -77496179263-1327  397   37
11016 9232357457 3    2240968 31931 -76736177357-1170  556  196
 4208 924 1034016     1165071-29968 135331305552-1272 2225  105
 4208 924 1043681     1160733-29388 137387310909-1392 1956  -38
10021 924 2062401     1219109 31093-113948189625-1707  564   62
10021 924 2072214     1228981 31690-110976181940-1729  610  139
11017 924 2164434   8 1318776 32615 -77649110772-1416  716  123
11017 924 2165556     1319953 32520 -76924109491-1393  736  147
10022 924 426 879     1299800 32903-113056116181-2787  697  199
10022 924 4262910   8 1303509 32761-111754113806-2756  707  250
10022 924 4271272     1311209 32400-108945108795-2723  638  299
 9019 924 4394949     1315612 14642 -61820 52869-4299-1546  143
 9019 924 4395815   1 1313751 14339 -61326 52676-4417-1717   96
10023 924 5433777     2326416 25986-117316 72501-3358  186  124
 5305 924 6545246   8 1273830  3664 -78294 52994-3178-2480  -96
 6036 924 9154556     4124267-18858 -77317 97043-2396-1491   58
 6036 924 9163127     1178748-20144 -74919101953-2671-1609  -37
 8020 924 9174955500 2169994-22226 -70777110785-2888-1601 -109
 6036 924 9175014     1169991-22231 -70767110807-2870-1583  -91
 8020 924 9175862     1169151-22446 -70320111786-2832-1526  -48
 6036 924 918 548500 1168409-22617 -69957112581-2870-1549  -83
 8020 924 918 556     1168407-22619 -69953112590-2863-1542  -76
 8020 924 9183454500 3165500-23331 -68421115982-2859-1486  -70
 7197 924 9183609 18 3165473-23368 -68339116165-2734-1359   55
 8021 9241138176250 8 1137934-32426 -70577189504-1904-1450  166
 7198 9241138177811  137890-32427 -70568189525-1935-1480  136
 8021 9241138241950 0 1137355-32474 -70236190375-1939-1474  133
 7198 9241138243 0   1137350-32474 -70230190390-1935-1470  137
 8021 9241138463050 0 1135538-32625 -69093193305-1952-1459  122
 7198 9241138464 5    135548-32626 -69085193325-1930-1437  144
 8021 9241140427352 5 4126788-33209 -63158208647-1906-1373  164
```

3 0000
6 0000
0 0000
0 0000
9 0000
4 0000
9 0000
6 0000
3 0000
2 0000
2 0000
0 0000
3 0000
0000
0 0000
3 0000
7 0000
2 0000
1 0000
7 0000
3 0000
2 0000
4 0000
5 0000
3 0000
8 0000
1 0000
1 0000
4 0000
6 0000
6 0000
7 0000
3 0000
7 0000
6 0000
5 0000
8 0000
2 0000
9 0000
3 0000
7 0000
9 0000
0 0000
9 0000
3 0000
6 0000
4 0000
6 0000
8 0000
7 0000
9 0000
1 0000
8 0000
3 0000
6 0000
0 0000
5 0000
6 0000
6 0000
3 0000
7 0000
2 0000
4 0000
4 0000