TABLE OF CONTENTS

1. INTRODUCTION
2. CHANGE LOG
3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM
    a. URL to S/C “Remarks” field
    b. URL to S/C “Materials” field
    c. URL to Experiment “Remarks” field
    d. URL to Experiment “Materials” field
    e. URL to Data Set “Remarks” field
    f. URL to Data Set “Materials” field
    g. Items e and f for additional data sets from this experiment, if needed
    h. Items c thru g for additional experiments from this spacecraft, if needed
    i. Items a thru h for additional spacecraft, if needed
4. CATALOG MATERIALS.

1. Introduction:

The documentation for this data set was originally on paper kept in NSSDC's Data Set Catalogs (DSCs). The offline tape datasets have now been migrated from the original magnetic tape to magnetic disk (starting in mid-2004). Accordingly, statements in the format descriptions that address such tape relevant factors as blocking and but density are no longer applicable. The paper documentation in the Data Set Catalogs have been scanned and made into digital images of the pages, the collected into a single PDF file for each Data Set Catalog.

The inventory information in these DSCs is current as of July 1, 2004. But this inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system, and the user should go to that interface (JIN) if further information existing in the DSCs is now not needed for locating data files, but we did not go to the trouble of removing that inventory information.

2. CHANGE LOG

Version	Date	Person	Page	Description of Change
01				

3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM:
[NOTE: ANY OF THE INFORMATION FIELDS MIGHT BE BLANK.]
[THE "MATERIALS FOR DISTRIBUTION" FIELD IS HERE CALLED JUST "MATERIALS"]

"Remarks" for spacecraft SCNAME1":
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?sc=1977-102A--remark--

"Materials" for spacecraft SCNAME1":
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?sc=1977-102A--mat--

"Remarks" for SCNAME1 experiment EXNAME1:
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?sc=1977-102A&ex=09--remark--

"Materials" for SCNAME experiment EXNAME1:
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?sc=1977-102&ex=09--mat--

"Remarks" for EXNAME1 data set DSNAME1:
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?ds=SPHE-00677--remark--

"Materials" for EXNAME1 data set DSNAME1:
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?ds=SPHE-00677--mat--

"Remarks" for EXNAME1 data set DSNAME2:
http://nssdc.gsfc.nasa,gov/database/MasterCatalog?ds=SPHE-00677--remark--

"Materials" for EXNAME1 data set DSNAME2:
http://nssdc.gsfc.nasa.gov/database/MasterCatalog?ds=SPHE-00677--mat--

"Remarks" for EXNAME1 data set DSNAME3:

"Materials" for EXNAME1 data set DSNAME3:

"Remarks" for SCNAME1 experiment EXNAME2:

"Materials" for SCNAME1 experiment EXNAME2:

"Remarks" for EXNAME2 data set DSNAME1:
"Materials" for EXNAME2 data set DSNAME1:

"Remarks" for EXNAME2 data set DSNAME2:
"Materials" for EXNAME2 data set DSNAME2:

DATA SET CATALOG #48

Smithsonian Astrophysical Observatory

CORRSOA 2 tapes

```
C  FORTRAN DRIVER
C
      DIMENSION ROUT(1),IOUT(30)
      COMMON /PIFTC1/IPCC/PIFTC2/IN(1)/PIFTC3/JUNK,JOUT(1)
      EQUIVALENCE (ROUT(1),IOUT(1))
      IJ=0
    1 CALL PIFTAO (1HA)                                          .1
      IF(IPCC .EQ. 1) GO TO 1                                    .2
      IF(IPCC .EQ.0) GO TO 100                                   .3    .4
      GO TO 3                                                    .6    .7
  100 IJ=IJ+1                                                    .9
      IFLAG=0                                                    .10
      IF(IJ .LT. 3) GO TO 2                                      .11
      IF(IJ .EQ. 1308) GO TO 2                                   .12   .13
      IF(IJ .GT. 2613) GO TO 2                                   .15   .16
      GO TO 1                                                    .18   .19
    2 DO 10 I=1,1500,30                                          .21
      K=I+29                                                     .22
      L=1                                                        .23
      DO 11 J=I,K                                                .24
      IOUT(L)=JOUT(J)                                            .25
   11 L=L+1                                                      .26
      ROUT(1)=(FLOAT(IOUT(1)))/2.0**26                           .27   .28
      ROUT(2)=IOUT(2)                                            .29
      ROUT(3)=(FLOAT(IOUT(3)))/2.0**26                           .30
      ROUT(4)=IOUT(4)                                            .31
      ROUT(5)=(FLOAT(IOUT(5)))/2.0**31                           .32
      ROUT(6)=(FLOAT(IOUT(6)))/2.0**30                           .33
      ROUT(7)=IOUT(7)                                            .34
      ROUT(8)=(FLOAT(IOUT(8)))/2.0**31                           .35
      ROUT(9)=(FLOAT(IOUT(9)))/2.0**30                           .36
      ROUT(10)=IOUT(10)                                          .37
      ROUT(11)=(FLOAT(IOUT(11)))/2.0**7                          .38
      ROUT(12)=(FLOAT(IOUT(12)))/2.0**5                          .39
      ROUT(12)=ROUT(12)+1E50.                                    .40
      ROUT(13)=(FLOAT(IOUT(13)))/2.0**26                         .41
      ROUT(14)=(FLOAT(IOUT(14)))/2.0**7                          .42
      ROUT(15)=(FLOAT(IOUT(15)))/2.0**5                          .43
      ROUT(15)=ROUT(15)+1E50.                                    .44
      ROUT(16)=(FLOAT(IOUT(16)))/2.0**26                         .45
      ROUT(17)=IOUT(17)                                          .46
      ROUT(18)=IOUT(18)                                          .47
      ROUT(19)=IOUT(19)                                          .48
      ROUT(20)=IOUT(20)                                          .49
      ROUT(21)=IOUT(21)                                          .50
      ROUT(23)=IOUT(23)                                          .51
      ROUT(24)=IOUT(24)                                          .52
      ROUT(25)=IOUT(25)                                          .53
      ROUT(26)=(FLOAT(IOUT(26)))/2.0**26                         .54
      ROUT(27)=(FLOAT(IOUT(27)))/2.0**26                         .55
      ROUT(28)=(FLOAT(IOUT(28)))/2.0**26                         .56
      ROUT(29)=IOUT(29)                                          .57
      ROUT(30)=IOUT(30)                                          .58
      IF(IJ .EQ. 1) GO TO 4                                      .59
      IF(IJ .EQ. 1308) GO TO 5                                   .60   .61
                                                                 .63   .64
```

T(1)

.1		
.2		
.3	.4	.5
.6	.7	.8
.9		
.10		
.11		
.12	.13	.14
.15	.16	.17
.18	.19	.20
.21		
.22		
.23		
.24		
.25		
.26		
.27	.28	
.29		
.30		
.31		
.32		
.33		
.34		
.35		
.36		
.37		
.38		
.39		
.40		
.41		
.42		
.43		
.44		
.45		
.46		
.47		
.48		
.49		
.50		
.51		
.52		
.53		
.54		
.55		
.56		
.57		
.58		
.59		
.60	.61	.62
.63	.64	.65

```
      IF(IJ .GE. 2614) GO TO 6
      GO TO 13                                                          .66   .67
    4 IF(IFLAG .EQ. 1) GO TO 13                                         .69
      IFLAG=1                                                           .70   .71
      WRITE(3,12)                                                       .73
      GO TO 13                                                          .74   .75
    5 IF(IFLAG .EQ. 1) GO TO 13                                         .76
      IFLAG=1                                                           .77   .78
      WRITE(3,14)                                                       .80
      GO TO 13                                                          .81   .82
    6 IF(IFLAG .EQ. 1) GO TO 13                                         .83
      IFLAG=1                                                           .84   .85
      WRITE(3,15)                                                       .87
   13 WRITE(3,19)                                                       .88   .89
      WRITE(3,9) (ROUT(IK), IK=1,6)                                     .90   .91
      WRITE(3,20)                                                       .92   .93
      WRITE(3,9) (ROUT(IK), IK=7,12)                                    .97   .98
      WRITE(3,21)                                                       .99   .100
      WRITE(3,9) (ROUT(IK), IK=13,18)                                   .104  .105
      WRITE(3,22)                                                       .106  .107
      WRITE(3,17) (ROUT(IK),IK=19,24)                                   .111  .112
      WRITE(3,23)                                                       .113  .114
      WRITE(3,9) (ROUT(IK), IK=25,30)                                   .118  .119
   10 CONTINUE                                                          .120  .121
      IF(IJ .GE. 2615) GO TO 3                                          .125  .126
      GO TO 1                                                           .127  .128
    3 CALL CCLOSE                                                       .130
      STOP                                                              .131
   12 FORMAT(1H1,15HRECORDS 1 AND 2)                                    .132
   14 FORMAT(1H1,11HRECORD 13CE)
   15 FORMAT(1H1,21HRECORDS 2614 AND 2615)
   19 FORMAT(/////120H          DECLINATION              VIS MAG          RT
     1ASCENSION              STAR                 PROP MOT INCL          STAN DE
     2V    )
   20 FORMAT(/120H              PHOTO MAG          PROP MOT RT AS          STAN
     3DEV              PROP MOT                 PHOTO MAG            DECLIN OBS
     4)
   21 FORMAT(/120H              STAN DEV                VIS MAG           RT ASC
     5 OBS             STAN DEV                 DM ZONE              DM NO
     6)
   22 FORMAT(/120H              SMITH OK NO          SPECTRAL TYPE        GEL + VA
     7R STAR           SPECTRAL TYPE            ACC VIS MAG          ACC PHOTO MAG
     8)
   23 FORMAT(/120H              CAT STAR NO          DECLIN OBS              STAN
     9DEV              RT ASC OBS               UNUSED               CHECKSUM
     A)
    9 FORMAT(6E20.7)
   17 FORMAT(3E20.7,17X,A3,2E20.7)
      END                                                               .133
```

.66	.67	.68		
.69				
.70	.71	.72		
.73				
.74	.75			
.76				
.77	.78	.79		
.80				
.81	.82			
.83				
.84	.85	.86		
.87				
.88	.89			
.90	.91			
.92	.93	.94	.95	.96
.97	.98			
.99	.100	.101	.102	.103
.104	.105			
.106	.107	.108	.109	.110
.111	.112			
.113	.114	.115	.116	.117
.118	.119			
.120	.121	.122	.123	.124
.125	.126			
.127	.128	.129		
.130				
.131				
.132				

VIS MAG RT
INCL STAN DE

RT AS STAN
DECL IN DBS

MAG RT ASC
DM NO

L TYPE DBL * VA
ACC PHOTO MAG

DBS STAN
CHECKSUM

.133

D-02199
D-02200

SAO STAR CATALOG BINARY TAPES

K. L. Haramundanis

June 1967

Smithsonian Institution
Astrophysical Observatory
Cambridge, Massachusetts, 02138

SAO STAR CATALOG BINARY TAPES

K. L. Haramundanis

June 1967

Smithsonian Institution
Astrophysical Observatory
Cambridge, Massachusetts, 02138

705-10

TABLE OF CONTENTS

Section		Page
1	INTRODUCTION	1
2	BINARY TAPE FORMAT	3
3	CODES	5
4	BOOK NUMBERS	9
5	ORDER OF FILES ON TAPES	10
6	INTERNAL IBM BCD CODE	11
7	GENERAL FORTRAN INTERPRETER (By R. E. Briggs)	12
8	SAMPLE OF INTERPRETED DATA	17
9	ELEMENTARY DESCRIPTION OF DATA STORAGE ON MAGNETIC TAPES	19
10	FORMULATION OF STAR CATALOG	21
11	BIBLIOGRAPHY	28

SAO STAR CATALOG BINARY TAPES

K. L. Haramundanis

1. INTRODUCTION

The Smithsonian Astrophysical Observatory has compiled a Star Catalog containing positions and proper motions for 258,997 stars. The equator and equinox of the Catalog are 1950.0; the positions are given (1) at epoch of observation and (2) with proper motions applied to epoch 1950.0.

The data recorded for each star on the binary tape are listed in the format (Section 2). An elementary description of data storage on magnetic tapes is given in Section 9, for those unfamiliar with this type of machine-accessible storage. Codes (Section 3) and book numbers (Section 4) indicate precise sources for the recorded data. The stars have been sorted by increasing right ascension within 10° bands of declination at epoch 1950.0. For the order of the files on the tapes and the number of records in each file, see Section 5.

For general use, the Catalog is stored on magnetic tapes compatible with IBM 729 II tape units at 556 bpi (bytes per inch), and nearly fills two 2400-foot 7-track reels. Since these tapes were originally written by the IBM 7094, which uses 36-bit words, the tape format was designed for this computer. Thus the information for one star is stored in 11 consecutive 36-bit words (396 consecutive bits). One tape record consists of data for exactly 50 stars (19,800 consecutive binary bits). Short records are padded with words of binary one's to bring them to full length, and occasionally a star has been deleted from the tapes by inserting in its place an 11-word set of binary one's.

Spectral type, an alpha-numeric field in word 8, has been recorded in the internal BCD code of the IBM 7094. To facilitate its interpretation on other computers, this code is given in Section 6. As an aid to the use of the tapes, a general Fortran interpreter is described in Section 7, and samples of interpreted data from file 1, record 1 of each tape are given in Section 8. Formulation of the Catalog is described in Section 10.

All inquiries concerning these tapes should be directed to: Star Catalog, Smithsonian Astrophysical Observatory, 60 Garden Street, Cambridge, Massachusetts, 02138, USA (telephone 617-864-7910).

2. ELEVEN-WORD BINARY TAPE FORMAT

Equator and equinox are 1950.0; epoch is (words 1, 2) 1950.0, or (words 9, 10) epoch of observation.

Each tape record contains 50 stars (550 words); short records are padded with words of binary one's to bring them to full length.

The contents of each word, by bits, are as follows:

Word 1:	S, 1-30(B4)	δ_{1950}, in radians
	31-35(B35)	code 10* (visual magnitude)
Word 2:	S, 1-30(B4)	α_{1950}, in radians
	31-35(B35)	code 20* (star numbers and footnotes)
Word 3:	S, 1-17[B(-14)]	annual μ', in radians
	18-31(B1)	annual $\sigma_{\mu''}$, in radians
	32-35(B35)	code 30* (photographic magnitude)
Word 4:	S, 1-17[B(-14)]	annual μ, in radians
	18-31(B1)	annual σ_{μ}, in radians
	32-35(B35)	code 40* (proper motion)
Word 5:	S, 1-11(B4)	photographic magnitude
	12-23(B18)	epoch of δ_0, in years minus 1850.00
	24-35(B9)	σ_{δ_0}, in radians
Word 6:	S, 1-11(B4)	visual magnitude
	12-23(B18)	epoch of α_0, in years minus 1850.00
	24-35(B9)	σ_{α_0}, in radians
Word 7:	S, 1-7(B7)	DM zone
	8-22(B22)	DM number
	23-29(B29)	Smithsonian book number (see Section 4)
	30-32(B32)	code 51* (spectral type)
	33-35(B35)	code 52* (double and variable stars)

Word 8:	S, 1-17	spectral type (BCD, see Section 6)
	18(B18)	code 60* (accuracy of visual magnitude)
	19(B19)	code 70* (accuracy of photographic magnitude)
	20-35(B35)	source catalog star number
Word 9:	S, 1-22[B(-4)]	δ_0, in radians, low-order 22 bits only (use high-order 8 bits from word 1, sign bit from word 9)
	23-35(B9)	σ_{1950}, in radians (one value given that pertains to either α or δ)
Word 10:	S, 1-30(B4)	α_0, in radians
	31-35	not used

Word 11: checksum of words 1-10

Note: Spectral types have no signs; they begin with a letter and are followed by a single-digit number, occasionally by a letter and a number. The exception is +++ (see Section 3, code 51).

The notation follows, in order of appearance:

S = sign bit

B = placement of binary point, i.e., the bit after which the separation between integral and fractional part of the binary number is implied (fixed-point format)

α = right ascension

δ = declination

σ = standard deviation

μ = annual proper motion in right ascension

μ' = annual proper motion in declination

DM = Durchmusterungen, identification catalogs of the last century

subscript xx_0 = at epoch of observation

subscript xx_{1950} = at epoch 1950.0

* = See Section 3, codes.

3. CODES

3.1 Code 10: Visual Magnitude

Code: Visual	Code: Photo-visual	Magnitude source
0		Does not appear in source catalog
1	21	Determined by source catalog
2		Determined by source catalog or by authority in footnote
3	23	Source cited in source catalog introduction
	24	Source unspecified
5		Taken from BD
8		Based on Durchmusterung magnitudes and visual estimates
9		Taken from AGK 1
10		Taken from Cordoba Zones (Resultados)
12		Taken from CGA or Cordoba Zones
13		Taken from Harvard Publications
14		Taken from Harvard or San Luis Photometry
15		Taken from Henry Draper
16		Combined magnitude of component stars
17		Arithmetic mean of maximum and minimum magnitudes of a variable star

Where no figures were reported for magnitudes of a variable star, 0.00 was stored on the tapes (i.e., always check code 52 when using magnitudes). When blank, code = 0, and field = zeros.

3.2 Code 20: Star Number and Footnotes

Footnote without	Footnote with	Star number
0	16	Source catalog only
1	17	Source catalog and BD
2	18	Source catalog and CD
3	19	Source catalog and CPD
4	20	Cordoba B (Resultados) and CD
5	21	Cordoba A (Resultados) and CD
6	22	AGK1 and BD
7		GC and BD
8	24	Cordoba B (Resultados) and CPD
9		Cordoba A (Resultados) and CPD

When blank, code for DM is 0 or 16, footnote is 0 through 9, and field is zeros. Footnotes and star numbers are those appearing in the source catalogs.

3.3 Code 30: Photographic Magnitude

Code	Source
0	Does not appear in source catalog
1	Determined by source catalog
4	Taken from magnitudes of the CPD and diameters of the Cape Astrographic Catalog
8	Source cited in source catalog introduction
9	Columbia Contributions Nos. 30 and 31 (Schilt)

When blank, code is 0, field is zeros.

3.4 Code 40: Proper Motion

Code	Source
1	Determined in source catalog
3	Determined by comparison of catalog and Greenwich AC
5	Determined by comparison of catalog and AGK 1
6	Determined by comparison of catalog and Greenwich AC on the basis of the smallest difference in positions (see Section 10.3)
8	Determined by comparison of catalog with AGK 1 on the basis of the smallest difference in positions (see Section 10.3)

when blank, code is 0, field is zeros.

3.5 Code 51: Spectral Type

Code	Source
0	Taken from the Henry Draper or no spectrum in source catalog
1	Taken from the HD with M stars reclassified by Miss Cannon
2	Classified by G. G. Gillie
3	Classified by Goedicke
4	Classified by D. Hoffleit
5	Classified by M. V. Mayall
6	Classified by McCormick Observatory
7	Classified by Nassau and Seyfert

Where no spectra were recorded, the code is 0 and the field is BCD blanks. If the spectrum is composite, +++ is stored in the field, and the code is 0.

3.6 Code 52: Miscellaneous

Code	Meaning
0	No additional information
1	Double star, see source catalog for source
2	Double star in Aitken's Double Star Catalog
3	Double star in Burnham's Double Star Catalog
4	Variable star in visual magnitude in source catalog
5	Variable star in photographic magnitude in source catalog
6	Variable star in both magnitudes
7	Both double and variable, in either visual or photographic magnitudes

When blank, code is 0, no field involved.

3.7 Code 60: Accuracy of Visual Magnitude

Listed on tape as 0 or 1; 0 indicates the magnitude was reported in source catalog to $0^{m}.00$; 1, to $0^{m}.0$.

3.8 Code 70: Accuracy of Photographic Magnitude

Listed on tape as 0 or 1; 0 indicates the magnitude was reported in source catalog to $0^{m}.00$; 1, to $0^{m}.0$.

4. BOOK NUMBERS FOR SOURCE CATALOGS

No.	Abbreviated Title
01	AGK 2, vol. 1
02	AGK 2, vol. 2
03	AGK 2, vol. 5
04	AGK 2, vol. 6
05	AGK 2, vol. 7
06	AGK 2, vol. 8
20	Yale Transactions, vol. 11
21	Yale Transactions, vol. 12 I
22	Yale Transactions, vol. 12 II
23	Yale Transactions, vol. 13 I
24	Yale Transactions, vol. 13 II
25	Yale Transactions, vol. 14
26	Yale Transactions, vol. 16
27	Yale Transactions, vol. 17
28	Yale Transactions, vol. 18
29	Yale Transactions, vol. 19
30	Yale Transactions, vol. 20
31	Yale Transactions, vol. 21
32	Yale Transactions, vol. 22 I
33	Yale Transactions, vol. 22 II
34	Yale Transactions, vol. 24
35	Yale Transactions, vol. 25
36	Yale Transactions, vol. 26 I
37	Yale Transactions, vol. 26 II
38	Yale Transactions, vol. 27
40	Cape Annals, vol. 17
41	Cape Annals, vol. 18
42	Cape Annals, vol. 19
43	Cape Annals, vol. 20
48	Cape Zone
60	Melbourne 3
61	Melbourne 4
70	General Catalogue
71	FK3
74	FK4

5. ORDER OF FILES ON TAPE, AND NUMBER OF STARS IN EACH FILE

File	Band of δ	No. of stars (a)	No. of records (b)	(c)	Padding (d)
1	+80°	4 015	81	(4 050)	35
2	70	6 921	139	(6 950)	29
3	60	10 086	202	(10 100)	14
4	50	14 984	300	(15 000)	16
5	40	17 587	352	(17 600)	13
6	30	20 115	403	(20 150)	35
7	20	17 964	360	(18 000)	36
8	10	17 308	347	(17 350)	42
9	+ 0	19 567	392	(19 600)	33
Total		128 547	2 576	(128 800)	253
1	- 0°	18 504	371	(18 550)	46
2	10	18 958	380	(19 000)	42
3	20	26 325	527	(26 350)	25
4	30	22 603	453	(22 650)	47
5	40	16 966	340	(17 000)	34
6	50	16 203	325	(16 250)	47
7	60	7 522	151	(7 550)	28
8	70	2 579	52	(2 600)	21
9	-80	790	16	(800)	10
Total		130 450	2 615	(130 750)	300
		+128 547			
		258 997			

[50b = c; c-d = a]

6. INTERNAL IBM BDC CODE

Character	In storage	On tape	Character	In storage	On tape
0	00 0000	00 1010	-	10 0000	10 0000
1	00 0001	00 0001	J	10 0001	10 0001
2	00 0010	00 0010	K	10 0010	10 0010
3	00 0011	00 0011	L	10 0011	10 0011
4	00 0100	00 0100	M	10 0100	10 0100
5	00 0101	00 0101	N	10 0101	10 0101
6	00 0110	00 0110	O	10 0110	10 0110
7	00 0111	00 0111	P	10 0111	10 0111
8	00 1000	00 1000	Q	10 1000	10 1000
9	00 1001	00 1001	R	10 1001	10 1001
#	00 1011	00 1011	$\overline{O}$	10 1010	10 1010
@	00 1100	00 1100	$	10 1011	10 1011
&	01 0000	11 0000	*	10 1100	10 1100
A	01 0001	11 0001	blank	11 0000	01 0000
B	01 0010	11 0010	/	11 0001	01 0001
C	01 0011	11 0011	S	11 0010	01 0010
D	01 0100	11 0100	T	11 0011	01 0011
E	01 0101	11 0101	U	11 0100	01 0100
F	01 0110	11 0110	V	11 0101	01 0101
G	01 0111	11 0111	W	11 0110	01 0110
H	01 1000	11 1000	X	11 0111	01 0111
I	01 1001	11 1001	Y	11 1000	01 1000
‡}	01 1010	11 1010	Z	11 1001	01 1001
.	01 1011	11 1011	‡	11 1010	01 1010
⊔	01 1100	11 1100	.	11 1011	01 1011
			%	11 1100	01 1100

7. GENERAL FORTRAN INTERPRETER

Binary information for one star is contained in 396 consecutive bits. These bits were originally written on the tape from 11 words of a computer having 36-bit words. One tape record consists of data for 50 stars, i.e., 19,800 consecutive binary bits. A tape record may be copied by a standard binary read operation into the central memory of a second computer. When this second computer has a word length different from 36, correct interpretation of the binary information is complicated by two facts. First, data for the Nth star in the record will not generally begin with the first bit of a memory word. Second, bits denoting signs will not generally occupy the sign-bit position of their respective words. The following method of interpreting tape records should go far toward minimizing confusion and incorrect manipulation of bit groups.

As a first step it is convenient to define three integers. Let λ be the number of bits per central memory word for the second computer used. Then let α be the smallest integer for which $\alpha\lambda \geq 396$, and let β be the smallest integer for which $\beta\lambda \geq 19,800$. In Fortran statements that appear below, it must be stressed that the symbols λ, α, and β represent not variables but integer constants corresponding to a particular computer.

The second step is to create a special-purpose subprogram, which we might call JEM. It will need to be written in a language closer to basic machine language than Fortran because it will need to make use of elementary shift operations built into the computer. JEM must have the following properties:

1. Parameters used by JEM are passed in a manner that is compatible with the calling sequence generated for function subprograms by the Fortran compiler at the installation. A typical call to JEM is the Fortran statement K = JEM (N, NAME, M).

2. The word at K receives N consecutive bits taken from storage. The bits are right adjusted in K with zero fill to the left.

3. The first bit is taken from the Mth bit position from the left in the word at location NAME. Additional bits are taken from the right of this position.

4. If $(M + N - 1) > \lambda$, then extra bits are taken from the left end of the next word in the array to which NAME belongs.

5. $N > \lambda$ is invalid. Error indication is optional.

After a tape record has been read into storage, the 396 bits for a desired star should be placed in a standard configuration with the first bit at the beginning of a word. The following Fortran subroutine will do the job:

```
      SUBROUTINE STARGET (LARGE, L, LITTLE)
      DIMENSION LARGE (β), LITTLE (α)
      J = 396 * (L - 1)
      K = J/λ
      M = 1 + J - K * λ
      DO 1 I = 1, α
      N = I + K
    1 LITTLE (I) = JEM (λ, LARGE (N), M)
      RETURN
      END
```

The main program then will contain statements such as:

```
      DIMENSION JACK (β), JILL (α)
      .
      .
      .
      .
      CALL STARGET (JACK, N, JILL)
```

Execution of this call places the binary information for the Nth star of the record in the array JILL. Any star parameter can now be easily extracted from JILL by using the function JEM and a reference table such as Table 1.

A brief description of the table follows. The four left-hand columns describe the interpretation of the bit sequence and are independent of the computer. The columns headed "word" and "bit" depend on λ, and are shown for three different word sizes. Word and bit columns can be written down for any other value of λ in a minute or two. Begin each column with a 1. Each successive bit number is found by adding the bit number above to its corresponding N. If the sum exceeds λ, then subtract λ and increase the word count. Use of the table can best be shown with examples.

Example 1. On a machine with 32 bit words, find the epoch of δ_0. Two Fortran statements are sufficient:

```
x = JEM (12, JILL (5), 29)/
EPOCH = 1850. + x/32.
```

Example 2. In the $\lambda = 24$ case, find the visual magnitude. Here a sign bit is involved. One Fortran solution is:

```
      KING = JEM (1, JILL (8), 13)
      x = JEM (11, JILL (8), 14)
      VIS = X/128.
      IF (KING) 2, 2, 1
1     VIS = -VIS
2     - - - -
```

Example 3. In the $\lambda = 60$ case, find α_0. Again, two statements are enough:

```
x = JEM (31, JILL (6), 25)
ALF = x/67108864.
```

If the word length is shorter, it might be troublesome to preserve the full accuracy of a_0. Not all computers have real-number (floating-point) arithmetic that is accurate to 31 binary places. In such cases a_0 would have to be split up into two numbers and treated with double-precision instructions. If these instructions are not available, then their equivalents have to be worked out explicitly by the programmer.

The last parameter, checksum, was computed by the original 36-bit word machine. It is the add-and-carry logical sum of the previous words of star data (overflow bits are added back in at the low-order position). To compare this checksum to a similar sum computed on a machine of different word length is a fairly sophisticated problem. Probably no practical way exists to do this in Fortran. However, omitting this test for reading accuracy should not be a matter of serious concern provided that the tape-reading equipment performs parity testing against the check bits on the tape.

Table 1. Storage Format — 11-Word Binary Tapes*

Quantity	Sign Bit	Divisor	N	λ = 24 Word	λ = 24 Bit	λ = 32 Word	λ = 32 Bit	λ = 60 Word	λ = 60 Bit
δ_{1950}	√	2^{26}	31	1	1	1	1	1	1
Code 10			5	2	8	1	32	1	32
α_{1950}		2^{26}	31	2	13	2	5	1	37
Code 20			5	3	20	3	4	2	8
Annual μ'	√	2^{31}	18	4	1	3	9	2	13
Annual $\sigma\mu'$		2^{30}	14	4	19	3	27	2	31
Code 30			4	5	9	4	9	2	45
Annual μ	√	2^{31}	18	5	13	4	13	2	49
Annual $\sigma\mu$		2^{30}	14	6	7	4	31	3	7
Code 40			4	6	21	5	13	3	21
Photographic magnitude	√	2^{7}	12	7	1	5	17	3	25
Epoch of δ_0 minus 1850.0		2^{5}	12	7	13	5	29	3	37
$\sigma\delta_0$		2^{26}	12	8	1	6	9	3	49
Visual magnitude	√	2^{7}	12	8	13	6	21	4	1
Epoch of α_0 minus 1850.0		2^{5}	12	9	1	7	1	4	13
$\sigma\alpha_0$		2^{26}	12	9	13	7	13	4	25
DM zone	√		8	10	1	7	25	4	37
DM number			15	10	9	8	1	4	45
Smithsonian book number			7	10	24	8	16	4	60
Code 51			3	11	7	8	23	5	7
Code 52			3	11	10	8	26	5	10
Spectral type (in BCD)			18	11	13	8	29	5	13
Code 60			1	12	7	9	15	5	31
Code 70			1	12	8	9	16	5	32
Source catalog star number			16	12	9	9	17	5	33
δ_0 (low order 22 bits)	√	2^{26}	23	13	1	10	1	5	49
σ_{1950}		2^{26}	13	13	24	10	24	6	12
α_0		2^{26}	31	14	13	11	5	6	25
(Not used)			5	15	20	12	4	6	56
Checksum			36	16	1	12	9	7	1

*Notation for this table is described on page 4.

Table 2. File 1, record 1, north tape

Magnitudes		EPOCH 1950										ORIGINAL EPOCH							SOURCE		
m_PE	m_v	h	m_1950 s	α_1950 °	μ_α 0".001	δ_1950 ° ′ ″	μ_δ ″	μ_δ 0".001	π_1950 ″	m_J °	μ_α 0".01	ep.	b_II °	μ_δ 0".01	ep.	SP.	Cat.	Star Number	DM Number
	7.27	0	0 1.957	-0.0023	04	32 41 41.82	0.002	04	0.26	5.636	10	85.1	41.70	12	87.1	A0	GC	3	32 703
	7.77		6 7.607	0.0214	06	49 8 13.79	0.025	04	0.31	8.451	14	79.9	12.11	12	92.2	F2	GC	48	D* 79 799
9.6	9.20		0 15.843	-0.0051 Q	09	57 22 42.57	0.009	09	0.24	38.910	16	29.9	42.02	16	29.9		AG	2	D* 81 841
10.2	9.18		9 40.172	0.0259 A	10	53 12 24.55	-0.025	20	0.16	39.868	16	29.9	25.66	16	29.9		AG	3	79 809
10.1	9.18		12 51.767	0.0034 Q	09	50 29 15.73	0.019	09	0.25	51.869	17	29.9	31.36	17	29.9		AG	4	79 801
	9.36		1 0.697	-0.0090	06	86 5 35.49	-0.002	06	0.13	0.694	13	51.3	39.46	13	51.3	F0 U	BkA	1	85 411
11.9	9.28		1 22.974	0.0041 Q	10	84 58 15.41	0.007	10	0.27	22.217	18	29.9	45.21	18	29.9		AG	1	84 181
11.3	9.48		1 38.510	0.0056 Q	10	84 11 41.54	-0.016	10	0.26	38.395	18	29.9	41.87	18	29.9		AG	2	83 637
11.7	9.50		2 0.931	0.0039 Q	10	82 36 8.19	-0.009	10	0.24	0.551	19	29.9	8.31	19	29.9		AG	3	82 749
10.7	9.49		2 1.365	0.0100 Q	10	83 22 41.42	0.003	10	0.26	1.346	17	29.9	41.36	17	29.9		AG	1	82 759
10.9	9.48		2 33.422	-0.0128 Q	09	82 25 7.68	-0.004	09	0.26	33.480	18	29.9	8.34	18	29.9		AG	4	D* 81 812
11.2	9.58		2 55.515	0.0212 Q	10	82 4 31.52	0.018	10	0.26	55.059	18	29.9	31.36	18	29.9		AG	5	81 813
9.4	8.85		3 2.749	-0.0031 Q	09	50 47 31.10	-0.013	09	0.24	2.808	16	29.9	34.54	16	29.9	A0	AG	6	80 772
	8.84		3 3.591	-0.0185	06	87 36 33.44	0.029	06	0.13	3.376	22	51.3	39.18	13	51.3	B6 U	BkA	2	87 228
	5A		3 35.773	0.0096	06	85 22 23.47	0.145	06	0.13	35.867	13	51.3	23.84	13	51.3	G5 R	BkA	3	84 545
10.6	9.50		4 8.195	-0.0022 Q	09	82 25 13.67	0.005	09	0.25	8.240	17	29.9	13.56	17	29.9		AG	6	81 814
	9.2A		4 11.357	0.0224	06	85 3 35.57	0.014	06	0.13	11.388	13	51.3	35.29	13	51.3	A5 R	BkA	4	84 546
10.4	9.28		4 26.395	-0.0039 Q	09	80 27 5.37	-0.001	09	0.25	26.473	17	29.9	5.46	17	29.9		AG	6	79 803
12.1	9.58		4 29.750	-0.0049 Q	10	88 8 30.41	-0.001	10	0.30	29.387	21	29.9	30.47	21	29.9		AG	1	88 874
12.2	9.58		4 51.936	-0.0104 Q	11	84 19 12.14	-0.026	11	0.30	52.148	21	29.9	12.52	21	29.9		AG	4	83 615
	9.4A		4 56.861	-0.0234	06	85 29 2.46	0.007	06	0.13	56.827	13	51.3	2.47	13	51.3	K0 R	BkA	5	84 547
	9.2Q		5 21.127	0.1459	05	85 35 34.89	-0.006	06	0.34	2.052	32	97.4	35.21	10	94.8	F9	GC	118	85 414
10.0	9.3		6 42.339	0.0047 A	08	80 8 4.46	-0.015	21	0.25	41.412	16	29.9	4.96	16	29.9		AG	7	79 1
	9.5A		6 55.385	0.0138	06	85 44 41.91	0.012	06	0.13	55.403	13	51.3	41.92	13	51.3	F8 V	BkA	7	85 1
10.1	9.2		7 5.225	0.0045 A	08	80 5 13.27	-0.019	17	0.26	5.134	17	29.9	13.65	17	29.9		AG	8	79 2
9.1	8.58		7 6.449	0.0245 Q	09	83 52 25.67	0.015	09	0.24	5.956	16	29.9	25.27	16	29.9	F5	AG	9	83 1
10.7	9.58		7 32.937	0.0292 Q	09	82 24 19.22	-0.007	09	0.26	32.160	17	29.9	49.26	17	29.9		AG	7	81 1
10.4	9.38		8 14.201	0.0055 Q	09	82 47 8.56	-0.000	09	0.25	14.053	17	29.9	8.57	17	29.9		AG	8	82 1
11.7	9.58		9 0.978	-0.0109 Q	10	81 42 12.02	-0.014	10	0.28	1.197	19	29.9	12.32	19	29.9		AG	1	81 4
10.1	9.5		9 3.612	0.0014 A	09	80 6 56.76	0.025	14	0.29	3.505	17	29.9	56.26	17	29.9		AG	9	
11.1	9.58		9 24.131	-0.0085 Q	10	81 14 51.46	-0.000	10	0.26	23.558	18	29.9	51.47	18	29.9		AG	9	83 2
10.2	8.78		9 25.627	0.0145 Q	09	82 55 2.70	0.017	09	0.25	25.254	16	29.9	2.16	16	29.9		AG	9	82 2
11.0	9.58		9 45.400	0.0007 Q	10	81 41 23.85	-0.012	10	0.27	45.585	18	29.9	23.87	18	29.9		AG	6	84 2
	9.2Q		10 0.510	0.0125	11	81 45 38.80	-0.018	10	0.27	56.217	17	08.9	59.41	18	08.0	F5	GC	221	81 3
10.7	9.58		10 2.466	-0.0014 Q	09	81 14 11.24	0.013	09	0.26	2.697	17	29.9	41.77	17	29.9		AG	4	81 3
	9.8A		11 19.190	0.0190	06	89 7 24.31	0.005	06	0.13	19.213	13	51.3	24.21	13	51.3	A2 U	BkA	8	87 1
10.2	9.1		11 19.084	-0.0035 A	08	85 12 13.55	0.015	11	0.25	19.174	16	29.9	14.44	16	29.9		AG	10	79 3
	9.0Q		12 15.511	0.1835	06	86 24 34.50	0.014	06	0.14	6.038	15	97.8	51.46	15	95.7	G8	GC	277	85 2
9.4	9.4A		12 17.241	0.0024	06	87 12 46.49	0.003	06	0.13	17.293	13	51.3	46.49	13	51.3	F9 U	BkA	10	86 1
10.7	9.68		12 19.681	-0.0091 Q	09	81 6 18.04	0.014	09	0.26	19.865	17	29.9	47.74	17	29.9		AG	4	82 3
	8.4A		12 [illegible]	0.0310	06	86 23 39.85	-0.004	06	0.13	45.614	13	51.3	39.85	13	51.3	K5 U	BkA	11	85 3
9.4	8.48		12 57.641	-0.0117 Q	09	85 5 11.58	0.006	09	0.24	57.865	16	29.9	13.46	16	29.9		AG	5	82 4
	9.3Q		13 52.957	0.0102	08	84 16 39.14	0.001	09	0.27	58.475	18	07.5	39.88	18	06.3	A2	GC	109	84 3
9.5	8.58		13 58.651	-0.0049 Q	09	81 23 18.28	-0.025	09	0.24	48.241	16	29.9	18.55	16	29.9	K0	AG	3	82 3
	9.2A		14 8.514	0.0316	06	87 4 43.17	0.004	06	0.13	8.554	13	51.3	43.27	13	51.3	K5 U	BkA	12	86 2
11.0	9.38		14 32.107	-0.0146 Q	10	83 39 53.63	0.003	10	0.26	42.934	18	29.9	53.57	18	29.9		AG	6	83 4
9.5	9.28		15 7.852	0.0111 Q	10	84 54 15.52	0.002	10	0.25	7.217	16	29.9	15.87	16	29.9	A	AG	8	84 4
10.1	9.38		15 8.170	0.0147 Q	09	83 5 23.95	0.004	09	0.25	8.545	16	29.9	23.16	16	29.9		AG	7	82 5
	9.5A		15 11.214	0.0379	06	85 23 18.12	0.037	06	0.13	11.112	13	51.3	18.22	13	51.3	G2	BkA	13	86 1
	9.6Q		15 16.[illegible]	0.0083 Q	09	81 18 [illegible]	0.002	09	0.22	16.[illegible]	16	29.9	9.46	16	29.9	F5	AG	9	80 4

Table 3. File 1, record 1, south tape

Magnitudes		EPOCH 1950									ORIGINAL EPOCH								SEIRACK		
m_{PE}	m_v	α_{1950} h m s	δ	μ_α (0.001)	α_{1950} ° ′ ″	μ	μ_δ (0.001)	π_{1950} ″	α_1 s	δ (0.01)	ep.	α_2 s	δ (0.01)	ep.	SP	Cat.	Star Number	DM Number
	8.3A	0 1 1.237	-0.0017	09	-5 27 54.57	-0.000	09*	0.22	1.176	16	33.7	54.49	16	33.7	F2	17	8191	A -9 4169
	9.6A	0 1 5.287	0.0017	12	-5 45 18.41	0.000	12	0.25	5.219	16	33.7	58.45	16	33.7	G0	16	8168E	A -9 4319
	8.7A	0 1 13.701	-0.0003	09	-3 11 41.40	-0.034	09	0.22	13.304	16	33.7	10.85	16	33.7	A5	17	8193	A -3 5954
	9.4A	0 1 17.978	0.0020	12	-6 32 11.66	-0.014	12	0.25	13.944	16	33.7	11.41	16	33.7	G5	16	8161	A -7 6137
	8.0A	0 1 23.231	0.0009	09	-1 10 19.03	-0.005	11	0.22	23.289	17	37.2	18.35	17	37.2	K0	21	5944	A -4 4520
	8.1A	0 1 29.365	0.0034	12	-8 5 38.56	-0.003	12	0.23	29.311	16	33.7	38.51	16	33.7	G5	16	8162	A -8 6211
	9.0A	0 1 37.110	-0.0012	11	-7 55 13.07	-0.017	11	0.23	37.124	16	33.7	12.85	16	33.7	G5	16	8165	A -8 4233
	9.0A	0 1 43.300	-0.0019	12	-5 48 17.95	0.005	12	0.25	43.351	16	33.7	12.12	16	33.7	F8	16	8148	A -6 4351
	9.0A	0 1 43.457	0.0118	06	-0 26 30.82	-0.068	11	0.22	44.419	17	37.2	29.16	17	37.2	F8	21	5945	A -0 6112
	8.0A	0 1 46.917	-0.0018	09	-4 25 26.53	-0.006	09	0.22	45.856	16	33.7	26.51	16	33.7	F2	17	8195	A -4 6093
	8.5A	1 2 0.009	0.0016	09	-1 50 2.67	0.001	09	0.22	7.982	16	33.7	1.69	16	33.7	G8	17	8200	A -1 6084
	9.0A	1 2 11.395	0.0010	09	-3 41 42.28	0.002	09	0.22	11.102	16	33.7	41.23	16	33.7	G2	17	8201	A -4 6014
	8.7A	1 2 25.443	0.0022	09	-4 35 16.67	-0.016	09	0.22	25.411	16	33.7	15.76	16	33.7	K0	17	8202	A -5 6103
	9.0A	1 2 37.296	0.0007	09	-5 12 16.66	-0.003	09	0.22	37.286	16	33.7	16.51	16	33.7	A2	17	8203	A -5 6125
	9.6A	1 2 41.080	0.0012	09	-0 17 8.91	0.010	11	0.22	41.065	17	37.2	9.05	17	37.2	K2	21	5917	A -0 4215
	8.8A	1 2 45.418	-0.0006	12	-9 31 41.45	0.010	12	0.25	45.429	16	33.7	41.61	16	33.7	K0	16	8158	A -10 6721
	8.4A	1 2 54.534	-0.0024	11	-7 14 36.69	-0.025	11	0.23	54.630	16	33.7	36.26	16	33.7	G0	16	8166	A -7 6112
	8.6A	2 2 2.209	-0.0001	12	-8 27 47.31	-0.017	12	0.25	2.233	16	33.7	47.03	16	33.7	K2	16	8157	A -8 6240
	8.8A	2 2 7.718	0.0007	09	-1 20 18.14	-0.014	11	0.22	7.738	17	37.2	18.96	17	37.2	F8	21	5918	A -1 6524
	8.6A	2 2 11.545	0.0006	09	-0 13 19.34	-0.017	11	0.22	11.597	17	37.2	19.33	17	37.2	F0	21	5915	A -0 4616
	9.0A	2 2 22.956	0.0000	12	-7 33 17.68	0.020	12	0.25	22.937	16	33.7	17.97	16	33.7	K0	16	8168	A -8 5211
	8.1T	2 2 29.929	0.0026	03	-0 45 58.55	+0.095	03	0.20	29.781	09	98.0	47.55	07	95.2	K0	GC	31	D* -6 4525
	8.7A	2 2 35.779	0.0012	09	-2 7 35.45	-0.021	09	0.22	35.760	16	33.7	35.09	16	33.7	K0	17	1	A -2 6010
	8.6A	2 2 44.587	0.0016	09	-2 4 21.83	0.015	09	0.22	44.550	16	33.7	22.00	16	33.7	G5	17	2	A -2 6072
	4.7H	2 2 46.510	-0.0008	91	-5 55 15.56	0.094	81	0.05	46.559	03	17.4	17.74	03	08.7	K0	F4	9082	-4 4197
	8.7A	2 2 51.237	-0.0026	09	-1 43 5.54	-0.036	09	0.22	51.275	16	33.7	4.95	16	33.7	F8	17	3	A -2 6093
	7.8A	2 2 51.899	-0.0006	09	-4 7 46.86	-0.038	09	0.22	51.918	86	33.7	46.24	16	33.7	K0	17	4	A -4 6019
	7.2T	2 2 54.319	-0.0009	17	-7 56 17.19	-0.005	11	0.73	54.327	21	01.7	33.23	19	93.4	K5	GC	65	-8 6242
	8.3A	2 2 56.650	0.0009	09	-2 5 34.51	-0.036	09	0.22	56.640	16	33.7	33.92	16	33.7	K0	17	5	A -2 6034
	7.1T	2 2 57.128	0.0061	07	-9 53 40.74	-0.058	07	0.47	57.000	17	96.4	37.31	15	90.8	F5	GC	69	-10 6227
	8.8A	3 2 3.319	-0.0011	13	-9 42 18.74	-0.022	13	0.30	2.382	18	33.7	18.54	15	33.7	F5	11	4	A -16 6228
	9.1A	3 2 6.161	-0.0024	12	-8 10 55.40	0.018	12	0.25	6.140	16	33.7	55.68	16	33.7	K0	16	3	A -8 6245
	8.7A	3 2 17.632	0.0010	12	-3 48 14.14	0.000	12	0.25	17.277	16	33.7	44.35	16	33.7	G5	16	4	A -9 6310
	8.2A	3 2 24.244	0.0012	09	-0 9 21.69	-0.011	11	0.22	24.230	17	37.2	24.36	17	37.2	G5	21	5953	A -0 6419
	9.0A	3 2 27.768	0.0014	09	-2 26 0.26	0.016	09	0.22	27.744	16	33.7	0.48	16	33.7	F0	17	6	A -2 6097
	8.5A	3 2 39.101	0.0000	09	-2 9 53.74	-0.053	09	0.22	39.480	16	33.7	52.87	16	33.7	F8	17	7	A -2 6095
	8.0A	3 2 44.985	-0.0015	11	-1 10 58.15	-0.056	13	0.25	45.009	16	33.7	57.32	16	33.7	K2	17	8	A -5 6099
	9.1A	3 2 56.515	0.0001	09	-4 7 17.35	-0.074	11	0.22	56.544	16	33.7	36.98	16	33.7	F0	17	9	A -4 6222
	7.1A	4 2 7.793	0.0017	09	-4 2 56.40	-0.005	09	0.16	6.764	16	33.7	56.72	16	33.7	G8	17	10	A -1 6024
	8.1A	4 2 13.134	0.0015	13	-4 17 37.97	-0.100	13	0.27	13.037	16	33.7	36.35	16	33.7	F8	17	11	A -9 6237
	7.2A	4 2 18.318	0.0006	12	-8 10 13.56	-0.001	12	0.25	18.330	16	33.7	13.50	16	33.7	G2	16	5	A -5 6123
	8.4A	4 2 20.633	-0.0043	11	-1 54 5.81	-0.224	11	0.23	20.774	16	33.7	1.85	16	33.7	G0	17	12	A -1 6025
	8.4A	4 2 18.076	-0.0012	09	-2 59 35.61	-0.092	09	0.22	18.096	16	33.7	35.58	16	33.7	K0	17	13	A -3 5965
	7.3A	4 2 32.168	0.0022	03	-1 19 16.01	-0.010	09	0.22	32.321	16	33.7	15.61	16	33.7	G8 F	17	14	A -2 1
	7.0D	4 2 2.252	-0.0011	06	-4 45 27.04	-0.101	06	0.19	2.461	03	96.2	27.09	14	93.0	C0	GC	1145	D* -5 2
	7.1A	4 2 1.811	-0.0013	14	-0 4 36.76	-0.009	20	0.26	1.878	17	37.2	36.65	17	37.2	K0	21	5	A* -0 1
	8.1A	4 2 6.171	0.0011	14	-4 11 [illegible]	-0.010	12	0.25	6.135	16	33.7	55.29	16	33.7	G5	16	6	A -8 2
	8.1A	4 2 10.115	0.0014	01	-2 57 37.50	0.001	02	0.14	10.241	88	07.0	37.14	05	02.5	K0	GC	114	D* -1 2
	8.1A	4 2 11.534	0.0017	01	-1 [illegible]	-0.007	01	0.22	11.472	16	33.7	16.15	16	33.7	K0	17	17	A -2 3
	8.1A	4 2 14.241	0.0017	12	-1 45 [illegible]	-0.016	12	0.25	14.146	16	33.7	51.22	16	33.7	K0	16	8	A -6 1

9. ELEMENTARY DESCRIPTION OF DATA STORAGE ON MAGNETIC TAPE

All computers have information storage devices that allow them to store data accessibly (core storage, magnetic drum, etc.). In this storage unit, information is stored in binary (BIN) or binary-coded-decimal (BCD). A programmer may restrict himself to the BCD mode, but for handling large amounts of data, this is generally inefficient.

A computer stores data in units called words, each computer having a set word length. The IBM 7094, for example, has a word length of 36 bits, the CDC 6400, one of 60 bits. Additionally, each computer has a known maximum capacity, i.e., the maximum number of words that can be accommodated at the same time in the storage unit. Since the SAO Star Catalog was processed on an IBM 7094, it was constructed according to the capacity and word length of this computer.

The binary format (Section 2) of the Catalog contains eleven 36-bit words per star, all the numerical information being stored in fixed-point. The first bit of each word is the sign bit; in this bit a 0 = +, a 1 = -. The remaining 35 bits contain the magnitude of the number. The point that separates the integral from the fractional part of the word is called the binary point, and is indicated for each word on the format (Section 2). Conversion from binary to decimal is, for example,

```
bits  000000000000000000000000000000000001   = +1
      s1                                   35

bits  100000000000000000000000000000000001   = -3
      s1                                   35
```

The less efficient BCD system allocates a 6-bit binary number for each character, as given in Section 6 (for the BCD spectral type).

It is possible to convert the entire Star Catalog into the BCD mode, as was done in order to produce the book form of the Catalog; but, because of the inefficiency of the BCD format, in this mode the Catalog occupies 14 tapes rather than 2.

Binary information can be stored on punched cards, but in quantity is more generally stored on magnetic tapes. Information in this form is recorded magnetically in seven parallel channels (tracks) along the tape. On the tape, six of the channels are used to accommodate data, while the seventh contains a check bit, which merely checks the reliability of the data stored. As data are recorded on the tape the check bits are automatically computed by the tape control circuits; as a tape is read the check bit is recomputed and compared with the one previously read, discrepancies being indicated.

The IBM 7094 records data in 36-bit words, each word being divided into 6-bit bytes for storage on tape. Each byte with its check bit is recorded on tape in a vertical column; a tape can be recorded at 200, 556, or 800 bpi (bytes per inch). The Star Catalog is recorded at 556 bpi.

Any block of words recorded consecutively on a tape is called a record, no matter what its length. Following a record on a tape is a 3/4-inch blank space called an end-of-record gap or record gap. The Star Catalog contains fifty 11-word stars, or 550 words per record. An entire record must be stored in the computer at one time to prevent loss of data while copying or processing a Star Catalog tape.

Records may be grouped into files, each of which is separated from other files by a 3.7-inch blank space followed by a tape mark (the end-of-file record). The Star Catalog has been divided into 10° bands of declination, each band being stored in a separate file on the tapes.

10. FORMULATION OF THE STAR CATALOG

The SAO Star Catalog was compiled from several earlier catalogs, all of which are cited in the bibliography. In the compilation, all stars were reduced to a common fundamental system, the FK4, with the application of systematic corrections as given in the bibliography (Section 2.2), and to a common equator and equinox, 1950.0. Where necessary, proper motions and spectral types were added to the data for the recorded stars. The compilation gives positions and proper motions for 258,997 stars, with an average distribution of 6 stars per square degree. The star positions have an average standard deviation of 0.2 arcsec at epoch of observation or 0.5 arcsec at epoch 1963.5.

The SAO catalog includes the following information for each star:

1. Right ascension (α_{1950}) and declination (δ_{1950}) for equator, equinox, and epoch 1950.0.
2. Standard deviation (σ, of the position at epoch 1950.0.
3. Right ascension (α_0) and declination (δ_0) for the equator and equinox 1950.0, at the mean epoch of the original observations.
4. Standard deviations (σ, σ') of α_0 and δ_0.
5. Mean epochs (t_0, t_0') of the original observations in right ascension and declination.
6. Annual proper motions for right ascension (μ) and declination (μ').
7. Standard deviations (σ) of μ and μ'.
8. Visual magnitude (for 99% of the stars).
9. Photographic magnitude (for 50% of the stars).
10. Spectral type (for 83% of the stars).
11. Durchmusterung number (BD, CD, CPD).
12. Source catalog.
13. Star number from source catalog.
14. Explanatory notes.

10.1 Precession

Stars from catalogs that were referred to an equinox other than that of 1950.0 were precessed to 1950.0 by use of Newcomb's constant and the rigorous formulas,

$$l_0 = \cos\alpha_0 \cos\delta_0 ,$$

$$m_0 = \sin\alpha_0 \cos\delta_0 ,$$

$$n_0 = \sin\delta_0 ,$$

where

α_0, δ_0 = right ascension and declination at equinox of the source catalog, epoch t_0 .

l_0, m_0, n_0 = direction cosines referred to equinox of t_0 .

Setting up the matrix, we have:

$$\begin{pmatrix} l \\ m \\ n \end{pmatrix} = \begin{pmatrix} \cos\kappa\cos\omega\cos\nu - \sin\kappa\sin\omega & -\sin\kappa\cos\omega\cos\nu - \cos\kappa\sin\omega & -\cos\omega\sin\nu \\ \cos\kappa\sin\omega\cos\nu + \sin\kappa\cos\omega & -\sin\kappa\sin\omega\cos\nu + \cos\kappa\cos\omega & -\sin\omega\sin\nu \\ \cos\kappa\sin\nu & -\sin\kappa\sin\nu & \cos\nu \end{pmatrix} \cdot \begin{pmatrix} l_0 \\ m_0 \\ n_0 \end{pmatrix}$$

where

l, m, n = direction cosines referred to the equinox of 1950.0,

κ, ω, ν = angles given by the expressions:

$$\kappa = (23042''.53 + 139''.73\tau + 0''.06\tau^2)T + (30''.23 - 0''.27\tau)T^2 + 18''.00\ T^3,$$

$$\omega = \kappa + (79''.27 + 0''.66\tau)T^2 + 0''.32\ T^3,$$

$$\nu = (20046''.85 - 85''.33\tau - 0''.37\tau^2)T + (-42''.67 - 0''.37\tau)T^2 - 41''.80\ T^3,$$

in which

$$\tau = \frac{t_0 - 1900.0}{1000.0} ,$$

$$T = \frac{1950.0 - t_0}{1000.0} ,$$

and t_0 = epoch of original equinox in tropical years.

The positions at equinox 1950 are given by the relations

$$\alpha = \arctan \frac{m}{l} ,$$

$$\delta = \arcsin n .$$

This method is inaccurate within 10 arcmin of the pole; however, no stars within this region were processed.

10.2 Standard Deviations

Standard deviations (standard errors) of position were taken as given in the source catalogs. Probable errors (r) were converted to standard deviations by the formula,

$$\sigma = \frac{3}{2} r .$$

Where no standard deviations were given, but weights according to the number of observations were available from the GC (for meridian catalogs), the standard deviations were derived by use of the relations

$$\sigma = \frac{0''.45}{\sqrt{w}} , \qquad \sigma' = \frac{0''.45}{\sqrt{w'}} ,$$

where w and w′ are the weights for right ascension and declination, respectively, and 0″.45 is the GC standard deviation of unit weight.

Standard deviations of position from AGK 2 were computed (Schorr, 1951; Kohlschütter, 1957; Heckmann, 1955) by the formula

$$\sigma = \sigma' = \left\{ \left[(m - 9^{m}.12)^2 \, ''.0061 + ''.145 \right]^2 + ''.0036 \right\}^{1/2} ,$$

where m = photographic magnitude.

While some source catalogs gave standard deviation of the components of proper motion for each star, others gave only one value applicable to all its proper motions. In either case, standard deviations are given for proper motions of each star in the SAO catalog.

Standard deviations for proper motions computed at SAO were computed from the standard deviations of the positions:

$$\sigma_{\mu} = \frac{\left(\sigma_2^{\,2} + \sigma_1^{\,2}\right)^{1/2}}{t_2 - t_1} ,$$

$$\sigma_{\mu'} = \frac{\left(\sigma_2'^{\,2} + \sigma_1'^{\,2}\right)^{1/2}}{t_2 - t_1} ,$$

where subscripts 1 and 2 refer to earlier and later epochs, respectively. Since the standard deviations in α and δ for each star were very close, if not identical, the positional uncertainty at 1950.0 is indicated by a single number, given by the formula,

$$\sigma_{1950} = \left\{ \frac{(\sigma)^2 + \left[\sigma_{\mu}(1950.0 - t_0)\right]^2 + (\sigma')^2 + \left[\sigma_{\mu'}(1950.0 - t_0')\right]^2}{2} \right\}^{1/2} .$$

An additional term in this formula, which would make it more precise, is omitted because it cannot generally be evaluated from data given in the source catalogs, since it depends upon exact knowledge of the method of computing proper motions and on the epoch of observation of all positions used in determining proper motions.

All standard deviations in the printed SAO catalog are expressed in seconds of great circle arc, and on the magnetic tapes, in radians.

10.3 Proper Motions

Proper motions for AGK 2 stars were computed by comparing the AGK 2 positions (in the FK 3 system) with early epoch positions from either the AGK 1 or the Greenwich AC (in the FK 3 system), after identity of stars from these three catalogs had been determined by a series of tests on positions, BD numbers, and magnitudes. The following formulas were used:

$$\mu = \frac{\alpha_2 - \alpha_1}{t_2 - t_1} ,$$

$$\mu' = \frac{\delta_2 - \delta_1}{t_2 - t_1} ,$$

where μ, μ' are the proper motions in right ascension and declination, and the subscripts 1 and 2 refer to earlier and later epochs, respectively.

If two stars at t_1 or t_2 had the same BD number, the star for which the sum

$$(\alpha_2 - \alpha_1)^2 + (\delta_2 - \delta_1)^2$$

had the lowest value was used. When such a choice has been made, the fact is indicated in the catalog notes. When more than three stars at either t_1 or t_2 fulfilled all requirements for identification, the stars were omitted. Proper motions were computed for approximately 56,000 stars in the AGK 2.

Proper motions in right ascension, given in the source catalogs in seconds of great circle arc, were multiplied by the term sec $\delta/15$ and converted to seconds of time. In the printed catalog, the proper motions are given for right ascension in seconds of time, and for declination in arcsec. On the magnetic tapes all proper motions are given in radians.

10.4 Positions at 1950.0

Right ascension and declination at epoch 1950.0 are given by the equations

$$\alpha_{1950} = \alpha_0 + \mu\,(1950.0 - t_0) \quad ,$$

$$\delta_{1950} = \delta_0 + \mu'\,(1950.0 - t_0') \quad .$$

10.5 Numbering System and Order

For the tapes of general interest and for the printed version of the catalog, the stars at epoch 1950.0 were sorted by right ascension within 10° bands of declination and, in the printed catalog, numbered consecutively (see Section 5).

10.6 Supplementary Information

Magnitudes, spectral types, and star numbers from the source catalogs have been included in the SAO catalog with explanatory notes citing the specific origin of each. Source-catalog entries indicating double or variable stars have also been incorporated in the explanatory notes. About 36,000 spectral types from the HD were added to the zones covered by the AGK 2, and Durchmusterung numbers were added to stars in the GC and the FK 4.

10.7 Duplicate Entries

When a star was listed in more than one source catalog, the duplicates were removed from the SAO catalog, insofar as this was possible. Stars were considered as duplicates when all the following were true: their positions, at the common epoch of 1900.0, agreed within 10".0 in both coordinates; they had identical DM numbers; their visual magnitudes did not differ by more than 3.0 mag; they came from different catalogs; they were not noted as members of a double system.

When duplication occurred, the entry retained was that appearing first in the following list of catalogs: FK 4; FK 3; GC; Cape volumes 20, 19, 18, 17; Yale volumes 27, 26 II, 26 I, 25, 24, 22 II, 22 I, 21, 20, 19, 18, 17, 16, 14, 13 II, 13 I, 12 II, 12 I, 11; AGK 2 volumes 8, 7, 6, 5, 2, 1; Cape Zone; Me 4; Me 3.

11. BIBLIOGRAPHICAL SOURCES

11.1 Chief Sources

The chief sources used for the SAO catalog are listed under the abbreviated titles by which they are referred to in the text:

AGK 1

Doubiago, D.

1898. Catalog der Astronomischen Gesellschaft, No. 1. Zone +75° bis +80°, Kasan Sternwarte.

Courvoisier, L.

1910. Catalog der Astronomischen Gesellschaft, No. 2. Zone +70° bis +75°, Berlin Sternwarte.

Fearnley, C., and Geelmuyden, H.

1890. Catalog der Astronomischen Gesellschaft, No. 3. Zone +65° bis +70°, Christiania Sternwarte.

Krüger, A.

1890. Catalog der Astronomischen Gesellschaft, No. 4. Zone +55° bis +65°, Helsingfors und Gotha Sternwarten.

Deichmüller, F.

1894. Catalog der Astronomischen Gesellschaft, No. 6. Zone +40° bis +50°, Bonn Sternwarte.

Engstrom, F., and Psilander, A. A.

1902. Catalog der Astronomischen Gesellschaft, No. 7. Zone +35° bis +40°, Lund Sternwarte.

Wilterdink, J. H.

1902. Catalog der Astronomischen Gesellschaft, No. 8. Zone +30° bis +35°, Leiden Sternwarte.

AGK 2

Schorr, R., and Kohlschütter, A.
1951 - 1953. Zweiter Katalog der Astronomischen Gesellschaft für das Äquinoktium 1950. Vol. 1, +70° bis +90°; vol. 2, +60° bis +70°; vol. 5, +45° bis +50°; vol. 6, +40° bis +45°; vol. 7, +35° bis +40°; vol. 8, +30° bis +35°.

BD

Argelander, F. W. A.
1859 - 1862. Bonner Sternverzeichniss, Sec. 1-3. Astron. Beob. Sternwarte Konigl. Rhein. Friedrich-Wilhelms-Univ. Bonn, vols. 3, 4, 5.

Schonfeld, E.
1886. Bonner Sternverzeichniss, Sec. 4. Astron. Beob. Sternwarte Konigl. Rhein. Friedrich-Wilhelms-Univ. Bonn, vol. 8.

CAPE

Jackson, J., and Stoy, R. H.
1954 - 1958. Cape Photographic Catalogue for 1950.0. Ann. Cape Obs. Vol. 17, -30° to -35°; vol. 18, -35° to -40°; vol. 19, -52° to -56°; vol. 20, -56° to -64°.

CAPE ZONE

Gill, D., and Hough, S. S.
1923. Zone Catalogue of 20,843 Stars, Equinox 1900. Royal Obs., Cape of Good Hope.

Spencer Jones, H., and Jackson, J.
1936. Proper Motions of Stars in the Zone Catalogue of 20,843 Stars, 1900. Royal Obs., Cape of Good Hope.

CD

Thome, J. M..

1892 - 1913. Cordoba Durchmusterung, Parts I - IV. Resultados Obs. Nacional Argentino, vol. 16, -22° to -32°; vol. 17, -32° to -42°; vol. 18, -42° to -52°; vol. 21, -52° to -62°.

Perrine, C. D.

1932. Cordoba Durchmusterung, Part V. Resultados Obs. Nacional Argentino, vol. 21, -62° to -90°.

CPD

Gill, D., and Kapteyn, J. C.

1896 - 1900. Cape Photographic Durchmusterung, Parts I - III. Annals Cape Obs., vol. 3, Zones -18° to -37°; vol. 4, zones -38° to -52°; vol. 5, zones -53° to -89°.

FK 3

Kopff, A.

1937 - 1938. Dritter Fundamentalkatalog des Berliner Astronomischen Jahrbuchs. Part I, Die Auwers-Sterne für die Epochen 1925 und 1950, Veröff, Astron. Rechen-Inst., No. 54. Berlin-Dahlem Part II, Die Zusatzsterne für die Epoche 1950, Abh. Preus. Akad. Wiss., Phys.-math. Kl., No. 3.

FK 4

Fricke, W., and Kopff, A.

1963. Fourth Fundamental Catalogue. Veroff. Astron. Rechen-Inst. Heidelberg, No. 10.

GC

Boss, B.
1936. General Catalogue of 33,342 Stars for the Epoch 1950, vols. 2 - 5. Carnegie Inst. Washington, Publ. No. 468.

GREENWICH AC

Dyson, F. W.
1914. Astrographic Catalogue 1900.0. Greenwich Section, vol. 3, +64° to +90°.

HD

Cannon, A. J., and Pickering, E. C.
1918 - 1924. The Henry Draper Catalogue. Ann. Astron. Obs. Harvard Coll., vols. 91 - 99.

Me 3

Ellery, R. L. J., and Baracchi, P.
1917. Third Melbourne General Catalogue of 3,068 Stars for the Equinox 1890.

Me 4

1959. Fourth Melbourne General Catalogue, Reduced without Proper Motion to the Equinox 1900.0 (Microfilm.) Mt. Stromlo Obs., Canberra, Australia.

YALE

Schlesinger, F., and Barney, I.

1939. Catalogue of 8,101 Stars, -10° to -14°. Trans. Astron. Obs. Yale Univ., vol. 11.

1940. Catalogue of the Positions and Proper Motions of 8,563 Stars, -14° to -18°. Trans. Astron. Obs. Yale Univ., vol. 12, Part I.

1940. Catalogue of the Positions and Proper Motions of 4,553 Stars. -18° to -20° Trans. Astron. Obs. Yale Univ., vol. 12, Part II.

1943. Catalogue of the Positions and Proper Motions of 4,292 Stars, -20° to -22°, Trans. Astron. Obs. Yale Univ., vol. 13, Part I.

1943. Catalogue of the Positions and Proper Motions of 9,455 Stars. -27° to -30°, Trans. Astron. Obs. Yale Univ., vol. 13, Part II.

1943. Catalogue of the Positions and Proper Motions of 15,110 Stars, -22° to -27°. Trans. Astron. Obs. Yale Univ., vol. 14.

Barney, I

1945. Catalogue of the Positions and Proper Motions of 8,248 Stars, -6° to -10°. Trans. Astron. Obs. Yale Univ., vol. 16.

1945. Catalogue of the Positions and Proper Motions of 8,108 Stars, -2° to -6°. Trans. Astron. Obs. Yale Univ., vol. 17.

1947. Catalogue of the Positions and Proper Motions of 9,092 Stars, +15° to +20°. Trans. Astron. Obs. Yale Univ., vol. 18.

1948. Catalogue of the Positions and Proper Motions of 8,967 Stars, +10° to +15°. Trans. Astron. Obs. Yale Univ., vol. 19.

1949. Catalogue of the Positions and Proper Motions of 7,996 Stars, +1° to +5°. Trans. Astron. Obs. Yale Univ., vol. 20.

1950. Catalogue of the Positions and Proper Motions of 5,583 Stars, -2° to +1°. Trans. Astron. Obs. Yale Univ., vol. 21.

1950. Catalogue of the Positions and Proper Motions of 9,060 Stars, +5° to +9°. Trans. Astron. Obs. Yale Univ., vol. 22, Part I.

Barney, I. (Cont.)

1950. Catalogue of the Positions and Proper Motions of 1,904 Stars, -9° to +10°. Trans. Astron. Obs. Yale Univ., vol. 22, Part II.

1953. Revised Catalogue of the Positions and Proper Motions of 10,358 Stars, +25° to +30°. Trans. Astron. Obs. Yale Univ., vol. 24.

1954. Revised Catalogue of 8,703 Stars, +20° to +25°. Trans. Astron. Obs. Yale Univ., vol. 25.

Barney, I., and van Woerkom, A. J. J.

1954. Catalogue of 1,031 Stars, +85° to +90°. Trans. Astron. Obs. Yale Univ., vol. 26, Part I.

Barney, I., Hoffleit, D., and Jones, R.

1959. Catalogue of 8,380 Stars, +50° to +55°. Trans. Astron. Obs. Yale Univ., vol. 26, Part II.

1959. Catalogue of 8,164 Stars, +55° to +60°. Trans. Astron. Obs. Yale Univ., vol. 27.

11.2 Supplementary References

Barney, I.

1951. Supplementary Volume to the Yale Zone Catalogues, -30° to +30° Trans. Astron. Obs. Yale Univ., vol. 23.

Boss, B.

1936. General Catalogue of 33,342 Stars for the Epoch 1950. Carnegie Inst. Washington Publ. No. 468. Vol. 1, Appendix III, pp. 165-339.

Heckmann, O.

1955. Correction to magnitude equation published in AGK 2, vol. 1. Personal communication to Dr. Luigi G. Jacchia.

Kopff, A.

1939. Vergleich des FK 3 mit dem General Catalogue von B. Boss. Astron. Nachr. vol. 269, pp. 160-167.

Mönnichmeyer, C.

1909. Verbesserte Örter des A. G. K. Bonn. Veroff. Konigl. Sternwarte Bonn, No. 9.

Schilt, J., and Hill, S. J.

1937. Photographic magnitudes of 6,902 stars in the zone +55° to +60°. Contr. Rutherford Obs. Columbia Univ., No. 30, 32 pp.

1938. Photographic magnitudes of 7,280 stars in the zone +50° to +55°. Contr. Rutherford Obs. Columbia Univ., No. 31, 36 pp.

Schorr, R., and Kohlschütter, A.

1951. Introduction to AGK 2, vol. 1. Hamburg-Bergedorf.

1957. Bericht über die im Bonner Anteil des AGK 2 verwendeten Methoden. Introduction to AGK 2, vol. 11. Bonn.

Williams, E. T. R.

1947. An investigation of stellar motions, part III. Astron. Journ., vol. 53, pp. 58-63.

11.3 Errata

In addition to the errata listed in the catalogs themselves, corrections from the following sources were also incorporated in the SAO catalog:

Abetti, A.

1900. Cometa 1900 II (1900b). Astron. Nachr., vol. 154, pp. 61-64.

Barney, I.

1948. Corrections to the Albany General Catalogue. Astron. Journ., vol. 54, pp. 154-155.

Courvoisier, L.

1911. Berichtigungen zum Katalog der Asronomischen Gesellschaft, Zone +70° bis +75°, Berlin. Astron. Nachr., vol. 187, pp. 159-160.

Doubiago, D.

1913. Positions corrigées du Catalogue A. G. Kasan. Astron. Nachr., vol. 196, pp. 321-322.

Duncombe, J. S.

1961. Corrections to the General Catalog. Personal communication to Joan Sears, October 2.

Ebell, M.

1903. Notiz Betr. AG. Helsingfors 7016. Astron. Nachr., vol. 164, pp. 155-156.

Graff, K.

1914. Beobachtungen von Kometen, Planeten und Fixsternen. Astron. Nachr., vol. 199, pp. 337-360.

Hedrick, J. T.

1903. Places of the older variable stars with faint minima. Astron. Nachr., vol. 163, pp. 113-118.

Jenkins, L. F.

1943. Corrections to the General Catalogue. Astron. Journ., vol. 50, pp. 142-144.

1945. Corrections to the General Catalogue, second list. Astron. Journ., vol. 51, p. 152.

Kreutz, H.

1904. Notiz. Betr. AG. Helsingfors 8117 = BD + 57° 1534. Astron. Nachr., vol. 165, pp. 251-254.

Ristenpart, F.

1909. Fehlerverzeichnis zu den Sternkatalogen des 18. und 19. Jahrhunderts. Astron. Abh. Erganzungshefte Astron. Nachr., vol. 3, No. 16, pp. 1-509.

Spencer Jones, H.

1928. Catalogue of 4,569 Stars. First Cape Catalogue of Stars for the Equinox 1925.0, p. vi.

Wanach, B.

1893. Berichtigungen zu Sterncatalogen. Astron. Nachr., vol. 135, pp. 245-246.

Wirtz, C. W.

1903. Über den Stern var. 59.1903 Cygni und eine Berichtigung zu AG Lund 9237. Astron. Nachr., vol. 164, pp. 23-24.

Wolf, M

1909. Berichtigung. Astron. Nachr., vol. 181, pp. 15-16.

1910. Berichtigung. Astron. Nachr., vol. 185, pp. 143-144.

SMITHSONIAN INSTITUTION
ASTROPHYSICAL OBSERVATORY
60 GARDEN STREET CAMBRIDGE MASSACHUSETTS 02138
TELEPHONE 617 864-7910

20 March 1969

Joe Johns
National Space Sciences Data Center
Code 601
NASA
Goddard Space Flight Center
Greenbelt, Maryland 20771

Dear Mr. Johns:

For your information I enclose the documentation concerning the magnetic tape version of the SAO Star Catalog. Dr. Gaposchkin has promised me two tapes for your copy of the Catalog which will be sent on to you separately.

Sincerely yours,

K. Haramundanis

(Mrs.) K.L. Haramundanis

KLH/lbc

enclosure

w/documentation
#3160

SMITHSONIAN INSTITUTION
ASTROPHYSICAL OBSERVATORY
60 GARDEN STREET CAMBRIDGE MASSACHUSETTS 02138
TELEPHONE 617 864-7010

20 March 1969

Joe Johns
National Space Sciences Data Center
Code 601
NASA
Goddard Space Flight Center
Greenbelt, Maryland 20771

Dear Mr. Johns:

For your information I enclose the documentation concerning the magnetic tape version of the SAO Star Catalog. Dr. Gapoachkin has promised me two tapes for your copy of the Catalog which will be sent on to you separately.

Sincerely yours,

K. Haramundanis

(Mrs.) K.L. Haramundanis

KLH/lbc

enclosure

MAR 2 4 1969 w/ documentation
#3160

PROGRAM DOCUMENTATION

SAØPIF

Smithsonian Astrophysical Observatory

Programmer: Nancy A. Norman

Date: August 8, 1969

Prepared by:

Wolf Research and Development Corporation
Riverdale, Maryland

Prepared for:

National Space Science Data Center
Space Sciences Division
GSFC
NASA

Under Contract NAS 5-8060

PROGRAM DOCUMENTATION

Programmer: Nancy A. Norman
Date: August 8, 1969

Prepared by:

Wolf Research and Development Corporation
Riverdale, Maryland

Prepared for:

National Space Science Data Center
Space Sciences Division
GSFC
NASA

Under Contract NAS 5-8060

I. ABSTRACT

SAØPIF unpacks the Smithsonian Astrophysical Observatory data and converts it from integer to real, printing-out a listing of the data in decimal notation.

II. IDENTIFICATION

A. Source Language

FORTRAN IV

B. Required Peripheral Equipment

Two tape units

1. One tape unit (A5) for input
2. One tape unit (A3) for off-line printer and decimal listing.

C. Computer

IBM 7094/II

D. Operating System

IBSYS (February 14, 1966 - Goddard Space Flight Center tape system).

E. Subroutines Required

PIFTAØ - FLØAT - QCLØSE

CØMMØN /PIFTC1/IPCC/PIFTC2/IN(1)/PIFTC3/JUNK,JØUT(1)

F. Storage Requirements

43647_{10}

III. DESCRIPTION

PIFTAØ is used to read and close the SAØ binary tape. The data is converted from integer to real with the subroutine FLØAT. A listing is printed containing record indicators, field titles and the decimal data.

IV. PROGRAM SETUP

A. Input Requirements

Tape

Tape Unit (5)

(1) Parity - odd

(2) 556 BPI

(3) No label

(4) Format, See Figure 2

(5) Disposition - save

B. Output Description

Printer Output

C. Control Cards

Control Card Sequence is shown in Deck Setup, Figure 1.

D. Run Time Estimate

15 minutes

E. Run Request Card

SPONSOR NUMBER | PROGRAMMER ID | PROJECT NO. | CTGY | TYPE | PROGRAM NUMBER | PROGRAM PRESENT

7094 MODE ☐ 1 ☐ 2 ☒ 32K ☐ 65K ☐ DISK ☐ DCC ☐ CARD READER ☐ PUNCH ☐ PRINTER

TIME EST. ___ HR 15 MIN PRINT EST. _____ REELS

LOGICAL	A- 5	A-	A-	A-	A-	A-	
TAPE NUMBER	X- 348						
DISPOSITION	L F R	L F R	L F R	L F R	L F R	L F R	L F R
LOGICAL	B-	B-	B-	B-	B-	B-	
TAPE NUMBER							
DISPOSITION	L F R	L F R	L F R	L F R	L F R	L F R	L F R

KEYS ☐☐☐☐☐☐☐☐☐☐☐☐ SENSE ☐☐

LOAD CARDS ☐ ONLINE ☐ OFFLINE ☐ LOAD TAPE

DUMP IF ☐ MAX TIME ☐ TROUBLE ☐ EXCESSIVE O/P

SEE REVERSE ☐ SCHEDULED HALT _____

PRINT TAPES

LOGICAL	1, 2, PC	FILES	COPIES	FORM	LOOP
A3	PC	1	1	STD	

PUNCH TAPES

LOGICAL	FILES	CARD FORM

V. PROGRAM MAINTENANCE

Flow Chart, Figure 3.

FIGURE 1



* FILE 'APB, TAPE, INPUT', A(1), DEFER, BIN, SSG, HOLD,
BUK=SSD, INPUT

** SIZE // = 8

Word	BITS	Description
1	S,1-30 (B4) 31-35 (B35)	declination in radians visual magnitude
2	S, 1-30 (B4) 31-35 (B35)	right ascension in radians star numbers and footnotes
3	S, 1-17 B(-14) 18-31 (B1) 32-35 (B35)	proper motion in declination in radians standard deviation in radians photographic magnitude
4	S, 1-17 B(-14) 18-31 32-35	proper motion in right ascension - radians standard deviation in radians proper motion
5	S, 1-11 (B4) 12-23 (B18) 24-35 (B9)	photographic magnitude declination observation standard deviation in radians
6	S, 1-11 (B4) 12-23 (B18) 24-35 (B9)	visual magnitude right ascension observation standard deviation in radians
7	S, 1-7 (B7) 8-22 (B22) 23-29 (B29) 30-32 (B32) 33-35 (B35)	DM zone DM number Smithsonian book number spectral type double and variable stars
8	S, 1-17 18 (B18) 19 (B19) 20-35 (B35)	spectral type accuracy of visual magnitude accuracy of photographic magnitude source catalog star number
9	S,1-22 B(-14) 23-35 (B9)	declination observation in radians standard deviation in radians
10	S, 1-20 (B4) 31-35	right ascension observation unused
11		Checksum

FIGURE 3

SAO-MFT

1 of 4



SAP-PIFT

2 OF 4



SAQ-PLET

3 OF 4



SAQ-PIFT

4 of 4



72153	00000000	RDP00002336	00000000	RDP00001023	00000000	RDP00001262	000		
72157	00000000	RDP00001745	00000000	RDP00000604	00000000	RDP00001465	000		
72163	00000000	RDP00001522	00000000	RDP00000365	00000000	RDP00001573	000		
72167	00000000	RDP00001513	00000000	RDP00000335	00000000	RDP00002542	000		
72173	00000000	RDP00001365	00000000	RDP00000360	00000000	RDP00000753	000		
72177	00000000	RDP00001702	00000000	RDP00000472	00000000	RDP00001506	000		
72203	00000000	RDP00002661	00000000	00002240	00000000	RDP00003364	000		
72207	00000000	RDP00002772	00000000	RDP00000667	00000000	RDP00003244	000		
72213	00000000	RDP00002133	00000000	RDP00001516	00000000	RDP00002075	000		
72217	00000000	RDP00003750	00000000	00002003	00000000	RDP00002546	000		
72223	00000000	RDP00002722	00000000	RDP00001407	00000000	RDP00003374	000		
72227	00000000	RDP00004351	00000000	RDP00001655	00000000	RDP00004255	000		
72233	00000000	00006340	00000000	RDP00007257	00000000	RDP00013745	000		
72237	00000000	RDP00037046	00000000	RDP00061154	00000000	RDP00123434	000		
72243	00000000	RDP00152206	00000000	RDP00113264	00000000	00056006	000		
72247	00000000	RDP00011275	00000000	RDP00004130	00000000	RDP00004675	000		
72253	00000000	RDP00001207	00000000	RDP00000716	00000000	RDP00000376	000		
72257	00000000	RDP00001060	00000000	RDP00002647	00000000	RDP00000736	000		
72263	00000000	RDP00001017	00000000	RDP00001416	00000000	RDP00001127	000		
72267	00000000	RDP00001116	00000000	RDP00001165	00000000	RDP00002111	000		
72273	00000000	RDP00000733	00000000	RDP00000535	00000000	RDP00000351	000		
72277	00000000	RDP00001150	00000000	RDP00002517	00000000	RDP00001013	000		
72303	00000000	RDP00001415	00000000	RDP00001625	00000000	RDP00001754	000		
72307	00000000	RDP00001466	00000000	RDP00001331	00000000	RDP00002166	000		
72313	00000000	RDP00001022	00000000	RDP00001045	00000000	00000540	000		
72317	00000000	RDP00002072	00000000	00003200	00000000	RDP00001011	000		
72323	00000000	RDP00001160	00000000	RDP00001565	00000000	RDP00002204	000		
72327	00000000	RDP00002661	00000000	RDP00001362	00000000	RDP00002556	000		
72333	00000000	RDP00002454	00000000	RDP00002443	00000000	RDP00002344	000		
72337	00000000	RDP00006715	00000000	00017340	00000000	RDP00020647	000		
72343	00000000	RDP00031621	00000000	RDP00031334	00000000	RDP00013636	000		
72347	00000000	RDP00003116	00000000	RDP00003615	00000000	RDP00002647	000		
72353	00000000	RDP00001232	00000000	RDP00001430	00000000	RDP00000661	000		
72357	00000000	RDP00000530	00000000	RDP00003117	00000000	RDP00000423	000		
72363	00000000	RDP00000401	00000000	RDP00001571	00000000	RDP00000376	000		
72367	00000000	RDP00000316	00000000	RDP00001334	00000000	RDP00000335	000		
72373	00000000	RDP00000366	00000000	RDP00000704	00000000	RDP00000415	000		
72377	00000000	RDP00000555	00000000	RDP00002747	00000000	RDP00000560	000		
72403	00000000	RDP00001534	00000000	RDP00003470	00000000	RDP00002071	000		
72407	00000000	RDP00001366	00000000	RDP00001715	00000000	RDP00000771	000		
72413	00000000	RDP00001107	00000000	RDP00002052	00000000	RDP00001541	000		
72417	00000000	RDP00002346	00000000	RDP00004417	00000000	RDP00001522	000		
72423	00000000	RDP00001577	00000000	RDP00002635	00000000	RDP00002146	000		
72427	00000000	RDP00003131	00000000	RDP00002710	00000000	RDP00001674	000		
72433	00000000	RDP00005050	00000000	RDP00010063	00000000	RDP00013114	000		
72437	00000000	RDP00034767	00000000	RDP00064750	00000000	RDP00120601	000		
72443	00000000	RDP00147155	00000000	RDP00116141	00000000	RDP00053401	000		
72447	00000000	RDP00007230	00000000	RDP00005634	00000000	RDP00002136	000		
72453	00000000	RDP00001330	00000000	RDP00060433	00000000	RDP00000706	000		
72457	00000000	RDP00001542	00000000	RDP00002145	00000000	RDP00001316	000		
72463	00000000	RDP00001357	00000000	RDP00001120	00000000	RDP00001363	000		
72467	00000000	RDP00001363	00000000	RDP00000726	00000000	RDP00002411	000		
72473	00000000	RDP00001203	00000000	RDP00000273	00000000	RDP00000535	000		
72477	00000000	RDP00001346	00000000	RDP00002211	00000000	RDP00001315	000		
72503	00000000	RDP00001502	00000000	RDP00001775	00000000	RDP00001711	000		
72507	00000000	RDP00002113	00000000	RDP00001050	00000000	RDP00002632	000		
72513	00000000	RDP00001423	00000000	RDP00000464	00000000	RDP00000776	000		
72517	00000000	RDP00002044	00000000	RDP00002534	00000000	RDP00001752	000		
72523	00000000	RDP00001766	00000000	RDP00001437	00000000	00001500	000		
72527	00000000	RDP00001566	00000000	RDP00001464	00000000	RDP00003106	000		

1023	00000000 RCP00001262	00000000 RCP00000637
3604	00000000 RCP00001465	00000000 RCP00000426
1365	00000000 RCP00001573	00000000 RCP00000335
1335	00000000 RCP00002542	00000000 RCP00000355
1360	00000000 RCP00000753	00000000 RCP00000452
1472	00000000 RCP00001506	00000000 RCP00001262
1240	00000000 RCP00003364	00000000 RCP00002220
1667	00000000 RCP00003244	00000000 RCP00001112
1516	00000000 RCP00002075	00000000 RCP00002131
1003	00000000 RCP00002546	00000000 RCP00001267
1407	00000000 RCP00003374	00000000 RCP00002462
1655	00000000 RCP00004255	00000000 RCP00004453
1257	00000000 RCP00013745	00000000 RCP00017744
1154	00000000 RCP00123434	00000000 RCP00155101
1264	00000000 00056006	00000000 RCP00023314
1130	00000000 RCP00004675	00000000 00001500
1716	00000000 RCP00000376	00000000 RCP00001671
1647	00000000 RCP00000736	00000000 RCP00001435
1616	00000000 RCP00001127	00000000 RCP00001262
1165	00000000 RCP00002111	00000000 RCP00001203
1135	00000000 RCP00000351	00000000 RCP00001442
1117	00000000 RCP00001013	00000000 RCP00001634
1125	00000000 RCP00001714	00000000 RCP00002121
1131	00000000 RCP00002166	00000000 RCP00001466
1145	00000000 00000540	00000000 00002022
1100	00000000 RCP00001011	00000000 00002017
1165	00000000 RCP00002204	00000000 RCP00001414
1162	00000000 RCP00002556	00000000 RCP00002301
1143	00000000 RCP00002344	00000000 RCP00005252
1140	00000000 RCP00020647	00000000 RCP00045571
1134	00000000 RCP00013636	00000000 RCP00012453
1115	00000000 RCP00002647	00000000 RCP00002450
1130	00000000 RCP00000661	00000000 RCP00002166
1117	00000000 RCP00000423	00000000 RCP00001574
1171	00000000 RCP00000376	00000000 RCP00001431
1134	00000000 RCP00000335	00000000 RCP00001354
1114	00000000 RCP00000415	00000000 RCP00001702
1117	00000000 RCP00000560	00000000 RCP00002407
1170	00000000 RCP00002071	00000000 RCP00003557
1115	00000000 RCP00000771	00000000 RCP00002136
1112	00000000 RCP00001541	00000000 RCP00003533
1117	00000000 RCP00001522	00000000 RCP00002412
1115	00000000 RCP00002146	00000000 RCP00003605
1110	00000000 RCP00001674	00000000 RCP00005707
1113	00000000 RCP00013114	00000000 RCP00021524
1110	00000000 RCP00120601	00000000 RCP00160222
1111	00000000 RCP00053401	00000000 RCP00025445
1114	00000000 RCP00002136	00000000 RCP00001134
1113	00000000 RCP00000706	00000000 RCP00001206
1115	00000000 RCP00001316	00000000 RCP00001023
1110	00000000 RCP00001363	00000000 RCP00001021
1115	00000000 RCP00002411	00000000 RCP00000726
1113	00000000 RCP00000535	00000000 RCP00001222
1111	00000000 RCP00001315	00000000 RCP00001150
1115	00000000 RCP00001711	00000000 RCP00001647
1110	00000000 RCP00002632	00000000 RCP00001001
1	00000000 RCP00000776	00000000 RCP00001776
1	00000000 RCP00001752	00000000 RCP00001043
1	00000000 00001500	00000000 RCP00002363
1	00000000 RCP00003106	00000000 RCP00002414

72533	00000000	RCP00002641	C0CCCCCC	RCPC00C2402	C0C0C000	RCPC0004671	00000000	(	
72537	00000000	RCP00013315	00CC0000	RCPC0017245	C0000000	C0036040	00000000	RCP	
72543	00000000	RCP00040173	00000000	RCPC0021046	00000000	C0016037	00000000	RCP	
72547	00000000	RCP00003626	00000000	RCP00001353	CCCCCCCC	RCPC0003043	STA20027546	FSB	
72553	SCA34017001	FDV33144645	SSU43302014	FDV33710233	STA20142022	THS65502465	ADL45636522	STA	
72557	STL47202224	LDL44446125	THS65147420	STA20C2020	SC434017001	FDV33106110	STC21010370	STA	
72563	SAL61202224	LDL44446151	FAD30202121	QRS02273303	LDA12700120	STA20202002	STA20202020	LRS	
72567	STA20042020	STA20200520	STA20202020	QLS06202020	STA20202020	FDV33202020	STA20202020	STA	
72573	STA20202020	STA20202020	STA20202020	STA20202020	STA20202020	STA20202020	STA20202020	STA	
72577	STA20202020	STA20202020	STA20202020	STA20C0406	RAD70072020	STA20201020	STA20202011	STA	
72603	LDA12202020	ARS01012020	STA20010220	STA20200103	STA20202001	ENQ04202020	ARS01052020	STA	
72607	STA20742020	STA20202020	SCA34012733	ARS01063471	ENQ04330127	74330527	FDV33710333	ALS	
72613	THS65237320	STQ21012733	ARS01063471	ENQ04330127	BEGW 74330527	33710321	ARS01273320	STA	
72617	STA20202020	ENA10347104	FDV33062774	FDV33052733	RSB71032101	DVF27331034	ALS05273371	ENQ	
72623	BEGW 74330527	33710374	SCA34012721	ARS01273301	QLS06710533	STA20052733	RSB71033304	DVF	
72627	FDV33107101	FDV33042733	RSB71052121	74202020	SCA34017001	FDV33106110	STQ21012733	ADD	
72633	INI51616765	AJP22206646	INI51206465	QRJ23656323	SBL46512220	ADD14337101	FDV33142020	SAL	
72637	STA20143371	ARS01331420	STA20626122	THS65642046	ADL45201433	RSB71033314	ARJ22655024	THS	
72643	AJP22142101	DVF27331470	RSC73257320	STA20612565	RSD73202020	INI51442220	STA20204524	LDL	
72647	QJP23227333	STA20632322	RSC73212265	63732020	STA20652561	ADL45222020	STA20206643	MUI	
72653	STA20206125	THS65732020	STA20514422	STA20204524	LDL44627347	CJP23227320	XMIT 63232221	2	
72657	STA20206525	SAL61452220	STA20206643	MUI24272020	STA20654565	INI51673014	BEGR 74202020	2	
72663	SCA34012720	FDV33106110	STQ21012733	ADD14612565	INI51616765	AJP22206646	INI51206465	QRJ	
72667	SBL46512220	ADD14337101	FDV33142020	SAL61456420	STA20143371	ARS01331420	STA20626122	THS	
72673	ADL45201433	RSB71033314	ARJ22655024	THS65456365	AJP22142101	DVF27331470	RSC73257320	STA	
72677	RSD73202020	INI51442220	STA20204524	LDL44627347	QJP23227333	STA20632322	RSC73212265	6	
72703	STA20652561	ADL45222020	STA20206643	MUI24272020	STA20206125	THS65732020	STA20514422	STA	
72707	LDL44627347	CJP23227320	XMIT 63232221	22656320	STA20206525	SAL61452220	STA20206643	MUI	
72713	STA20654565	INI51673014	BEGR 74202020	20202020	SCA34012733	SBL46023302	SCA34012733	MEQ	
72717	FDV33012733	MEQ66067302	FDV33012733	MEQ66037312	FDV33022733	MEQ66117302	FDV33022733	MEQ	
72723	FDV33022733	MEQ66011273	QRS02743301	DVF27336607	RSD73017420	STA20202020	SCA34011027	FDV	
72727	QRJ23614322	STA20143366	ARS01127302	FDV33012733	MEQ66011273	QRS02330127	FDV33660101	RSC	
72733	QRS02273366	ARS01127302	FDV33012733	MEQ66011273	QRS02332020	ARS01273366	ARS01017302	7	
72737	SCA34017001	FDV33146125	THS65516167	THS65202025	SAL61432465	AJP22202066	SBL46512023	RAD	
72743	STA20234623	SAL61432020	INI51244520	STA20147420	UJP75076752	RTJ75473755	LDA12076764	INA	
72747	INA11000000	AJP22272756	ENQ04072553	ENA10000063	RTJ75454141	INI51000010	RTJ75454215	RDP	
72753	00000000	ARS01076764	RTJ75455020	NDP50000000	UJP75074003	NDP50000000	ENA10000000	STA	
72757	LDA12076770	INA11077765	INA11000000	AJP22373012	ENA10002322	STA20074034	LDA12076775	STA	
72763	RTJ75473646	NDP50000000	UJP75073010	NDP50000000	ENA10000001	STA20073655	RTJ75473664	NDP	
72767	ENA10000001	STA20073673	RTJ75473703	NDP50000000	LIL53173630	ENI50200002	LDA12102002	INA	
72773	LRS03000060	LLS07000060	DVI25074051	STA20073740	RTJ75473743	NDP50000000	INA11077776	INA	
72777	AJP22273002	NDP50000000	ENA10000001	STA20073740	RTJ75473743	NDP50000000	LIL53373740	LDA	
73003	STA20102002	INI51104000	IJP55272772	RAD72073655	RTJ75473661	NDP50000000	INA11077756	AJP	
73007	RAD72073637	RTJ75473643	SUB15076764	AJP22372765	AJP22072765	NDP50000000	LDA12076770	INA	
73013	AJP22372915	AJP22073131	INA11077775	AJP22373133	ENQ04072561	ENA10000063	RTJ75454141	INI	
73017	ENA10000001	STA20073655	RTJ75473664	NDP50000000	RTJ75454215	RDP00073023	RDP00073655	ARS	
73023	RAD72073655	RTJ75473661	INA11077766	AJP22373021	RTJ75455020	NDP50000000	ENA10000001	STA	
73027	RTJ75473646	NDP50000000	UJP75073127	NDP50000000	ENQ04072610	ENA10000063	RTJ75454141	INI	
73033	ENA10000001	STA20073673	RTJ75473703	NDP50000000	RTJ75454215	RDP00073037	RDP00073631	ARS	
73037	RAD72073673	RTJ75473700	INA11077756	AJP22373035	RTJ75454215	RDP00073043	RDP00073637	ARS	
73043	ENA10000001	STA20073673	RTJ75473703	NDP50000000	RTJ75454215	RDP00073047	RDP00073631	ARS	
73047	RAD72073673	RTJ75473700	INA11077756	AJP22373045	RTJ75454215	RDP00073053	RDP00073637	ARS	
73053	ENA10000001	STA20073673	RTJ75473703	NDP50000000	RTJ75454215	RDP00073057	RDP00073631	ARS	
73057	ENA10000002	RAD70073673	RTJ75473703	NDP50000000	INA11077757	AJP22373055	RTJ75454215	RDP	
73063	RDP00073637	ARS01022604	ENA10000002	STA20073673	RTJ75473703	NDP50000000	RTJ75454215	RDP	
73067	RDP00073631	ARS01016002	ENA10000002	RAD70073673	RTJ75473703	NDP50000000	INA11077756	AJP	
73073	RTJ75454215	RDP00073075	RDP00073637	ARS01023005	RTJ75455020	NDP50000000	LDA12074052	STA	
73077	LIL53173637	LDA12142046	INA11077776	AJP22173102	LDA12074053	STA20074017	ENC04072624	ENA	
73103	RTJ75454141	INI51000036	ENA10000001	STA20073673	RTJ75473703	NDP50000000	RTJ75454215	RDP	
73107	RDP00073631	ARS01033046	RAD72073673	RTJ75473700	INA11077756	AJP22373106	RTJ75454215	RDP	

00002402	00000000	RCP00004671	00000000	00006031
00017245	00000000	00036040	00000000	RCP00030617
00021046	00000000	00016037	00000000	RCP00003554
00001353	00000000	RCP00003043	STA20027546	FSB31463146
33710233	STA20142022	THS65502465	ADL45636522	STA20224271
20202020	SCA34017001	FDV33106110	STC21010370	STA20646123
02273303	LDA12700120	STA20202002	STA20202020	LRS03202020
06202020	STA20202020	FDV33202020	STA20202020	STA20202020
20202020	STA20202020	STA20202020	STA20202020	STA20202020
202C0406	RAD70072020	STA20201020	STA20202011	STA20202001
20200103	STA20202001	ENQ04202020	ARS01052020	STA20010620
01063471	ENQ04330127	74330527	FDV33710333	ALS05702064
04330127	BEGW 74330527	33710321	ARS01273320	STA20202020
03052733	RSB71032101	DVF27331034	ALS05273371	ENQ04330127
01273301	QLS06710533	STA20052733	RSB71033304	DVF27336110
04202020	SCA34017001	FDV33106110	STQ21012733	ADD14612565
03656323	SBL46512220	ADD14337101	FDV33142020	SAL61456420
05642046	ADL45201433	RSB71033314	ARJ22655024	THS65456365
00612565	RSO73202020	INI51442220	STA20204524	LDL44627347
03732020	STA20652561	ADL45222020	STA20206643	MUI24272020
00204524	LDL44627347	QJP23227320	XMIT 63232221	22656320
04272020	STA20654565	INI51673014	BEGR 74202020	20202020
04612565	INI51616765	AJP22206645	INI51206465	QRJ23656323
01456420	STA20143371	ARS01331420	STA20626122	THS65642046
05456365	AJP22142101	DVF27331470	RSC73257320	STA20612565
04627347	QJP23227333	STA20632322	RSC73212265	63732020
04272020	STA20206125	THS65732020	STA20514422	STA20204524
02656320	STA20206525	SAL61452220	STA20206643	MUI24272020
02C2020	SCA34012733	SBL46023302	SCA34012733	MEQ66107302
06037312	FDV33022733	MEQ66117302	FDV33022733	MEQ66117302
07336607	RSO73017420	STA20202020	SCA34011027	FDV33142346
03012733	MEQ66011273	QRS02330127	FDV33660101	RSC73023302
06011273	QRS02332020	ARS01273366	ARS01017302	74202020
02202025	SAL61432465	AJP22202066	SBL46512023	RAD70712220
00147420	UJP75076752	RTJ75473755	LDA12076764	INA11077773
00000063	RTJ75454141	INI51000010	RTJ75454215	RCP00072754
00000000	UJP75074003	NOP50000000	ENA10000000	STA20074034
00373012	ENA10002322	STA20074034	LDA12076775	STA20073637
00000000	ENA10000001	STA20073655	RTJ75473664	NOP50000000
00000000	LIL53173630	ENI50200002	LDA12102002	INA11000005
00073740	RTJ75473743	NOP50000000	INA11077776	INA11000000
00073740	RTJ75473743	NOP50000000	LIL53373740	LDA12363422
00073655	RTJ75473661	NOP50000000	INA11077756	AJP22372767
00372765	AJP22072765	NOP50000000	LDA12076770	INA11077775
00373133	ENQ04072561	ENA10000063	RTJ75454141	INI51000026
00000000	RTJ75454215	RCP00073023	RCP00073655	ARS01044446
00373021	RTJ75455020	NOP50000000	ENA10000001	STA20073637
00000000	ENQ04072610	ENA10000063	RTJ75454141	INI51000031
00000000	RTJ75454215	RCP00073037	RCP00073631	ARS01006002
00373035	RTJ75454215	RCP00073043	RCP00073637	ARS01022202
00000000	RTJ75454215	RCP00073047	RCP00073631	ARS01012002
00373045	RTJ75454215	RCP00073053	RCP00073637	ARS01022403
00000000	RTJ75454215	RCP00073057	RCP00073631	ARS01016002
00000000	INA11077757	AJP22373055	RTJ75454215	RCP00073064
00073673	RTJ75473703	NOP50000000	RTJ75454215	RCP00073070
00073673	RTJ75473703	NOP50000000	INA11077756	AJP22373066
00023005	RTJ75455020	NOP50000000	LDA12074052	STA20074017
00173102	LDA12074053	STA20074017	ENQ04072624	ENA10000063
00073673	RTJ75473703	NOP50000000	RTJ75454215	RCP00073110
00173700	INA11077756	AJP22373106	RTJ75454215	RCP00073115