#350

MARINER 10

SEDR SUBSET SUPPORT DATA

FOR ALL PHOTOGRAPHS

73-085A-01P

Table of Contents

1. Introduction

2. Errata/Change Log

3. LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM

4. Catalog Materials

    a. Associated Documents

    b. Core Catalog Materials

---

1. INTRODUCTION:

The documentation for this data set was originally on paper, kept in NSSDC's Data Set Catalogs (DSCs). The paper documentation in the Data Set Catalogs have been made into digital images, and then collected into a single PDF file for each Data Set Catalog. The inventory information in these DSCs is current as of July 1, 2004. This inventory information is now no longer maintained in the DSCs, but is now managed in the inventory part of the NSSDC information system. The information existing in the DSCs is now not needed for locating the data files, but we did not remove that inventory information.

The offline tape datasets have now been migrated from the original magnetic tape to Archival Information Packages (AIP's).

A prior restoration may have been done on data sets, if a requestor of this data set has questions; they should send an inquiry to the request office to see if additional information exists.

2. ERRATA/CHANGE LOG:

NOTE: Changes are made in a text box, and will show up that way when displayed on screen with a PDF reader.

When printing, special settings may be required to make the text box appear on the printed output.

Version	Date	Person	Page	Description of Change
01				
02				

3 LINKS TO RELEVANT INFORMATION IN THE ONLINE NSSDC INFORMATION SYSTEM:

http://nssdc.gsfc.nasa.gov/nmc/

[NOTE: This link will take you to the main page of the NSSDC Master Catalog. There you will be able to perform searches to find additional information]

4. CATALOG MATERIALS:

a. Associated Documents To find associated documents you will need to know the document ID number and then click here.
http://nssdcftp.gsfc.nasa.gov/miscellaneous/documents/

b. Core Catalog Materials

MARINER 10

SEDR SUBSET SUP. DATA FOR ALL PHOTO

73-085A-01P PSPA-00318

This data set has been restored. There was originally one 7-track, 556 BPI tape written in Binary. There is one restored tape. The DR tape is a 3480 cartridge and the DS tape is 9-track, 6250 BPI. The original tape was created on an IBM 360 computer and the restored tape was created on an IBM 9021 computer. The DR and DS numbers along with the corresponding D number are as follows:

DR#	DS#	D#	FILES	TIME SPAN
DR005955	DS005955	D023753	1	11/03/73 - 09/23/74

* One record lost during restoration - the original tape had 12991 records, the restored tape has 12990.

REQ. AGENT	RAND NO.	ACQ. AGENT
WTJ	RC6I28	CDW

MARINER 10

SEDR SUBSET SUPPORT DATA

FOR ALL PHOTOGRAPHS

73-085A-01P

This data set consists of one Mariner 10 SEDR tape that was created on an IBM 360 computer and contains one file of data. The tape is 7-track, 556 BPI and was written with TRTCH=C. The records are blocked one logical record per physical record which contains 284 bytes of data.

The data are ordered by day number. The 1974 data start on record 1 day 19 and end on record 11,763 day 266. The 1973 data start on record 11764 day 307 and end on day 365.

D#	C#	TIME SPAN
D-23753	C-17910	11/03/73 - 09/23/74

DESCRIPTION OF LIBRARY SEDR TAPE

Tape ID:	NSSDC1
Density:	7-track, 556 BPI
Computer Used:	IBM 360/65 (OS System)
Parameters Used:	DCB = (DEN=1, TRTCH=C) Label = (,BLP)
Record Length:	284 bytes
Fields:	76
Total Records:	12,991

Field
Data Type

C = Character String

P = Packed Decimal (first digit = field size, second digit = decimal places)

F = Fixed Point (two's complement binary format)

E = Floating Point

Field	Description	Units	Type	Length
1	Day-Day of year when image recorded	Days	C	3
2	FDS-Flight Data Subsystem count	None	C	7
3	Year-Year picture taken. 3=1973, 4=1974	Year	C	1
4	Camera identification	None	C	1
5	Filter position (number and color)	None	C	10
6	Filter size	None	C	3
7	Filter number	None	C	3
8	Filter color	None	C	6
9	Exposure time	Seconds	C	7
10	Instrument ID	None	E	4
11	Television system serial number	None	C	1
12	Measurement time ataspacecraft	Year	F	2
13	" " " "	Day	F	2
14	" " " "	Hour	F	1
15	" " " "	Minute	F	1
16	" " " "	Second	F	1
17	" " " "	Millisec	F	2
18	Planet	None	C	11
19	Spacecraft altitude to planet surface	KM	E	4
20	Radial velocity relative to planet center	KM/sec	E	4
21	Smear velocity in image plane of pic center	mm/sec	E	4
22	Smear direction in image plane	Deg	P	3/2
23	Pixel size [projected surface scale factors]	KM/pixel	E	4
24	Line size [projected surface scale factors]	KM/line	E	4
25	Latitude of left limb extreme	Deg	E	4
26	Latitude of center limb extreme	Deg	E	4
27	Latitude of right limb extreme	Deg	E	4
28	Picture height	KM	E	4
29	Picture width	KM	E	4
30	Spacecraft range to limb	KM	E	4
31	Longitude of right limb extreme	Deg	E	4
32	Longitude of center limb extreme	Deg	E	4
33	Longitude of left limb extreme	Deg	E	4
34	Spacecraft tangential velocity relative to the planet center	KM/sec	P	2/1

(3)

Field	Description		Units	Type	Length
35	Distance from spacecraft to planet center		KM	E	4
36	Solar latitude		Deg	P	3/2
37	Solar longitude		Deg	P	3/2
38	Spacecraft latitude		Deg	P	3/2
39	Spacecraft longitude		Deg	P	3/2
40	Lighting angle	R-1	Deg	P	3/2
41	" " "	R-3	"	P	3/2
42	" "	R-5	"	P	3/2
43	" "	R-7	"	P	3/2
44	" "	R-9	"	P	3/2
45	Phase Angle	R-1	"	P	3/2
46	" "	R-3	"	P	3/2
47	" "	R-5	"	P	3/2
48	" "	R-7	"	P	3/2
49	" "	R-9	"	P	3/2
50	Viewing Angle	R-1	"	P	3/2
51	" "	R-3	"	P	3/2
52	" "	R-5	"	P	3/2
53	" "	R-7	"	P	3/2
54	" "	R-9	"	P	3/2
55	Latitude	R-1	"	P	3/2
56	"	R-3	"	P	3/2
57	"	R-5	"	P	3/2
58	"	R-7	"	P	3/2
59	"	R-9	"	P	3/2
60	Longitude	R-1	"	P	3/2
61	"	R-3	"	P	3/2
62	"	R-5	"	P	3/2
63	"	R-7	"	P	3/2
64	"	R-9	"	P	3/2
65	Slant Range	R-1	KM	E	4
66	" "	R-3	KM	E	4
67	" "	R-5	KM	E	4
68	" "	R-7	KM	E	4
69	" "	R-9	KM	E	4

(4)

Field	Description		Units	Type	Length
70	Spacecraft position vector relative to the planet center, EME, 1950.0	VR-1	KM	E	4
71		VR-2	KM	E	4
72		VR-3	KM	E	4
73	Direction of north in image plane		Deg	E	4
74	Angle in image plane of line from center of picture to sub-solar point, relative to C1 (P5-P6) vector		Deg	E	4
75	Identification of tape containing raw image data		None	C	6
76	Comments		None	C	20

PICTORIAL REPRESENTATION OF DATA PARAMETERS



```
RECORD NUMBER=11763 DAY=266 YEAR=1974
RECORD NUMBER=11764 DAY=307 YEAR=1973

IEF142I - STEP WAS EXECUTED - COND CODE 0000                                                    D-23753
IEF285I   SYS76202.T104511.RV000.YZJRJTC2.LODMOD        PASSED
IEF285I   VOL SER NOS= K3SCR3.
IEF285I   SYS76202.T104511.SV000.YZJRJTC2.R0000900      SYSOUT
IEF285I   VOL SER NOS= K3SCR4.
IEF285I   SYS76202.T104511.SV000.YZJRJTC2.R0000901      DELETED
IEF285I   VOL SER NOS= K3SCR5.
IEF285I   SYS76202.T104511.SV000.YZJRJTC2.R0000902      DELETED
IEF285I   VOL SER NOS= K3SCR4.
IEF285I   SYS76202.T104511.RV000.YZJRJTC2.R0000903      KEPT
IEF285I   VOL SER NOS= JJ0102.
IEF280E K 0D0.JJ0102.YZJRJTC2.GO
IEF373I STEP /GO       / START 76202.1900
IEF374I STEP /GO       / STOP  76202.1908 CPU    0MIN 24.37SEC MAIN  42K LCS    0K
- STEP 03 -      RETURN CODE = 0000                                  STEP TIME =     2.37 MINS=(CPU=      .40,IO=     1.97)
                                    IO IN SECS. DISK=      .80,DRUM=      .14,TAPE=  117.69,CELL=      .00,OTHR=      .12
IEF285I   SYS76202.T104511.RV000.YZJRJTC2.LODMOD        DELETED
IEF285I   VOL SER NOS= K3SCR3.
IEF375I  JOB /YZJRJTC2/ START 76202.1839
IEF376I  JOB /YZJRJTC2/ STOP  76202.1908 CPU    0MIN 27.03SEC
-  SYSTEM=MVT-21 (11-21-73)   K3                                                  TIME=19.08.37.36 DATE=07-20-76
- JOB 0370-                                                  TOTAL TIME =     2.72 MINS=(CPU=      .45,IO=     2.27)
                                    IO IN SECS. DISK=    18.05,DRUM=      .90,TAPE=  117.69,CELL=      .00,OTHR=      .44
 THERE WERE 01 TAPES MOUNTED FOR THIS JOB. TAPE MOUNT CHARGE WAS 00.0 MINUTES.
```

```
XXFT05F001 DD  DDNAME=DATA5                                                  00000240
XXFT06F001 DD SYSOUT=&OUT,DCB=(RECFM=VBA,LRECL=137,BLKSIZE=&BLKSIZE)         00000250
IEF653I SUBSTITUTION JCL - SYSOUT=A,DCB=(RECFM=VBA,LRECL=137,BLKSIZE=7265)
XXFT07F001 DD SYSOUT=E,DCB=(RECFM=FB,BLKSIZE=7280,LRECL=80)                  00000260
XXSYSPRINT DD SYSOUT=&OUT,DCB=(RECFM=VBA,LRECL=137,BLKSIZE=&BLKSIZE),        00000270
IEF653I SUBSTITUTION JCL - SYSOUT=A,DCB=(RECFM=VBA,LRECL=137,BLKSIZE=7265),
XX              SPACE=(CYL,(0,1)),UNIT=(DISK,3)                              00000280
//GO.FT08F001 DD UNIT=7TRACK,DISP=(OLD,KEEP),LABEL=(01,BLP,,IN),
//        DCB=(BLKSIZE=32000,RECFM=U,DEN=1,TRTCH=C),
//              VOL=SER=JJ0113
//GO.DATA5 DD *
//
IEF236I ALLOC. FOR YZJRJTJ4 GO
IEF237I 232   ALLOCATED TO PGM=*.DD
IEF237I 231   ALLOCATED TO FT05F001
IEF237I 232   ALLOCATED TO FT06F001
IEF237I 231   ALLOCATED TO FT07F001
IEF237I 232   ALLOCATED TO SYSPRINT
IEF237I 231   ALLOCATED TO SYSPRINT
IEF237I 331   ALLOCATED TO SYSPRINT
IEF237I 0D0   ALLOCATED TO FT08F001
```

D-23753

TIME-SPAN

11/03/73-9/23/74

```
                                RECORD      1  OF FILE    1
                                LENGTH =     284  BYTES

40404040  40404040  4040F440  40404040  40404040  40404040  40404040  40404040  40404040  40404040
40000000  00400000  00000000  000000C5  C1D9E3C8  61D4D6D6  D5400000  00000000  00000000  00000000
0C000000  00000000  00000000  000C0000  00000000  00000000  00000000  00000000  00000000  00000000
00000000  00000C00  00000000  000C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000
0C00000C  00000C00  00000000  0C00000C  00000C00  00000000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  0C00000C  000C0C00  000C0000  00000000  00000000  00000000  00000000  00004040
40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040
40404040

                                RECORD      2  OF FILE    1
                                LENGTH =     284  BYTES

40404040  4040D5D6  D5C54040  40404040  40404040  40404040  40404040  40404040  40404040  40404040
40000000  00400000  00000000  00000040  40404040  40404040  40400000  00000000  00000000  00000000
0C000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000
00000000  00000C00  00000000  000C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000
0C00000C  00000C00  00000000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  0C00000C  000C0C00  000C0000  00000000  00000000  00000000  00000000  00000000
00000000  00000000  00000000  00000000  00004040  40404040  40404040  40404040  40404040  40404040
40404040

                                RECORD      3  OF FILE    1
                                LENGTH =     284  BYTES

F0F1F9F0  F0F2F2F1  F2F1F4C1  40404040  E4E54040  40404040  F0404040  E4E54040  4040F0F0  4BF1F8F4
F1404040  40400000  00000000  000000C5  C1D9E3C8  61D4D6D6  D5400000  00004040  40404040  40404040
40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040
40404040  40000C00  00000000  000C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000
0C00000C  00000C00  00000000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  0C00000C  000C0C00  000C0000  00000000  00000000  00000000  00000000  00004040
40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040  40404040
40404040
```

RECORD 4 OF FILE 1
LENGTH = 284 BYTES

F0F1F9F0	F0F2F2F1	F2F2F4C2	40404040	E4E54040	40404040	F0404040	E4E54040	4040F0F0	4BF1F8F1
F4404040	40400000	00000000	000000C5	C1D9E3C8	61D4D6D6	D5400000	00004040	40404040	40404040
40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40404040	40000C00	00000000	000C0000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000
0C00000C	00000C00	00000000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000	0C00000C
00000C00	000C0000	0C00000C	00000C00	000C0000	0C000000	00000000	00000000	00000000	00004040
40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40404040									

RECORD 5 OF FILE 1
LENGTH = 284 BYTES

F0F1F9F0	F0F2F3F0	F3F8F440	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40000000	004007B6	0013131C	0D0008C5	C1D9E3C8	61D4D6D6	D54046C2	6A65C19B	837A3FC4	69C71278
8C5230CA	025230CA	02C736A4	37C736A4	37C736A4	37000000	00000000	0046C282	4DC736A4	37C736A4
37C736A4	37004C46	C2824F00	118D1346	4C01003C	33590C16	296C1633	3C16316C	16299C16	335C0000
0C00000C	00000C00	000C0000	0C16674C	18720C18	7C0C1867	9C18725C	01014C01	013C0101	6C01018C
01018C32	921C3287	8C32897C	32916C32	873C4616	EC924618	7D7E4617	CC614617	18194618	AC05C68D
32C64666	834D4655	F3E84040	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40404040									

RECORD 12987 OF FILE 1
LENGTH = 284 BYTES

F3F6F5F9	F9F9F9F9	F9F6F340	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40000000	00400000	00000000	000000C5	C1D9E3C8	61D4D6D6	D5400000	00000000	00000000	00000000
0C000000	00000000	00000000	000C0000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000C00	00000000	000C0000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000
0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000	0C00000C
00000C00	000C0000	0C00000C	000C0C00	000C0000	0C000000	00000000	00000000	00000000	00004040
40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40404040									

RECORD 12988 OF FILE 1
LENGTH = 284 BYTES

F3F6F5F9	F9F9F9F9	F9F1F340	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40000000	00400000	00000000	000000C5	C1D9E3C8	61D4D6D6	D5400000	00000000	00000000	00000000
0C000000	00000000	00000000	000C0000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000C00	00000000	000C0000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000
0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000	0C00000C	00000C00	000C0000	0C00000C
00000C00	000C0000	0C00000C	000C0C00	000C0000	0C000000	00000000	00000000	00000000	00004040
40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40404040									

RECORD 12989 OF FILE 1
LENGTH = 284 BYTES

F3F6F5F9	F9F9F9F9	F9F8F340	40404040	40404040	40404040	40404040	40404040	40404040	40404040
40000000	00400000	00000000	000000C5	C1D9E3C8	61D4D6D6	D5400000	00000000	00000000	00000000
0C000000	00000000	00000000	000C0000	00000000	00000000	00000000	00000000	00000000	00000000

```
000C0000  00C00C00  CCCCCC00  C00C0000  0C0C000C  C00C0C00  000C0000  0C00000C  00000C00  0CCC0C00
0C00000C  00000C00  0C0C0000  0C0C000C  00000C00  000C0000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  0C0C000C  000C0C00  000C0000  CC0C0000  00000000  00000000  00000000  00004C40
40404040  40404040  4C4C4C40  404C4040  40404040  4C404040  40404040  40404040  40404040  40404C40
40404040
```

RECORD 12990 OF FILE 1
LENGTH = 284 BYTES

```
F3F6F5F9  F9F9F9F9  F9F9F340  404C4040  40404040  4C404040  40404040  40404040  40404040  40404040
40000000  004C0000  CCCC0000  000000C5  C1D9E3C8  61D4D6D6  D5400000  00000000  00000000  00000000
0C000000  00000000  CC0C0000  000C0000  00000000  0C000000  00000000  00000000  00000000  00000000
00000000  00000C00  CC0C0000  000C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000
0C00000C  00000C00  CC0C0000  0C0C000C  00000C00  000C0000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  0C0C000C  000C0C00  000C0000  0C000000  00000000  00000000  00000000  00004040
40404040  40404040  4C4C4040  404C4040  40404040  4C404040  40404040  40404040  40404040  40404040
40404040
```

RECORD 12991 OF FILE 1
LENGTH = 284 BYTES

```
F9F9F940  40D6E3C8  C5D94040  404C4040  40404040  4C404040  40404040  40404040  40404040  40404040
40000000  004C0000  CCCC0000  000C0040  40404040  4C404040  40400000  00000000  00000000  00000000
0C000000  00000000  CCCC0000  000C0000  00000000  0C000000  00000000  00000000  00000000  00000000
00000000  00000C00  CC0C0000  000C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000
0C00000C  00000C00  CC0C0000  0C00000C  00000C00  000C0000  0C00000C  00000C00  000C0000  0C00000C
00000C00  000C0000  CC0C000C  000C0C00  000C0000  0C000000  00000000  00000000  00000000  00000000
00000000  00000000  CC0C0000  000C0000  00004040  4C404040  40404040  40404040  40404040  40404C40
40404040
```

12991 RECORDS IN FILE 1 OF TAPE

```
IEC209I YZJRJTJ4 JJ0113 CDC TR=003,TW=000,EG=000,CL=000,N=001,SIO=12996
IEC209I YZJRJTJ4 JJ0113 CDC TR=001,TW=000,EG=000,CL=000,N=000,SIO=12993
IEF142I - STEP WAS EXECUTED - COND CODE 0000
IEF285I   SYS76210.T171410.RV000.YZJRJTJ4.LODMOD        PASSED
IEF285I   VOL SER NOS= K3SCR3.
IEF285I   SYS76210.T171410.RV000.YZJRJTJ4.S0000338      SYSIN
IEF285I   VOL SER NOS= K3SCR2.
IEF285I   SYS76210.T171410.RV000.YZJRJTJ4.S0000338      DELETED
IEF285I   VOL SER NOS= K3SCR2.
IEF285I   SYS76210.T171410.SV000.YZJRJTJ4.R0000334      SYSOUT
IEF285I   VOL SER NOS= K3SCR3.
IEF285I   SYS76210.T171410.SV000.YZJRJTJ4.R0000335      DELETED
IEF285I   VOL SER NOS= K3SCR2.
IEF285I   SYS76210.T171410.SV000.YZJRJTJ4.R0000336      DELETED
IEF285I   VOL SER NOS= K3SCR3.
IEF285I   SYS76210.T171410.RV000.YZJRJTJ4.R0000337      KEPT
IEF285I   VOL SER NOS= JJ0113.
IEF280E K 0D0,JJC113,YZJRJTJ4,GO
IEF373I STEP /GO       / START 76210.2020
IEF374I STEP /GO       / STOP  76210.2034 CPU    0MIN 37.39SEC MAIN 186K LCS    0K
- STEP 02 -      RETURN CODE = 0000                                  STEP TIME =     4.98 MINS=(CPU=      .62,IO=     4.36)
                                    IO IN SECS. DISK=     1.45,DRUM=      .38,TAPE=   259.91,CELL=      .00,OTHR=      .12
IEF285I   SYS76210.T171410.RV000.YZJRJTJ4.LODMOD        DELETED
IEF285I   VOL SER NOS= K3SCR3.
IEF375I  JOB /YZJRJTJ4/ START 76210.2019
IEF376I  JOB /YZJRJTJ4/ STOP  76210.2034 CPU    0MIN 39.11SEC
-  SYSTEM=MVT-21 (11-21-73)   K3
- JOB 0098-                                                                          TIME=20.34.26.96 DATE=07-28-76
                                                                  TOTAL TIME =     5.19 MINS=(CPU=      .65,IO=     4.54)
                                    IO IN SECS. DISK=    11.97,DRUM=      .94,TAPE=   259.91,CELL=      .00,OTHR=      .29
 THERE WERE 01 TAPES MOUNTED FOR THIS JOB. TAPE MOUNT CHARGE WAS 00.0 MINUTES.
```

********** AS ********** AS **********