NETWORK_DECODING, 111, 218
NETWORK_ENCODING, 110, 217
NeXT_DECODING, 111, 219
NeXT_ENCODING, 110, 218
NOVARY, 112, 219
NSSDC Standard, 56

## O

Obsolete Interface, 26
operating systems, supported, 379

## P

pad values, variable, 53
parse_EPOCH, 318
parseEPOCH, 207
performance considerations
    decoding, 37
    encoding, 36
    format, 33
    majority, 47
CDFbrowse, 96

## R

read-only mode, 27
READONLYoff, 113, 220
READONLYon, 113, 220
release notes, 379
ROW_MAJOR, 111, 219

## S

SCALEMAX attribute, 57, 70
SCALEMIN attribute, 57, 70
scope, attribute, 54
sequential access, variable, 50
SGi_DECODING, 111, 218
SGi_ENCODING, 110, 217
single-file format, 32
SINGLE_FILE, 109, 216
skeleton CDF, 85

skeleton table, 32, 82, 84
creating, 82, 86
example, 333
file extension, 86
format, 321
SkeletonTable, 82, 86
executing, 82
output, 84
SkeletonTable, 321
Standard Interface, 13, 25, 114, 221
standards
NSSDC, 56
attributes, 56
variables, 57
status codes, 351
constants, 108, 216, 351
CDF_OK, 108, 216
CDF_WARN, 108, 216
current, 152, 262
selecting, 158, 268
displaying, 63, 67, 69, 72, 77, 84, 86, 98
error, 351
explanation text, 351
inquiring, 121, 198, 229, 310, 351
length, 114, 221
informational, 351
interpreting, 204, 315, 351
returned, 114, 221
status handler, example, 205, 316
warning, 351
SUN_DECODING, 111, 218
SUN_ENCODING, 110, 217

# T

TEXT attribute, 57
TITLE attribute, 56
trailing blanks
attribute names, 54
CDF pathnames, 31
variable names, 41

# U

UNITS attribute, 57

# V


VALIDMAX attribute, 56, 69
VALIDMIN attribute, 56, 69
VARIABLE_SCOPE, 112, 220
VARIABLE_SCOPE_ASSUMED, 112, 220
variables, 2, 7, 40
    accessing, 6, 40, 114, 221
        hyper values, 48
            dimension counts, 48
                current, 150–151, 260–261
                    confirming, 167, 169, 277, 279
                    selecting, 160, 163, 270, 273
            dimension indices, starting, 48
                current, 150–151, 260–261
                    confirming, 167, 169, 277, 279
                    selecting, 160, 163, 270, 273
            dimension intervals, 48
                current, 150, 152, 260–261
                    confirming, 167, 170, 278, 280
                    selecting, 161, 163, 271, 273
            example, 49
            reading, 47, 143, 189, 193, 252, 300, 304
            record count, 48
                current, 150–151, 260–261
                    confirming, 167, 169, 277, 279
                    selecting, 160, 162, 270, 272
            record interval, 48
                current, 150–151, 260–261
                    confirming, 167, 169, 277, 279
                    selecting, 160, 162, 270, 272
            record number, starting, 48
                current, 150–151, 260–261
                    confirming, 167, 169, 277, 279
                    selecting, 160, 162, 270, 272
            writing, 47, 141, 175, 178, 250, 285, 289
        multiple variable, 51
            reading, 189, 193, 301, 305
            record numbers, 51
                current, 150–151, 260–261
                    selecting, 162, 272
            variable count, 51
            variable list, 51
            writing, 175, 179, 286, 289
        sequential values, 47, 50
            current value, 50, 151–152, 260, 262
                confirming, 168, 170, 278, 280
                selecting, 161, 163, 271, 273
            example, 50
            reading, 189, 193, 300, 305
            writing, 175, 178, 285, 289

single values, 47
dimension indices, 47
current, 150–151, 260–261
confirming, 167, 169, 277, 279
selecting, 160, 163, 270, 273
reading, 140, 189, 193, 249, 299, 304
record number, 47
current, 150–151, 260–261
confirming, 167, 169, 277, 279
selecting, 160, 162, 270, 272
writing, 138, 174, 178, 247, 285, 288
arrays, 41, 46
closing, 40, 145, 158, 254, 268
creating, 40, 133, 155–156, 241, 265–266
current, 149, 259
confirming, 166, 168, 276, 278
selecting
by name, 160, 162, 270, 272
by number, 159, 162, 269, 271
data specification, 44
changing, 44, 173, 176, 283, 286
data type, 44–45
inquiring, 137, 186, 190, 246, 297, 301
number of elements, 44–45
inquiring, 137, 186, 190, 246, 297, 302
selecting, 44
dimensionality, 40–41
inquiring, 118, 182–183, 226, 293–294
existence, determining, 166, 168, 277–278
fill values, 57, 69
indices
numbering, 108, 216
majority, 46
changing, 47, 64, 172, 282
considering, 111–112, 219
constants, 111, 219
`COL_MAJOR`, 111, 219
`ROW_MAJOR`, 111, 219
default, 155, 265
example, 46
inquiring, 118, 183, 226, 294
selecting, 47
naming, 39, 41, 114, 133, 221, 242
case sensitivity, 41
inquiring, 137, 186, 190, 246, 297, 301
renaming, 136, 173, 176, 245, 283, 286
trailing blanks, 41
non-record-variant (NRV), 45, 83
number of, inquiring, 118, 184, 226, 295
numbering, 41, 63, 108, 216
assigning, 41

inquiring, 135, 187, 191, 243, 298, 302
opening, 40
pad values, 42, 45, 49, 53, 57, 86
default, 42, 53
inquiring, 187, 191, 298, 303
specifying, 53, 174, 177, 284, 287
when used, 53
record-variant (RV), 45
records, 41
allocated, 44
inquiring, 188, 192, 299, 303
contiguous, 43–44
extend, 44
inquiring, 187, 192, 298, 303
specifying, 174, 178, 284, 288
indexing, 32
inquiring, 188, 192, 299, 303–304
initial, 42
writing, 174, 177, 284, 288
maximum, 42
inquiring, 118, 184–185, 188, 192, 226, 295–296, 299, 303
numbering, 42, 108, 216
physical, 41, 45
virtual, 41, 45
rVariables, 7, 40
subarrays, 41, 45
values
monotonicity, 57, 70
virtual, 46
variances, 8, 48
changing, 45–46
constants, 112, 219
NOVARY, 112, 219
VARY, 112, 219
dimensional, 45
changing, 173, 177, 283, 287
example, 46
inquiring, 137, 187, 191, 246, 298, 302
record, 42, 45
changing, 173, 177, 283, 287
example, 42
inquiring, 137, 187, 191, 246, 297, 302
selecting, 45–46
zVariables, 10, 40
variance
dimensional, 45
record, 45
VARY, 112, 219
VAX_DECODING, 111, 218
VAX_ENCODING, 110, 217

## W

wildcard characters, 59

## X

XDR, 34

## Z

zMode, 27
`zMODEoff`, 113, 220
`zMODEon1`, 113, 220
`zMODEon2`, 113, 220